

21 November 2017  
EMA/434955/2017  
Committee on Herbal Medicinal Products (HMPC)

## List of references supporting the assessment of *Curcuma longa L. (C. domestica Valeton), rhizoma*

Draft

**The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.**

Ammon HPT, Safahi H, Mack J and Sabiera J. Mechanisms of anti-inflammatory actions of curcumin and boswellic acids. *J Ethnopharmacol* 1993; 38:113-119

Arbiser JL, Klauber N, Rohan R, van Leeuwen R, Huang MT, Fisher C et al. Curcumin is an in vivo inhibitor of angiogenesis. *Mol Med* 1998; 4(6): 376-383.

Asai A, Miyazawa T. Occurrence of orally administered curcuminoid as glucuronide and glucuronide-sulphate conjugates in rat plasma. *Life Science* 2000; 67:2785-2793

ASEAN. Standard of ASEAN herbal medicine. Jakarta: ASEAN Countries 1993.

Aurade RM, Jayalakshmi SK, Sreeramulu K. Modulatory effects of natural curcuminoids on P-glycoprotein ATPase of insecticide-resistant pest *Helicoverpa armigera* (Lepidoptera: Noctuidae). *J Membr Biol* 2010 August; 236(3): 271-8.

Azuine MA, Bhide SV. Adjuvant chemoprevention of experimental cancer: catechin and dietary turmeric in forestomach and oral cancer models. *J Ethnopharmacol* 1994; 44(3): 211-217.

Azuine MA, Kayal JJ, Bhide SV. Protective role of aqueous turmeric extract against mutagenicity of direct-acting carcinogens as well as benzo [alpha] pyrene-induced genotoxicity and carcinogenicity. *J Cancer Res Clin Oncol* 1992; 118(6): 447-452.

Bisset NG. Herbal drugs and phytopharmaceuticals: a handbook for practice on a scientific basis. Boca Raton, FL 1994.

Bisset NG. Max Wichtl's herbal drugs & phytochemicals. Boca Raton, FL: CRC Press 1994.

Blumenthal M. The complete German Commission E monographs. American Botanical Council, Austin, TX 1998.

Bowman J. OTC Arthritis Treatment: Where Do We Stand? *Pharmacy Times* 2005; 71(5): 22-24.



Bruneton J. Pharmacology, phytochemistry, medicinal plants. Paris: Lavoisier 1995.

Bundy R, Walker AF, Middleton RW, Booth J. Turmeric Extract May Improve Irritable Bowel Syndrome Symptomatology in Otherwise Healthy Adults: A Pilot Study. *J Altern Complement Med* 2004; 10(6): 1015-1018.

Chainani-Wu N. Safety and anti-inflammatory activity of curcumin: a component of turmeric (*Curcuma longa*). *J Altern Complement Med* 2003; 9(1): 161-168.

Charles V, Charles SX. The use and efficacy of *Azadirachta indica* ADR ('Neem') and *Curcuma longa* ('Turmeric') in scabies. A pilot study. *Trop Geogr Med* 1992; 44(1-2): 178-181.

Cheng AL, Hsu CH, Lin JK, Hsu MM, Ho YF, Shen TS et al. Phase I clinical trial of curcumin, a chemopreventive agent, in patients with high-risk or pre-malignant lesions. *Anticancer Res* 2001; 21(4B): 2895-2900.

Cohly HHP, Taylor A, Angel MF, Salahudeen AK. Effect of turmeric, turmerin and curcumin on H<sub>2</sub>O<sub>2</sub>-induced renal epithelial (LLC-PK1) cell injury. *Free Rad Biol Med* 1998, 24:49-54

Commandeur JN, Vermeulen NP. Cytotoxicity and cytoprotective activities of natural compounds. The case of curcumin. *Xenobiotica* 1996; 26(7): 667-680.

Cronin JR. The Biochemistry of Alternative Medicine, Curcumin Old Spice Is a New Medicine. *Alternative & Complementary Therapies* 2003; 34-38.

Deodhar SD, Sethi R, Srimal RC. Preliminary study on antirheumatic activity of curcumin (diferuloyl methane). *Indian J Med Res* 1980; 71: 632-634.

Deshpande SS, Lalitha VS, Ingle AD, Raste AS, Gadre SG, Maru GB. Subchronic oral toxicity of turmeric and ethanolic turmeric extract in female mice and rats. *Toxicol Lett* 1998; 95(3): 183-193.

Donatus IA, Sardjoko, Vermeulen NP. Cytotoxic and cytoprotective activities of curcumin. Effects on paracetamol-induced cytotoxicity, lipid peroxidation and glutathione depletion in rat hepatocytes. *Biochem Pharmacol* 1990; 39(12): 1869-1875.

Dorai T, Gehani N, Katz A. Therapeutic potential of curcumin in human prostate cancer-I. curcumin induces apoptosis in both androgen-dependent and androgen-independent prostate cancer cells. *Prostate Cancer Prostatic Dis* 2000; 3(2): 84-93.

EFSA Panel on Food Additives and Nutrient Sources added to Food (ANS). Scientific Opinion on the re-evaluation of curcumin (E 100) as a food additive. *EFSA Journal* 2010, 8(9):1679 doi:10.2903/j.efsa.2010.1679

ESCOP Monographs, Second Edition, 2003.

European pharmacopoeia. 6th ed. Strasbourg: Council of Europe 2009.

Farombi EO, Abarikwu SO, Adedara IA, Oyeyemi MO. Curcumin and kolaviron ameliorate di-n-butylphthalate-induced testicular damage in rats. *Basic Clin Pharmacol Toxicol* 2007; 100(1): 43-48.

Fetrow CW, Avila JR. Professional's handbook of complementary and alternative medicine. Springhouse, PA: Springhouse 1999.

Frerichs G, Arends G, Zornig H. Hagers Handbuch der Pharmazeutischen Praxis. Berlin: Springer Verlag 1949.

Ganiger S, Malleshappa HN, Krishnappa H, Rajashekhar G, Ramakrishna Rao V, Sullivan F. Two generation reproductive toxicity study with curcumin, turmeric yellow, in Wistar rats. *Food and Chemical Toxicology* 2007; 45:64-69

German Commission E Monograph. Curcumae longae rhizoma: Bundesanzeiger 1985.

Giri AK, Das SK, Talukder G, Sharma A. Sister chromatid exchange and chromosome aberrations induced by curcumin and tartrazine on mammalian cells in vivo. *Cytobios* 1990, 62:111-117

Goh CL, Ng SK. Allergic contact dermatitis to *Curcuma longa* (turmeric). *Contact Dermatitis* 1987; 17(3): 186.

Govindrajan VS. Turmeric - chemistry, technology and quality. *CRC Crit Rev Fd Sci Nutr* 1980; 12: 199.

Gupta B, Kulshrestha VK, Srivastava RK, Prasad DN. Mechanism of curcumin induced gastric ulcer in rats. *Indian J Med Res* 1980, 71:806-814

Hänsel R, Keller K, Rimpler H, Schneider G. Hagers Handbuch der Pharmazeutischen Praxis. Berlin: Springer Verlag 1992

Häringer E, Wirkungen bei funktioneller Dyspepsie und Effekte auf Lipidwerte: Curcuma longa-Extrakt. Naturheilpraxis Sonderdruck 2004; 1: 106-111.

Hata M, Sasaki E, Ota M, Fujimoto K, Yajima J, Shichida T et al. Allergic contact dermatitis from curcumin (turmeric). *Contact Dermatitis* 1997; 36(2): 107-108.

Hatcher H, Planalp R, Cho J, Torti FM, Torti SV. Curcumin: from ancient medicine to current clinical trials. *Cell Mol Life Sci* 2008, 65:1631-1653

Heck AM, DeWitt BA, Lukes AL. Potential interactions between alternative therapies and warfarin. *Am J Health Syst Pharm* 2000; 57(13): 1221-1227; quiz 1228-1230.

Herbal Medicine: Turmeric root. Available at: [http://content.herbgram.org/eoproducts/Herbal\\_Medicine](http://content.herbgram.org/eoproducts/Herbal_Medicine). Accessed 18/09/2008.

Hiller K, Melzig MF. Lexikon der Arzneipflanzen und Drogen. Berlin: Spektrum Akademischer Verlag Heidelberg.

Holder GM, Plummer JL, Ryan AJ. The metabolism and excretion of curcumin (1,7-bis-(4-hydroxy-3-methoxyphenyl)-1,6-heptadiene-3,5-dione) in rat. *Xenobiotica* 1978, 8:761-768

Honda S, Aoki F, Tanaka H, Kishida H, Nishiyama T, Okada S, Matsumoto I, Abe K, Mae T. Effects of ingested turmeric oleoresin on glucose and lipid metabolisms in obese diabetic mice: a DNA microarray study. *J Agric Food Chem* 2006; (54): 9055-9062.

Hoppe HA. Drogenkunde. Hamburg: De Gruyter & Co 1943.

<http://reprotox.org>

Ireson CR, Jones DJ, Orr S, Coughtrie MWH, Boocock DJ, Williams ML, et al. Metabolism of the cancer chemopreventive agent curcumin in human and rat intestine. *Cancer Epidemiol Biomarkers Prev* 2002, 11:105-111

Ishihara M, Itoh M, Miyamoto K, Suna S, Takeuchi Y, Takenaka I et al. Spermatogenic disturbance induced by di-(2-ethylhexyl) phthalate is significantly prevented by treatment with antioxidant vitamins in the rat. *Int J Androl* 2000; 23(2): 85-94.

Itokawa H, Shi Q, Akiyama T, Morris-Natschke SL, Lee KH. Recent advances in the investigations of curcuminoids. *Chinese medicine* 2008, 3:1-13

Jain, AK, Tezuka H, Kada T, Tomita J. Evaluation of genotoxic effects of turmeric in mice. *Current Sci* 1987, 56(19):1005-1006

James JS. Curcumin trial results: Antiviral effect reported. AIDS Treatment News 198 1994 May 6, [cited; Available from: [www.aidsin-fobbs.org/periodecals/atn/1994/198](http://www.aidsin-fobbs.org/periodecals/atn/1994/198)]

JECFA: Joint FAO/WHO Expert Committee on Food Additives, 44th meeting: WHO Food Additives Series 35: Curcumin. Available at: <http://www.inchem.org/documents/jecfa/jecmono/v35je09.htm>

JECFA: Joint FAO/WHO Expert Committee on Food Additives: WHO Food Additives Series 52: Curcumin (addendum). Available at:

<http://www.inchem.org/documents/jecfa/jecmono/v52je04.htm>

Jensen NJ. Lack of mutagenic effect of turmeric oleoresin and curcumin in the Salmonella/mammalian microsome test. *Mutation Res* 1982, 105:393-396

Jiang MC, Yang-Yen HF, Yen JJ, Lin JK. Curcumin induces apoptosis in immortalized NIH 3T3 and malignant cancer cell lines. *Nutr Cancer* 1996; 26(1): 111-120.

Kammerer E, Fintelmann V. *Curcuma-Wurzelstock bei dyspeptischen Beschwerden- Ergebnisse einer Anwendungsbeobachtung an 440 Patienten. Natura Med Sonderdruck* 16 (2001) nr.8. Kirchheim-Verlag Mainz.

Kandarkar SV, Sawant SS, Ingle AD, Deshpande SS, Maru GB. Subchronic oral hepatotoxicity of turmeric in mice-histopathological and ultrastructural studies. *Indian J Exp Biol* 1998; 36(7): 675-659.

Kapoor LD. Handbook of Ayurvedic medicinal plants. Boca Raton, FL: CRC Press; 1990.

Khar A, Ali AM, Pardhasaradhi BV, Varalakshmi CH, Anjum R, Kumari AL. Induction of stress response renders human tumor cell lines resistant to curcumin-mediated apoptosis: role of reactive oxygen intermediates. *Cell Stress Chaperones* 2001; 6(4): 368-376.

Khattak S, Saeed ur R, Ullah Shah H, Ahmad W, Ahmad M. Biological effects of indigenous medicinal plants *Curcuma longa* and *Alpinia galanga*. *Fitoterapia* 2005; 76(2): 254-257.

Kidd PM. Bioavailability and Activity of Phytosome Complexes from Botanical Polyphenols: The Silymarin, Curcumin, Green Tea, and Grape Seed Extracts. *Alternative Medicine Review* 2009, 14(3):226-246

Kim DC, Kim SH, Choi BH, Baek NI, Kim D, Kim MJ et al. *Curcuma longa* extract protects against gastric ulcers by blocking H<sub>2</sub> histamine receptors. *Biol Pharm Bull* 2005; 28(12): 2220-2224.

Ksunand C, Indrasukhsri B, Leethochawalit M, Hungspreugs K. Phase II clinical trial on effect of the long turmeric (*Curcuma longa* Linn) on healing of peptic ulcer. *Southeast Asian J Trop Med Public Health* 2001; 32(1): 208-215.

Kulkarni RR, Patki PS, Jog VP, Gandage SG, Patwardhan B. Treatment of osteoarthritis with a herbomineral formulation: a double-blind, placebo-controlled, cross-over study. *J Ethnopharmacol* 1991; 33(1-2): 91-95.

Kundu S, Biswas TK, Das P, Kumar S, De DK. Turmeric (*Curcuma longa*) rhizome paste and honey show similar wound healing potential: a preclinical study in rabbits. *Int J Low Extrem Wounds* 2005; 4(4): 205-213.

Kuroda M, Mimaki Y, Nishiyama T, Mae T, Kishida H, Tsukagawa M et al. Hypoglycemic effects of turmeric (*Curcuma longa* L. rhizomes) on genetically diabetic KK-Ay mice. *Biol Pharm Bull* 2005; 28(5): 937-939.

Kuttan R, Sudheeran PC, Josph CD. Turmeric and curcumin as topical agents in cancer therapy. *Tumori* 1987; 73(1): 29-31.

Lee HS. Antiplatelet property of *Curcuma longa* L. rhizome-derived ar-turmerone. *Bioresour Technol* 2006; 97(12): 1372-1376.

Leiherer A, Mündlein A, Drexel H. Phytochemicals and their impact on adipose tissue and diabetes. *Vascular Pharmacology* 2013, 58:3-20.

Li N, Chen X, Liao J, Yang G, Wang S, Josephson Y et al. Inhibition of 7,12-dimethylbenz[a]anthracene (DMBA)-induced oral carcinogenesis in hamsters by tea and curcumin. *Carcinogenesis* 2002; 23(8): 1307-1313.

Limtrakul P, Anuchapreeda S, Lipigorngoson S, Dunn FW. Inhibition of carcinogen induced c-Ha-ras and c-fos proto-oncogenes expression by dietary curcumin. *BMC Cancer* 2001; 1: 1.

List PH, Horhammer L. Hagers Handbuch der Pharmazeutischen Praxis. Berlin: Springer Verlag 1979.

Lukita-Admadja W, Ito Y, Baker GL, McCuskey RS. Effect of curcuminoids as anti-inflammatory agents on the hepatic microvascular response to endotoxin. *Shock* 2002, 17:399-403

Madaus G. Lehrbuch der biologischen Heilmittel. Hilderheim: Georg Olms Verlag 1979.

Majeed M, Badmaev V, Shivakumar U, Rajendran R. Curcuminoids. Piscataway, NJ: Nutriscience Publishers Inc. 1995.

Mohanty I, Arya DS, Gupta SK. Effect of *Curcuma longa* and *Ocimum sanctum* on myocardial apoptosis in experimentally induced myocardial ischemic-reperfusion injury. *BMC Complement Altern Med* 2006; 6: 3.

Motterlini R, Foresti R, Bassi R, Green CJ. Curcumin, an antioxidant and anti-inflammatory agent, induces heme oxygenase-1 and protects endothelial cells against oxidative stress. *Free Radic Biol Med* 2000; 28(8): 1303-1312.

Nagabhushan M, Amonkar AJ, Bhide SV. In vitro antimutagenicity of curcumin against environmental mutagens. *Food Chem Toxicol* 1987; 25(7): 545-547.

Nagabhushan M, Bhide SV. Nonmutagenicity of curcumin and its antimutagenic action versus chili and capsaicin. *Nutr Cancer* 1986; 8(3): 201-210.

Najafzadeh H, Moezzi N, Motamed N. Choleretic effect of *Curcuma longa* and Verapamil in mice. *Asian Journal of Medical Sciences* 2011, 3(2): 67-70

National Toxicology Program (NTP). Toxicology and Carcinogenesis Studies of Turmeric Oleoresin (Cas No. 8024-37-1) (Major Component 79%-85% Curcumin, Cas No. 458-37-7) in F344/N Rats and B6C3F1 Mice (Feed Studies). Technical Report Series No. 427, NIH Publication No. 93-3158. U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health, Research Triangle Park, NC 1993

Nishiyama T, Mae T, Kishida H, Tsukagawa M, Mimaki Y, Kuroda M et al. Curcuminoids and sesquiterpenoids in turmeric (*Curcuma longa* L.) suppress an increase in blood glucose level in type 2 diabetic KK-Ay mice. *J Agric Food Chem* 2005; 53(4): 959-963.

Okamoto T, Yamagishi S, Inagaki Y, Amano S, Koga K, Abe R et al. Angiogenesis induced by advanced glycation end products and its prevention by cerivastatin. *Faseb J* 2002; 16(14): 1928-1930.

Osawa T, Sugiyama Y, Inayoshi M, Kawakishi S. Antioxidative activity of tetrahydrocurcuminoids. *Biosci Biotechnol Biochem* 1995; 59(9): 1609-1612.

Polasa K, Raghuram TC, Krishna TP, Krishnaswamy K. Effect of turmeric on urinary mutagens in smokers. *Mutagenesis* 1992; 7(2):107-109.

Priyadarsini KI. Free radical reactions of curcumin in membrane models. *Free Radic Biol Med* 1997; 23(6): 838-843.

Rafatullah S, Tariq M, Al-Yahya MA, Mossa JS, Ageel AM. Evaluation of turmeric (*Curcuma longa*) for gastric and duodenal antiulcer activity in rats. *J Ethnopharmacol* 1990; 29(1): 25-34.

Rajakrishnan V, Menon VP, Rajashekaran KN. Protective role of curcumin in ethanol toxicity. *Phytotherapy research* 1998; 12: 55-56.

Ramirez-Tortosa MC, Mesa MD, Aquilera MC, Quiles JL, Baro L, Ramirez-Tortosa CL, et al. Oral administration of a turmeric extract inhibits LDL oxidation and has hypcholesterolemic effects in rabbits with experimental atherosclerosis. *Atherosclerosis* 1999; 147(2): 371-378.

Ranjan D, Johnston TD, Wu G, Elliott L, Bondada S, Nagabhushan M. Curcumin blocks cyclosporine A-resistant CD28 costimulatory pathway of human T-cell proliferation. *J Surg Res* 1998; 77(2): 174-178.

Rao CV, Desai D, Rivenson A, Simi B, Amin S, Reddy BS. Chemoprevention of colon carcinogenesis by phenylethyl-3-methylcaffeate. *Cancer Res* 1995; 55(11): 2310-2315.

Rasyid A, Lelo A. The effect of curcumin and placebo on human gall-bladder function: an ultrasound study. *Aliment Pharmacol Ther* 1999; 13(2): 245-249.

Rasyid A, Rahman A, Jaalam K, Lelo A. Effect of different curcumin dosages on human gall bladder. *Asia Pacific J Clin Nutr* 2002, 11(4):314-318

Ravindranath V, Chandrasekhara N. Absorption and tissue distribution of curcumin in rats. *Toxicology* 1980, 16:259-265

Ravindranath V, Chandrasekhara N. Metabolism of curcumin – studies with [3H]curcumin. *Toxicology* 1982, 22:337-244

Reddy AC, Lokesh BR. Studies on the inhibitory effects of curcumin and eugenol on the formation of reactive oxygen species and the oxidation of ferrous iron. *Mol Cell Biochem* 1994; 137(1):1-8.

Reichert B, Frerichs G, Arends G, Zornig H. Hagers Handbuch der Pharmazeutischen Praxis. Berlin: Springer Verlag 1944.

Rimbach PE, Mannheim PE, Hartwig L, Bachem C, Hilgers W. Pharmazeutischen Praxis - Fur apotheker, arzneimittelhersteller, drogisten, arzte und medizinalbeamte: Springer - Verlag 1949.

Romiti N, Tongiani R, Cervelli F, Chieli E. Effects of curcumin on P-glycoprotein in primary cultures of rat hepatocytes. *Life Sci* 1998; 62:2349-2358

Ruby J, Kuttan G, Babu KD, Rajashekharan KN, Kuttan R. Antitumor and oxidant activity of natural curcuminoids. *Cancer Lett* 1995; (94): 79-83.

Saraf AS. Applications of novel drug delivery system for herbal formulations. *Fitoterapia* 2010, 81:680-689

Sarkar FH, Li Y, Wan GZ, Padhye S. Lesson Learned from Nature for the Development of Novel Anti-Cancer Agents: Implication of Isoflavone, Curcumin, and their Synthetic Analogs. *Curr Pharm Des* 2010, 16(16):1801-1812

Schneider W. Lexikon zur Arzneimittelgeschichte - Pflanzliche Drogen. Frankfurt a. M.: Govi-Verlag GmbH - Pharmazeutischer Verlag 1974.

Seetharam KA, Pasricha JS. Condiments and contact dermatitis of the finger-tips. *Indian Jounal of Dermatology, Venereology and Leprology* 1987; 53: 325-328.

Shao ZM, Shen ZZ, Liu CH, Sartippour MR, Go VL, Heber D et al. Curcumin exerts multiple suppressive effects on human breast carcinoma cells. *Int J Cancer* 2002; 98(2): 234-240.

Sharma RA, McLlland HR, Hill KA, Ireson CR, Euden SA, Manson MM et al. Pharmacodynamic and pharmacokinetic study of oral Curcuma extract in patients with colorectal cancer. *Clin Cancer Res* 2001; 7(7): 1894-1900.

Sharma RA, Steward WP and Gescher AJ. Pharmacokinetics and pharmacodynamics of curcumin. *Adv Exp med Biol* 2007, 595:453-470

Shoba G, Joy D, Joseph T, Majeed M, Rajendran R, Srinivas PS. Influence of piperine on the pharmacokinetics of curcumin in animals and human volunteers. *Planta Med* 1998; 64(4): 353-356.

Siegers C-P, Deters M, Strubelt O, Hänsel W. Choleretic properties of different curcuminoids in the rat bile-fistula model. *Pharm Pharmacol Letters* 1997; 7: 87-89.

Singh A, Singh SP, Bamezai R. Postnatal modulation of hepatic biotransformation system enzymes via translactational exposure of F1 mouse pups to turmeric and curcumin. *Cancer Lett* 1995; 96(1): 87-93.

Song EK, Cho H, Kim JS, Kim NY, An NH, Kim JA et al. Diarylheptanoids with free radical scavenging and hepatoprotective activity in vitro from Curcuma longa. *Planta Med* 2001; 67(9): 876-877.

Soni KB, Kuttan R. Effect of oral curcumin administration on serum peroxides and cholesterol levels in human volunteers. *Indian J Physiol Pharmacol* 1992; 36(4): 273-275.

Soni KB, Rajan A, Kuttan R. Reversal of aflatoxin induced liver damage by turmeric and curcumin. *Cancer Lett* 1992; 66(2): 115-121.

- Soudamini KK, Kuttan R. Inhibition of chemical carcinogenesis by curcumin. *J Ethnopharmacol* 1989; 27(1-2): 227-233.
- Sreejayan N, Rao MN. Free radical scavenging activity of curcuminoids. *Arzneimittelforschung* 1996; 46(2): 169-171.
- Sreejayan N, Rao MNA, Priyadarsini KI, Devasagayam TP. Inhibition of radiation induced lipid peroxidation by curcumin. *Int J Pharm* 1997; (151): 127-130.
- Sreejayan, Rao MN. Nitric oxide scavenging by curcuminoids. *J Pharm Pharmacol* 1997; 49(1): 105-107.
- Srimal RC. Turmeric: a brief review of medicinal properties. *Fitoterapia* 1997; 68(6): 483-493.
- Thaloor D, Singh AK, Sidhu GS, Prasad PV, Kleinman HK, Maheshwari RK. Inhibition of angiogenic differentiation of human umbilical vein endothelial cells by curcumin. *Cell Growth Differ* 1998; 9(4): 305-312.
- Thamlikitkul V, et al. Randomized double blind study of Curcuma domestica Val. for dyspepsia. *J Med Assoc Thai* 1989; 72(11): 613-620.
- The Indian pharmaceutical codex, Vol. I. Indigenous drugs. New Delhi: Council of Scientific & Industrial Research 1953.
- Unnikrishnan MK, Rao MN. Curcumin inhibits nitrogen dioxide induced oxidation of hemoglobin. *Mol Cell Biochem* 1995; 146(1): 35-37.
- Vijayalaxmi. Genetic effects of turmeric and curcumin in mice and rats. *Mutat Res* 1980; 79(2): 125-132.
- Volak LP, Hanley MJ, Masse G, Hazarika S, Harmatz JS, Badmaev V, et al. Effect of a herbal extract containing curcumin and piperine on midazolam, flurbiprofen and paracetamol (acetaminophen) pharmacokinetics in healthy volunteers. *Br J Clin Pharmacol* 2013, 75(2):450-462
- Wahlstrom B, Blennow G. A study on the fate of curcumin in the rat. *Acta Pharmacol Toxicol* (Copenh) 1978; 43(2): 86-92.
- Weiss RF. Lehrbuch der Phytotherapie. Stuttgart: Hippokrates Verlag 1974.
- WHO. Rhizoma Curcumae Longae, WHO monographs on selected medicinal plants Vol 1: World Health Organisation 1999.
- Xia X, Cheng G, Pan Y, Xia ZH, Kong LD. Behavioral, neurochemical and neuroendocrine effects of the ethanolic extract from *Curcuma longa* L. in the mouse forced swimming test. *J Ethnopharmacol* 2007; 110(2): 356-363.
- Xu Y, Ku B, Tie L, Yao H, Jiang W, Ma X et al. Curcumin reverses the effects of chronic stress on behavior, the HPA axis, BDNF expression and phosphorylation of CREB. *Brain Res* 2006; 1122(1): 56-64.
- Yegnanarayan R, Saraf AP, Balwani JH. Comparison of anti-inflammatory activity of various extracts of *Curcuma longa* (Linn). *Indian J Med Res* 1976, 64:601-608
- Yu ZF, Kong LD, Chen Y. Antidepressant activity of aqueous extracts of Curcuma longa in mice. *J Ethnopharmacol* 2002; 83(1-2): 161-165.

Zhao ZS, O'Brien PJ. The prevention of *CCl<sub>4</sub>*-induced liver necrosis in mice by naturally occurring methylenedioxybenzenes. *Toxicol Appl Pharmacol* 1996; 140(2): 411-421.