



EUROPEAN MEDICINES AGENCY  
SCIENCE MEDICINES HEALTH

30 January 2018  
EMA/188806/2017  
Committee on Herbal Medicinal Products (HMPC)

## List of references supporting the assessment of *Ruscus aculeatus* L. rhizoma

Draft

**The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.**

- Abascal K, Yarnall E. Botanical treatments for hemorrhoids. *Altern Complement Ther*, 2005: 285-289.
- AFSSAPS. Médicaments à base de plantes. Les cahiers de l'Agence n°3. (Agence du médicament, Ed.), Paris, 1998
- Archimowicz-Cyrylowska B, Adamek B, Drozdziak M. Clinical effect of Buckwheat herb, Ruscus extract and Toxerutin on retinopathy and lipids in diabetic patients. *Phytother Res* 1996, 10:659-662.
- Azevedo I, Texeira AA, Osswald W. Changes induced by ageing and denervation in the canine saphenous vein; a comparison with the human varicose vein. In P. Vanhoutte, Editor. *Return circulation and norepinephrine: an update*. John Libbey Eurotext, Paris 1991, 131-137
- Barbic M, Willer EA, Rothenhöfer M, Heilmann J, Fürst R, Jürgenliemk G. Spirostanol saponins andesculin from Rusci rhizome reduce the thrombin-induced hyperpermeability of endothelial cells. *Phytochem* 2013, 90:106-113
- Baudet HJ, Collet D, Aubard Y. Therapeutic test of Ruscus extract in pregnant women: evaluation of the fetal tolerance applying the pulse Doppler's method of the cord. In P. Vanhoutte, Editor. *Return circulation and norepinephrine: an update*. John Libbey Eurotext, Paris 1991, 63-71
- Berg D. First results with Ruscus extract in the treatment of pregnancy related varicose veins In P. Vanhoutte, Editor. *Return circulation and norepinephrine: an update*. John Libbey Eurotext, Paris 1991, 55-61
- Bernard P, Cousse H, Rico AG, Fauran F. A whole-body autoradiography study of the distribution of tritium in cynomolgus monkeys dosed with a tritiated extract of Ruscus. *Ann Pharm Fr* 1985, 43:573-584
- BfArM information. Documentation for information for the preparation of the assessment report for the development of community monographs and for inclusion of herbal substance(s) preparation(s) or combinations there of in the list. 2007
- Bouaziz N, Michiels C, Janssens D, Berna N, Eliaers F, Panconi E, Remacle J. Effect of Ruscus extract and hesperidin methylchalcone on hypoxia-induced activation of endothelial cells. *Int Angiol* 1999, 18:306-312.
- Boucard M, Beaulaton I, Reboul C. Etude de la toxicité aiguë de divers extraits fluides de fragon épineux. *Travaux de la Société de Pharmacie de Montpellier* 1967, 27 :187-191.



- Bouskela E. Microcirculatory responses to Ruscus extract in the hamster cheek pouch. In P. Vanhoutte, Editor. *Return circulation and norepinephrine: an update*. John Libbey Eurotext, Paris 1991, 207-218.
- Bouskela E, Cyrino FZ, Marcelon G. Inhibitory effect of the Ruscus extract and of the flavonoid hesperidine methylchalcone on increased microvascular permeability induced by various agents in the hamster cheek pouch. *J Cardiovasc Pharm* 1993a, 22:225-230.
- Bouskela E, Cyrino FZ, Marcelon G. Effects of Ruscus extract on the internal diameter of arterioles and venules of the hamster cheek pouch microcirculation. *J Cardiovasc Pharm* 1993b, 22:221-224.
- Bouskela E, Cyrino FZ. Possible mechanisms for the effects of Ruscus extract on microvascular permeability and diameter. *Clin hemorheol* 1994, 14:S23-S36.
- Bouskela E, Cyrino FZ, Marcelon G. Possible mechanisms for the venular constriction elicited by Ruscus extract on hamster cheek pouch. *J Cardiovasc Pharm* 1994, 24: 165-170.
- Branco D, Osswald W. The influence of Ruscus extract on the uptake and metabolism of noradrenaline in the normal and varicose human saphenous vein. *Phlebology* 1988, 3:33-39.
- Boyle P, Diehm C, Robertson C. Meta-analysis of clinical trials of Cyclo 3 Fort in the treatment of chronic venous insufficiency. *Int Angiol*, 2003, 22: 250-262
- Caujolle F, Mériel P, Stanislas E. Sur les propriétés pharmacologiques de l'extrait de Ruscus aculeatus L.. *Ann Pharm Fr* 1953, 11 :109-120.
- Chanal JL, Cousse H, Sicart MT, Derocq JM. Kinetic study of the absorption of a radiolabeled (3H) Ruscus extract. *Work from the Société de Pharmacie de Montpellier* 1978, 38:43-48.
- Chanal JL, Mbatchi B, Sicart MT, Cousse H, Fauran F. Comparison of the bioavailability of tritium-labeled Ruscus extract in the rat, according to the route of administration. *Travaux de la Société de Pharmacie de Montpellier* 1981, 41:263-272.
- Commission E Monographs. Ruscus aculeatus (butcher's broom). Monograph. *Altern Med Rev* 2001, 6:608-612.
- De Marino S, Festa C, Zollo, F, Iorizzi M. Novel Steroidal Components from the Underground Parts of *Ruscus aculeatus* L. *Molecules* 2012, 17:14002-14014
- Diehm C, Trampisch HJ, Lange S, Schmidt C. Comparison of leg compression stocking and oral horse-chestnut seed extract therapy in patients with chronic venous insufficiency. *Lancet* 1996, 347 : 292-294.
- Dunouau C, Belle R, Oulad-Ali A, Anton R, David B. Triterpenes and Sterols from Ruscus aculeatus. *Planta Med* 1996, 62, 189-190.
- Elbadir S, El Sayed F, Renaud F. L'allergie de contact aux ruscogenines. *Rev Fr Allergol Immunol Clin* 1998, 38 : 37-40.
- European Pharmacopoeia. 8<sup>th</sup> ed. Council of Europe. Strasbourg 2014. 01/2011:1847
- ESCOP. Rusci Rhizoma (Butcher's broom). In *ESCOP Monographs, 2nd edition* 2003.
- Felix W, Schmidt Y, Nieberle J. Protective effect of Ruscus extract against injury of vascular endothelium and vascular smooth muscle caused by ethracrynic acid. *Int Angiol* 1984, 3:77-79.
- Harker CT, Marcelon G, Vanhoutte PM. Temperature, oestrogens and contractions of venous smooth muscle of the rabbit. *Phlebology* 1988, 3:77-82.
- Hönig I, Felix W. Effect on the permeability of the isolated ear vein of the pig; a comparison between flavonoids and saponins. In A. Davy, and R. Stemmer, Editors. *Phlébologie*. John Libbey Eurotext Ltd. Paris 1989, 680-682
- Labie C. Gutachten über die teratogene Wirkung des Präparates "Cyclo 3". (*Unpublished*).
- Landa N, Aguirre A, Goday J. Allergic contact dermatitis from a vasoconstrictor cream. *Contact Dermatitis* 1990, 22:290-291.
- Launois R, Reboul-Marty J, Henry B. (). Construction and validation of a quality of life questionnaire in Chronic Lower Limb Venous Insufficiency (CIVIQ). *Qual Life Res* 1996, 5:539-554.

- Marcelon G, Laouressergues H, Vanhoutte PM. Mechanism of action of Ruscus extract: correlation between in vitro and in vivo studies. XIII Congress of The International Union of Angiology, Rochester, USA 1983a
- Marcelon G, Verbeuren TJ, Laouressergues H, Vanhoutte PM. Effect of ruscus aculeatus on isolated canine cutaneous veins. *Gen Pharmacol* 1983b, 14:103-106.
- Marcelon G, Vanhoutte PM. Mechanism of action of Ruscus extract. *Int Angiol* 1984, 3:74-76.
- Marcelon G, Vanhoutte PM. Veinotonic effect of Ruscus under variable temperature conditions in vitro. *Phlebology* 1988, 3:51-54.
- Marcelon G, Pouget G, Tisné-Versailles J. Effect of Ruscus on the adrenoceptors of the canine lymphatic thoracic duct. *Phlebology* 1988a, 3:109-112.
- Marcelon G, Vieu S, Pouget G, Tisné-Versailles J. Oestrogenous impregnation and Ruscus action on the human vein in vitro, depending on preliminary results. *Phlebology* 1988b, 3:83-85.
- Masullo M, Pizza C, Piacente S. Ruscus Genus: A rich source of bioactive steroidal saponins. *Planta Med* 2016, 82:1513–1524
- McHale NG. Mechanism of noradrenaline action in lymphatic vessels. In P. Vanhoutte, Editor. *Return circulation and norepinephrine: an update*. John Libbey Eurotext, Paris 1991, 73-88
- Miller VM, Marcelon G, Vanhoutte PM. Progesterone augments the venoconstrictor effect of Ruscus without altering adrenergic reactivity. *Phlebology* 1991a, 6:261-268.
- Miller VM, Marcelon G, Vanhoutte PM. Ruscus extract releases endothelium-derived relaxing factor in arteries and veins. In P. Vanhoutte, Editor. *Return circulation and norepinephrine: an update*. John Libbey Eurotext, Paris 1991b, 31-42
- Miller VM, Rud K, Gloviczki P. Interactions of Ruscus-extract with endothelin-receptors in human varicose veins. *Clin Hemorheol* 1994, 14:S37-S45.
- Mimaki Y, Kuroda M, Kameyama A, Yokosuka A, Sashida Y. Steroidal saponins from the underground parts of Ruscus aculeatus and their cytostatic activity on HL-60 cells. *Phytochem* 1998, 48:485-493.
- Nikolov S, Joneidi M, Panova D. Quantitative determination of ruscogenin in Ruscus species by densitometric thin-layer chromatography. *Pharmazie* 1976, 31:611-612.
- Pouget G, Ducros L, Marcelon G. Effect of Ruscus extract on peripheral lymphatic vessel pressure and flow. In P. Vanhoutte, Editor. *Return circulation and norepinephrine: an update*. John Libbey Eurotext, Paris 1991, 89-95
- Ramelet AA, Boisseau MR, Allegra C, Nicolaidis A, Jaeger K, Carpentier P, Cappelli R, Forconi S. Venotonic drugs in the management of chronic venous disease. An international consensus statement: Current medical position, prospective views and final resolution. *Clin Hemorheol Microcirc* 2005, 33:309-319
- Ramirez-Hernandez M. Allergic contact dermatitis to ruscogenins. *Contact Dermatitis* 2006, 54 : 60.
- Rauwald HW, Grunwidl J. Ruscus aculeatus extract: Unambiguous proof of the absorption of spirostanol glycosides in human plasma after oral administration. *Planta Med* 1991, 57:A75-A76.
- Redman DA. Ruscus aculeatus (Butcher's Broom) as a potential treatment for orthostatic hypotension with case report. *J Altern Complement med* 2000, 6:539-549.
- Roux G. Toxicologisches Gutachten für Ruscus aculeatus. *Faculté Med Pharm, Université de Toulouse (Unpublished)* 1969
- Rubanyi G, Marcelon G, Vanhoutte PM. Effect of temperature on the responsiveness of cutaneous veins to the extract of Ruscus aculeatus. *Gen Pharmacol* 1984, 15:431-434.
- Rudofsky G, Nobbe F. Action of a drug combination on venous capacity]. *Fortschr Med* 1982, 100:1217-1220
- Rudofsky G, Diehm C, Gruss J, Hartmann M, Schultzehenburg Hu, Bisler H, Effect of a combination of Ruscus extract and hesperidine methyl chalcone in healthy probands in heat stress]. *PHLEBOLOGY 89: Proceedings of the 10th World Congress of the Union-Internationale-De-Phlebologie* 1989 : 731-733

- Rudofsky G. Efficacy of Ruscus extract in venolymphatic edema using foot volumetry. In P. Vanhoutte, Editor. *Return circulation and norepinephrine: an update*. John Libbey Eurotext, Paris 1991, 121-130
- Sadarmin PP, Timperley JT. An unusual case of butcher's broom precipitating diabetic ketoacidosis. *J Emerg Med* 2013, 45: e63–e65
- Texeira AA, Osswald W. Effects of Ruscus aculeatus extract on the structural and functional alterations caused by sympathetic denervation of the saphenous vein. *Phlebology* 1988, 3:27-31.
- Valnet-Rabier MB, Dupond JL, Paulmier L. Phytotherapy and microscopic colitis: a case report implicating Ruscus aculeatus in the development of collagenous colitis. *Fund Clin Pharmacol* 2004, 18:224.
- Vanscheidt W, Heidrich H, Junger M. Guidelines for testing drugs for chronic venous insufficiency. *VASA* 2000, 29:274-278.
- Vanscheidt W, Jost V, Wolna P, Luker PW, Muller M, Theurer C, Patz B, Grunzner KI. Efficacy and safety of a Butcher's broom preparation (Ruscus aculeatus L extract) compared to placebo in patients suffering from chronic venous insufficiency. *Drugs* 2002, 52:243-250