



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

21 November 2017
EMA/HMPC/350533/2016
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Melilotus officinalis* (L.) Lam., herba

Final

The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Abdollahi M, Farzamfar B, Salari P, Khorram Khorshid HR, Larijani B, Farhadi M, *et al.* Evaluation of acute and sub-chronic toxicity of Semelil (ANGIPARS), a new phytotherapeutic drug for wound healing in rodents. *DARU* 2008 Suppl. 1, 16: 7-14

Abraham K, Wöhrlin F, Lindtner O, Heinemeyer G, and Lampen A. Toxicology and risk assessment of coumarin: Focus on human data. *Mol. Nutr. Food Res.* 2010, 54, 228–239

Aloisi D, Scondotto G. Efficacia dell'estratto cumarinico di Meliloto negli edemi da stasi flebolinfantica. *Minerva Cardioangiol* 1999; 47:196-8

Bahrami A, Kamali K, Ali-Asgharzadeh A, Hosseini P, Heshmat R, Khorram Khorshid HR, *et al.* Clinical application of oral form of ANGIPARS and in combination with topical form as a new treatment for diabetic foot ulcers: A randomized clinical trial. *DARU* 2008, 16, Suppl. 1:41-48

Van Baveghem P, Coppens J-B, Van Brabant Ph.-Cl. Pharmacopoea Gandavensis nobilissimi senatus jussu renovata. Typis Le Maire L 1786. (Emplastrum e Meliloto five Emolliens, p. 279). Original: Gandava University. Digital: 01.11.2010

Blumenthal M, Busse WR, Goldberg A, Gruenwald J, *et al.*, editors. The Complete German Commission E Monographs. American Botanical Council, Austin Texas 1998, 218

Bock (Tragus) H. Kreuterbuch, 1551. Available at web page of Bayerische Staatsbibliothek (last visit 2017.03.10): <https://bildsuche.digitale-sammlungen.de/index.html?c=viewer&bandnummer=bsb00091270&pimage=1&v=2p&nav=&l=de>

Bradley P. British Herbal Compendium. A handbook of scientific information on widely used plant drugs, Vol 2, BHMA, 2006; 270-5

Calzada F, Velázquez C, Cedillo-Rivera R, and Esquivel B. Antiprotozoal activity of the constituents of *Teloxys graveolens*. *Phytotherapy Research* 2003, 17: 731–732



Campbell HA & Link KP. Studies on the hemorrhagic sweet clover disease. IV. The isolation and crystallization of the hemorrhagic agent. *J. Biol. Chem.* 1941, 138:21-33

Chiffolleau A, Huguenin H, Veyrac G, Argaiz V, Dupe D, Kayser M, *et al.* First report of a possible interaction between acenocoumarol and topical treatment with Cyclo 3. *Therapie* 2000, 55:405-431 [Abstract]

Chiffolleau A, Huguenin H, Veyrac G, Argaiz V, Dupe D, Kayser M, *et al.* Interaction entre melilot et acenocoumarol? (melilot-ruscus aculeatus). *Therapie*, 2001, 56:321-327

Chruściel T, Gibiński K (red.) Leksykon leków. Państwowy zakład Wydawnictw Lekarskich. Plaster Nostrzykowy (Melilor plaster, Emplastrum meliloti), Warszawa 1991, 496 [Polish]

Cohen AJ. Critical review of the toxicology of coumarin with special reference to interspecies differences in metabolism and hepatotoxic response and their significance to man. *Food Cosmet Toxicol* 1979; 17:277-289

Commission E monographs. The complete German Commission E monographs. See: translation by Blumenthal M *et al.*, American Botanical Council, Austin 1998

DAB 6, see: Deutsches Arzneibuch, 6 Ausg. 1926, 1957

Deutsche Arzneitaxe 1936. Deutsche Arzneitaxe, Berlin Weidmannsche Buchhandlung 1936; 47, 62

Deutsches Arzneibuch, 6 Ausgabe. Berlin 1926 R v. Decker's Verlag. S. Schenk, p. 334; Nachdruck in der Fassung de beiden Nachträge, VEB Verlag Volk und Gesundheit, Berlin 1957, p. 177

Die Grosse Enzyklopädie der Heilpflanzen Ihre Anwendung und ihre Natürliche Heilkraft. 1994. Neurer Kaiser Verlag Gesellschaft mbH, Klagenfurt; 368-369.

Dieterich E. Neues Pharmazeutisches Manual, 14. Auflage, Berlin, Verlag von Julius Springer 1924; 115

Dispensatorium Fuldense Tripartitum tam Patriae Usibus quam Saeculi Moderni Genio accomodatum, see: Schlereth AA

EFSA .Opinion of the Scientific Panel on Food Additives, Flavourings, Processing Aids and materials in Contacts with Food (AFC) on a request from the Commission related to Coumarin. Question number EFSA-Q-2003-118. *EFSA Journal* 2004; 104:1-36

EFSA. Coumarin in flavourings and other food ingredients with flavouring properties. Scientific Opinion of the Panel on Food Additives, Flavourings, Processing Aids and Materials in Contact with Food (AFC). (Question No EFSA-Q-2008-677). Adopted on 8 July 2008. The EFSA Journal 2008, 793, 1-15

Endell W & Seidel G. Coumarin Toxicity in Different Strains of Mice. Agents and Actions (Birkhauser Verlag, Basel) 1978, 8(3):299-302

ESCOP Monograph 2nd Ed. Meliloti Herba –.Melilot. European Scientific Cooperative on Phytotherapy, editor. Thieme, Stuttgart 2003; 320-323

European Pharmacopoeia 8.0. Melilot. 07/2012:2120

Farmakopea Polska III. Polska Rzeczpospolita Ludowa. Ministerstwo Zdrowia. Emplastrum Meliloti, pp. 192-193. Państwowy Zakład Wydawnictw Lekarskich. Warszawa 1954 [Polish]

Farmakopea Polska IV, II. Polska Rzeczpospolita Ludowa. Ministerstwo Zdrowia i Opieki Społecznej. Emplastrum Meliloti, p. 197. Państwowy Zakład Wydawnictw Lekarskich. Warszawa 1970 [Polish]

Farmakopea Polska VI. Rzeczpospolita Polska. Minister Zdrowia. Urząd Rejestracji Produktów Leczniczych, Wyrobów Medycznych i Produktów Biobójczych 2002, Meliloti herba 871, Meliloti Emplastrum 929 [Polish]

Farzamfar B, Abdollahi M, Ka'abinejadian S, Heshmat R, Shahhosseiny MH, Novitsky Y.A, Farhadi M. Sub-chronic toxicity study of a novel herbal-based formulation (Semelil) on dogs. *DARU*, 2008, 16, Suppl. 1, 15-19

Fisher G, Krug E. Heikrauter und Arzneipflanzen. 7 Aufl. Haug Verlag Heidelberg, 1984; p. 238-239

Földi-Böröcsök E, Bedall F, Rahlfs V. Die antiphlogistische und ödemhemmende Wirkung von Coumarin aus *Melilotus officinalis*. *Arzneimittelforschung* 1971; 21(12)

Fort DJ, Stover EL, Propst T, Hull MA, Bantle JA. Evaluation of the developmental toxicities of coumarin, 4-hydroxycoumarin, and 7-hydroxycoumarin using fetax. *Drug and Chemical Toxicology Drug Chem Toxicol* 1998, 21(1):15-26

Gasparetto J C, Peccinini R G, Guimarães de Francisco Thais Martins, Cerqueira L B, Ramos Campos F. Pontarolo R. A Kinetic Study of the Main Guaco Metabolites Using Syrup Formulation and the Identification of an Alternative Route of Coumarin Metabolism in Humans. *PLOS ONE*.2015, 10(3):e0118922.

Grote W & Weinmann I. Überprüfung der Wirkstoffe Coumarin und Rutin im teratologischen Versuch an Kaninchen. *Arzneim.-Forsch. (Drug Res)* 1973, 23(9):1319-1320

Hager (1938): Frerichs G, Arends G, Zörnig H editors. *Melilotus*. In: Hagers Handbuch der Pharmazeutischen Praxis, 2nd ed., Vol. 2, Berlin. Julius Springer-Verlag, 1938; 155-6

Hager (1949): Frerichs G, Arends G, Zörnig H editors. *Melilotus*. In: Hagers Handbuch der Pharmazeutischen Praxis, 2nd ed., Vol. 2. Julius Springer-Verlag, Berlin 1949; 155-6

Hager (1976): Hagers Handbuch der Pharmazeutischen Praxis. Funfter Band. Chemikalien und Drogen (H-M). Springer-Verlag Berlin. Heidelberg. New York 1976. Red. Kern W, Roth HJ, Schmid W, List PH, Hörhammer L; 757

HagerROM 2014. Blaschek W, Hilgenfeldt U, Holzgrabe U, Reichling Jürgen, Ruth P, Schulz Volker. *Meliloti herba. Melilotus officinalis* Kraut. Wissenschaftliche Verlagsgesellschaft Stuttgart. Springer Verlag Berlin Heidelberg 2014

Heshmat R, Mohammad K, Mohajeri Tehrani MR, Tabatabaie Malazy O, Keshtkar AA, Gharibdoust F, *et al.* Assessment of maximum tolerated dose of a new herbal drug, Semelil (ANGIPARSTM) in patients with diabetic foot ulcer: A Phase I clinical trial. *DARU*, 2008, 16, Suppl. 1, 25-30

Hogan RP. Hemorrhagic Diathesis Caused by Drinking an Herbal Tea. *JAMA* 1983; 249(19):2679-2680

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Vol 77 Some Industrial Chemicals. IARC Lyon France 2000. Coumarin, p. 197-226

Kang SS, Lee YS, Lee EB. Saponins and Flavonoid Glycosides from Yellow Sweetclover. *Arch. Pharm. Res.* 1988; 11(3):197-202

Kang S Y, Sung S H, Park I H, Kim Y C. Hepatoprotective Activity of Scopoletin, a Constituent of *Solanum lyratum*. *Arch. Pharm. Res.* 1998, 21(6):718-722

Khorram Khorshid HR, Sadeghi B, Heshmat R, Abdollahi M, Salari P, Farzamfar B, Madani SH. In vivo and in vitro genotoxicity studies of Semelil (ANGIPARS), *DARU*, 2008, 16, Suppl. 1:20-24

Kommission E (Monographie BGA/BfArM): Steinklee Kraut. Bundesanzeiger 50, published March 13 1986; revised March 13 1990. Available at: <https://buecher.heilpflanzen-welt.de/BGA-Kommission-E-Monographien/meliloti-herba-steinkleekraut.htm>

Krajnović P (1977a). Die Wirkung eines Benzopyronpräparates bei Phlebopathien in der Schwangerschaft. *Med. Monatsschr.* 1977; 31(2):86-88

Krajnović P (1977b). Beeinflussung infantiler Blutparameter in der Stillperiode durch die Kombination von Cumarin und Troxerutin. *Arzneimittelforschung (Drug Res.)* 1977; 27(II)(7): 1499-1500

Krajnović P, Vraneš N, Djurić N (1974). Untersuchungen zur Frage der Arzneimittelsicherheit in der Frauenheilkunde – 2. Mitteilung: Über die Arzneimittel-verabreichung in der Spätschwangerschaft. *Arzneimittelforschung* 1974, 24(7):1063-5

Lake BG. Coumarin metabolism, toxicity and carcinogenicity: relevance for human risk assessment. *Food Chem Toxicol* 1999, 37:423-453

Larijani B, Heshmat R, Bahrami A, Delshad H, Ranjbar Omrani G, Mohammad K, Heidarpour R, Mohajeri Tehrani MR, Kamali K, Farhadi M, Gharibdoust F, Madani SH. Effects of intravenous Semelil (ANGIPARS) on diabetic foot ulcers healing: A multicenter clinical trial. *DARU*, 2008, 16, Suppl. 1:340

Leclerc H (1976). Précis de Phytothérapie Essais de thérapeutique par les plantes Françaises, 5th edition, Paris, Masson 1976; 220-222

Lewis RJ. Sax's dangerous Properties of Industrial Materials 8th ed., Vol III. Van Nostrand Reinhold New York. Zyma Nyon Bibliothek 1992, 698

Madaus R (1938). Lehrbuch der biologischen Heilmittel, Abteilung I: Heilpflanzen, Vol. 2, Leipzig, Thieme Verlag 1938; 1862-5

Madaus G. Lehrbuch der biologischen Heilmittel. Band II. 1976, Georg Olms Verlag, Hildesheim – New York, pp. 1862-1864 Melilotus officinalis et altissimus, Wirkung (p. 1863-1864).

Martignani A, Ferrari F, Aloisi D, Scondotto G (1997). Terapia farmacologica del linfedema con estratto naturale di Meliloto. *Gazz Med Ital – Arch Sci Med* 1997; 156:85-9

Mayer W, Sukthaworn K. Zur Frage der Zirkulationsförderung durch Steinklee- (Melilotus-) Extrakt in der unteren Extremität von Unfallverletzten. *Arzneimittelforschung* 1963; 13:335-338

Mazzocchi B, Andrei A, Bonifazi VF, Algeri R (1997). Trattamento con estratto di Melilotus officinalis della mastodinia ciclica non ciclica delle donne afferenti presso un Ambulatorio Senologico. *Gazz Med Ital – Arch Sci Med* 1997; 156:221-4

Minghetti P, Casiraghi A, Cilurzo F, Montanari L. Development of local patches containing melilot extract and ex vivo–in vivo evaluation of skin permeation. *European Journal of Pharmaceutical Sciences (EUFEPS)* 2000, 10:111–117

Mogana R, Teng-Jin K, and Wiart C. Anti-Inflammatory, Anticholinesterase, and Antioxidant Potential of Scopoletin Isolated from *Canarium patentinervium* Miq. (Burseraceae Kunth). *Evidence-Based Complementary and Alternative Medicine (eCAM)* Volume 2013, Article ID 734824, 7 pages <http://dx.doi.org/10.1155/2013/734824>, available 2017.03.10

Mogana R, Adhikari A, Debnath S, Hazra S, Hazra B, Teng-Jin K,1 and Wiart C. The Antiacetylcholinesterase and Antileishmanial Activities of *Canarium patentinervium* Miq. *BioMed Research International* Volume 2014, Article ID 903529, 7 pages <http://dx.doi.org/10.1155/2014/903529>, available 2017.03.10

Nakajima M, Fukami T, Yamanaka H, Higashi E, Sakai H, Yoshida R, Kwon JT, McLeod HL, Yokoi T (2006). Comprehensive evaluation of variability in nicotine metabolism and CYP2A6 polymorphic alleles in four ethnic populations. *Clin Pharmacol Ther* 2006, 80:282-97

Nishikawa M, Yamashita A, Ando K and Mitsuhiro Shigeo. The suppressive effect of melilotus extract on the thermal edema of rats. *Folia Pharmacol. Japon.* 1983, 81:193-209 [Japanese]

NTP Toxicology and Carcinogenesis Studies of Coumarin (CAS No. 91-64-5) In F344/N Rats and B6C3F Mice (Gavage Studies). National Toxicology Program P.O.Box 122233 Research Triangle Park, NC 27709. U.S. Department of Health and Human Services. Public Health Service. National Institute of Health September 1993

NTP (2004). National Toxicology Program Technical Report series No. 423: Toxicology and Carcinogenesis studies of 3,4-Dihydrocoumarin (CAS No. 199-84-6) in F344/N Rats and B6C3F1 Mice.

Ożarowski A (red.) ZIOŁOLECZNICTWO Poradnik dla lekarzy. Państwowy Zakład Wydawnictw Lekarskich. Warszawa 1976 [Polish]

Pabst HW, Klemm H. Experimentelle Untersuchungen zur Wirkung von Extrakten aus Melilotus officinalis. *Med. Monatsschr.* 1960, 14:589-591

Pelkonen O, Rautio A, Raunio H, Pasanen M. CYP2A6: a human coumarin 7-hydroxylase. *Toxicology* 2000, 144:139-47

Pharmacopée Française. Melilot - Melilotus officinalis.1989

Pharmacopoea Gandavensis see: Van Baveghem P, Coppens J-B, Van Brabant Ph.-Cl.

Pharmacopoea Hispana. Editio tertia Auctior. Matriri Ex Typographic Iberriano MDCCCIII (1803), p. 292. In original form in: British Library. In digital form since: 12.01.2015

Pharmacopoea Rossica Ed. Nova auctior (elaborate a Nicolao Karpinsky).Emplastrum Meliloti , p. 206. Petropoli MDCCIC 1799. Original: Austrian National Library. Digital since: 01.03.2013

Piller NB & Casley-Smith JR. The effect of coumarin on protein and pvp clearance from rat legs with various high protein oedemas. *Br. J. Exp. Path.* 1975, 56:439-443

Piller NB. The ineffectiveness of coumarin treatment on thermal oedema of macrophage-free rats. *Br. J. Exp. Path.* 1976, 57: 170-178

Piller NB. (3-¹⁴C) Coumarin Distribution in Rat Tissues after the Injection of a Single Dose. *Research in Experimental Medicine* 1977, 171:93-100

Piller NB & Clodius L. The Effect of Coumarin (5,6 Benzo-ct-pyrone) on Elicited Members of the Mononuclear System in Dogs with Chronic Secondary Lymphedema. *Research in Experimental Medicine* 1986, 171:93-100

Pleşca-Manea L, Pârvu A E, M. Pârvu M, Taămaş M, Buia R.and Puia M. Effects of Melilotus officinalis on Acute Inflammation. *Phytother Res* 2002, 16:316-319

Poradnik Terapeutyczny (Red. Kubikowski P). Emplastrum Meliloti. Państwowy Zakład Wydawnictw Lekarskich, Warszawa 1975, 304 [Polish]

Raunio H, Rautio A, Gullsten H, Pelkonen O (2001). Polymorphisms of CYP2A6 and ist practical consequences. *Br J Clin Pharmacol* 2001, 52:357-63

Roeske W. Zarys Fitoterapii (Farmakologia i Receptura Ziół Leczniczych). *Herba Meliloti – Ziele nostrzyka.* Państwowy Zakład Wydawnictw Lekarskich. Warszawa 1955, 157 [Polish]

von Schlereth FA. *Dispensatorium Fuldense Tripartitum: tam patriae usibus quam saeculi moderni genio accomodatum*. Sumptibus authoris MDCCLXXXVII (1787). Original: Bavarian State Library. Digital since: 27.07.2009

Stefanini L, Gigli P, Galassi A, Pierallini F, Tillieci A, Scalabrino A. (1996). Trattamento farmacologico e/o balneoterapico dell'insufficienza venosa cronica. *Gazz. Med. Ital. - Arch. Sci. Med.* 1996, 155:179-85

Tamura S., Warabi Y. and Matsubara S. Severe liver dysfunction possibly caused by the combination of interferon beta-1b therapy and melilot (sweet clover) supplement. *J Clin Pharm Ther* 2012, 37:724–725

Vasallo JD, Hicks SM, Daston GP, Lehmann-McKeeman LD Metabolic detoxification determines species differences in coumarin-induced hepatotoxicity. *Toxicol Sci* 2004; 80:249-57

Völkner E (1961. Klinische und kreislaufanalytische Überprüfung eines Melilotuspräparates. *Med. Klin.* 1961, 20, 885-887

Web page: (<http://www.cypalleles.ki.se>), last saving date: 2017.02.20

Weigt S, Huebler N, Strecker R, Braunbeck T, Broschard T H. Developmental effects of coumarin and the anticoagulant coumarin derivative warfarin on zebrafish (*Danio rerio*) embryos. *Reprod Toxicol* 2012, 33:133-141

Weiss FW. *Lehrbuch der Phytotherapie*. 6 Ed. Hippokrates-Verlag 1985, p. 240-241.

Wichtl M. *Herbal drugs and Phytopharmaceuticals*. Medpharm Scientific Publishers, Stuttgart, 1984; 470-2

Wichtl M. *Herbal drugs and Phytopharmaceuticals*. 3rd ed. Medpharm Scientific Publishers GmbH, Stuttgart 2004, 379-381

Wittgen H G M, van den Heuvel J J M W, van den Broek P H H, Siissalo S, Groothuis G M M, De Graaf I A M, *et al.* Transport of the Coumarin Metabolite 7-Hydroxycoumarin Glucuronide Is Mediated via Multidrug Resistance-Associated Proteins 3 and 4. *Drug Metab Dispos* 2012, 40:1076–1079

Yang Y-I & Shang ping. Clinical Research on the Curative Effect of Setus-M in the Treatment for Traumatic Tumefaction. 2010. Abstract available at: en.cnki.com.cn/Article_en/CJFDTOTAL-LNZY2010S11050.htm

Yourick JJ & Bronaugh RL. Percutaneous Absorption and Metabolism of Coumarin in Human and Rat Skin. *J Appl Toxicol* 1997, 17(3):153–158

Addendum I

References assessed but not cited in the assessment report

Akiyama T, Kouri K, Iguchi M, Minami K, Yachiku S, Kurita T. Clinical experience with anti-inflammatory agents Esberiven for chronic prostatitis - Analysis of efficacy by ultrasonotography and urodynamic study. *Acta Urol Jpn* 1980, 26:71-7

Babilliot J. Essai de l'Esberiven en Pathologie du Système Circulatoire de Retour. *Phlébologie* 1977; 30(2):209-12 [French]

Becker A. Über die Anwendung von Melilotus (Steinklee) in der Therapie. *Hippokrates* 1960; 27(7):245-247 [German]

Becker HM, Niedermaier G, Orend K-H. Benzopyrone in der Therapie des postrekonstruktiven Ödems. *Fortschritte der Medizin* 1985; 103(21):593-596 [German]

Berger F. Handbuch der Drogenkunde, Verlag für Med. Wissenschaften W.Maurich, Wien, Vol. IV: 331-47

Berson I, Geiser J-D. Etude comparative ouverte entre deux phlébotropes chez deux groupes répartis au hazard. *Schweiz. Rundschau Med. (Praxis)* 1980; 69:1244-6 [French]

Bider E, Anderes W, Dimitrijevic B, Petrovic D. Die Wirkung von Venalot bei traumatischen sowie postoperativen Hämophtalmien, bei Netzhautblutungen und bei Glaskörpertrübungen. *Klin. Mbl. Augenheilk.* 1975, 166:403-4 [German]

Blätter W, Schoch P. Potential Psychotropic Activity of Phlebotropic Drugs: Weak Interactions with Brain Benzodiazepine Receptors. *Phlebology* 1994; 9:32-6

Blume J. Tratamento do edema de origem venosa – eficacia de um tratamento medicamentoso em combinacao com o tratamento compressivo. *Rev. Bras. Med.* 1994, 51(3) [Portugese]

Blumröder W-O. Erfahrungen mit einem Steinklee-Extrakt in der ambulanten Praxis. *Therap. Gegenw.* 1960, (12):572-575 [German]

Bolton T, Casley-Smith JR. An in vitro Demonstration of Proteolysis by Macrophages and its Increase with Coumarin. *Experientia* 1975, 31(3):271-273

Bosse K, Dreschner P, Klose L. Vergleichende Untersuchung über die Wirksamkeit von Venentherapeutika bei chronisch-venöser Insuffizienz. *Phlebologie und Proktologie* 1985, 14:111-4 [German]

Böhmer D, Ambrus P. Effectiveness of cream containing ruscus and melilotus extract in the treatment of acute sprains. In: *Phlebologie* 89, Davy A, Stemmer R eds, 1989 John Libbey Eurotext Ltd, 706-8.

Böhmer D, Ambrus P, Welbers P. Behandlung akuter Sportverletzungen mit Phlebodril-Crème. *Die Medizinische Welt* 1990, 41:645-650

Casley-Smith JR. Human Trials of the Benzo-Pyrones in High-Oedemas. *Folia Angiologica* 1982/1983, 30/31 (4-6):313-327

Casley-Smith JR. The Actions of the Benzo-Pyrones on the Blood-Tissue-Lymph-System. *Folia Angiologica* 1976, 24 (1/2):7-22

Casley-Smith JR, Morgan RG, Piller NB. Treatment of lymphedema of the arms and legs with 5,6-benzo-[a]-pyrone. *N Engl J Med* 1993, 329(16):1158-1163

- Cluzan R, Kieffer G. Etude multicentrique de l'Esberiven en gynécologie. *Rev. franc. Gynec.* 1979; 74(5):369-72
- Descottes B. Emploi de l'Esberiven dans la prevention de la maladie Thrombo-Embolique. *Sciences Médicales* 1975, 6:1
- Desmons F, Simons M. A propos de l'action d'une préparation associant extrait de Melilot et Rutine hydrosoluble sur les troubles trophiques des membres inférieurs d'origine vasculaire. *Lille Médical*, 3 mo serie, Année 1975, Tome XX, Supplement
- Dieterich E. Neues Pharmazeutisches Manual, 9. Auflage, Berlin, Verlag von Julius Springer 1904, 109, 314
- Egan D, O` Kennedy R, Moran E, Cox D, Prosser E, Thornes RD. The pharmacology, metabolism, analysis, and applications of coumarin and coumarin-related compounds. *Drug Metab Rev* 1990, 22:503-29
- Eggert A, Kirschner H, Schröder HJ, Wittmann DH. Das lymphatische Ödem des Armes nach der Brustkrebsbehandlung. *Med. Klin.* 1977, 72(49):2106-13
- El-Shammah A. Behandlung der Armlymphödeme nach Mastektomie und Strahlentherapie mit einem Benzopyronpräparat. *Therapiewoche* 1976, 26:4915-21
- Eyraud (1982). L'interêt de l'Esberiven en pratique gynécologique *L.M.M médecine du sud-est* 1982/1, 18(7):5876-5877
- Fuchs L. Das Kräuterbuch von 1543- New Kreüterbuch, Köln. Taschen
- Ganz PA. The quality of life after breast cancer – solving the problem of lymphedema. *N Engl J Med* 1999; 340(5)
- Giraud D. Essai d'une thérapeutique phlébo-lymphologique dans le traitement des mastodynies. *Rev. Fr. Gynecol. Obstet.* 1984, 79(3):229-32
- Gorins A. Le traitement de la maladie fibrokystique des seins. *Journal of Applied Toxicology*, 17(3), 153–158 (1997) 1994, 22(4):205-210
- Grötz KA, Henneicke-von-Zepelin H-H, Kohnen R, Al-Nawas B, Bockisch A, Kutzner J, et al. Prospektive, doppelblinde Therapiestudie zur Prophylaxe der Radioxerostomie durch Cumarin/Troxerutin bei Patienten mit Kopf-Hals-Karzinomen. *Strahlenther. Onkol.* 1999, 175(8):397-403
- Haffner F, Schulz OE, 1937. Normdosen der gebräuchlichen Arzneimittel. Wissenschaftliche Verlagsgesellschaft mbh, Stuttgart; 38
- Haffner F, Schulz O-E, Schmid W, Braun R. Standard doses of conventional drugs and drugs. 10 Aufl. Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart 2005
- Haffner F, Schulz O-E, Schmid, Braun R. Standard doses of common drugs and drugs. 21st ed. 2016. Wissenschaftliche Verlagsgesellschaft Stuttgart mbH. MZ drugs
- Hager (1975): Frerichs G, Arends G, Zörnig H editors. Melilotus. In: Hagers Handbuch der Pharmazeutischen Praxis, 4th ed., Vol. 5, Berlin. Springer-Verlag, 1975, 755-7.
- Hager (1994): Hänsel R, Keller K, Rimpler H, Schneider G, editors. Melilotus. In: Hagers Handbuch der Pharmazeutischen Praxis, 5th ed. Vol. 6, Drogen P-Z. Berlin. Springer-Verlag, 1994; 269-287.
- Hoppe HA. Drogenkunde, Vol. 2, von Gruyter, 1977, 700-1.

- Horster FA, Wildmeister W. Endokrine Orbitopathie. *Dtsch. Med. Wschr.* 1983, 108:413-5
- Iurassich S, Bianco P, Pascarella A . Sul trattamento della rosacea con una crema al meliloto composto: monitoraggio videocapillaroscopico. *Annali Italiani di Dermatologia Clinica e Sperimentale* 1999, 53:28-32
- Jensen AH, Jensen KME. Antiflogistikum ved fodledsdistorsioner – En prospektiv, konsekutiv dobbeltblind undersogelse. *Ugeskr. Laeg.* 142/50, 1980; 3308-11
- Karsten G, Weber U, Stahl E. Lehrbuch der Pharmakognosie, G. Fischer Verlag, 1962; 326-7
- Klein L. Tratamiento de las flebopatias con extracto de Melilotus. *Pren. Med. Argent.* 1967, 54:1191-3
- Kriz M. Gastroentero-Anastomosenödem – Die Präventivbehandlung des Gastroentro-Anastomosenödems mit Benzopyronen. *Z. Allg. Med.* 1978, 54:165-6
- Lacativa AS. Venalot für die Behandlung von Phlebopathien. *Med Welt* 1980; 31 (19): 727-9
- Leng JJ, Heugas-Darraspen JP, Fernon MJ (1974). Le traitement des varices au cours de la grossesse et dans le post-partum. Expérimentation clinique de l'Esberiven. *Bordeaux med* 1974; 7:2755-6
- Loprinzi CH, Kugler JW, Sloan JA, Rooke TW, Quella SK, Novotny P, *et al.* (1999). Lack of effect of coumarin in women with lymphedema after treatment for breast cancer. *N Engl J Med* 1999, 340(5):346-50
- Mot J-CI. Nouvel Apport Thérapeutique en Proctologie: L'Esberiven. *Med. Chir. Dig.* 1976, 5:375-7
- Mouton J & van der Kooy F. Identification of cis- and trans- Melilotoside within an Artemisia annua Tea Infusion. *European Journal of Medicinal Plants* 2014, 4:52-63
- Muraca MG, Baroncelli TA. I linfedemi degli arti superiori post-mastectomia. Trattamento con l'estratto di meliloto officinale. *Gazz. Med. Ital. – Arch. Sci. Med.* 1999, 158:133-6
- Nakajima M, Fukami T, Yamanaka H, Higashi E, Sakai H, Yoshida R, *et al.* (2006). Comprehensive evaluation of variability in nicotine metabolism and CYP2A6 polymorphic alleles in four ethnic populations. *Clin Pharmacol Ther* 2006; 80:282-97
- Nielsen AJ, Rokkjaer M (1980). Venalot som odemprofylakse ved operation for phimosis. *Ugeskr. Laeg.* 1980, 142/50; 3312-13
- O'Kennedy R, Thornes DR. (1997). Coumarins Biology, Applications and Mode of Action. Wiley, Chichester 1997
- Pastura G, Mesiti M, Saitta M, Romeo D, Settineri N, Maisano R, *et al.* Linfedema dell'arto superiore in pazienti operati per carcinoma della mammella: esperienza clinica con estratto cumarinico di Melilotus officinalis. *Clin. Ter.* 1999, 150:403-8 [Italian]
- Pedersen AKO, Kristensen OK, Gram-Hansen J. Venalot depot ved episiotomi *Ugeskr Laeger* 1982, 144/2:92-93 [Danish]
- Pethö A (1981). Die Wirksamkeit von Benzopyronen bei der posttraumatischen Entzündung – Eine klinische Doppelblindstudie in der Nach-behandlung von Scheidendamnnähten. *Arzneimittelforschung* 1981; 31 (8)
- Piller N (1976). Conservative Treatment of Acute and Chronic Lymphoedema with Benzopyrones. *Lymphology* 1976, 9:132-137
- Racinet C, Bouzid F, Calop J, Juvin C, Deletraz M (1993). Les mastodynies et leur traitement. *Contracept. Fert. Sex.* 1993, 21(11):797-800

Roth L, Daunderer M & Kormann K. Giftpflanzen-Pflanzengifte, ecomed Landsberg (4 Aufl.) 1994

Rudofsky G (1989). Ruscus-Extrakt – Transkutane Venentonisierung und Kapillarabdichtung bei gesunden Probanden. *Munch. Med. Wschr.* 1989, 131(18):362-5

Schmid W, Schultz O-E. 1984. Standard doses of medicinal drugs and drugs, p. 141

Schmidt F, Keilacker M (1985). Pharmakolymphographie mit Venalot® und Venoruton® – ein Sieben-Jahresbericht. *Radiol. Diagn.* 1985, 26(1):41-51

Scientific Committee for Food (1997). Opinion on coumarin (a constituent of natural flavouring source materials limited by Annex II of Flavourings Directive 88/388/EEC), Expressed in 16 December 1994, European Communities, 1997, 13-20

Seidel D (1985). Bericht über den Einfluß von Venalot und Benzaron auf den Fettstoffwechsel. *Phlebol. u Proktol.* 1985, 14:115

Tran DK. Utilisation de l'esberiven en gynécologie obstétrique (à propos de 30 cases) *L.M.M médecine du sud-est* 1981, 17(11):4593-4594

Vanscheidt W, Rabe E, Naser-Hijazi B, Ramelet AA, Partsch H, Diehm C, Schultz-Ehrenburg U, Spengel F, Wirsching M, Götz V, Schnitker J, Henneicke-von Zepelin HH The efficacy and safety of a coumarin-/troxerutin-combination (SB-LOT) in patients with chronic venous insufficiency: A double blind placebo-controlled randomised study. *Vasa* 2002, 31:185-90

Vida S (1977). Über die Wirkung eines Benzopyronpräparates bei der akuten hämorrhagisch-nekrotisierenden Pankreatitis unter chirurgischer Therapie. *Therapiewoche* 1977, 27(30):5476-81