

05 June 2018
EMA/HMPC/737378/2018
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Echinacea pallida* (Nutt.) Nutt., radix

Final

The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Barnes J, Anderson LA, Gibbons S, Phillipson JD. *Echinacea* species (*Echinacea angustifolia* (DC.) Hell., *Echinacea pallida* (Nutt.), *Echinacea purpurea* (L.) Moench): A review of their chemistry, pharmacology and clinical properties. *J Pharm Pharmacol* 2005, 57: 929-954

Barnes J, Anderson LA, Phillipson JD (2007). *Echinacea*. In: *Herbal Medicines*. 3rd ed. Pharmaceutical Press, London, UK, 217-236.

Bauer R, Jurcic K, Puhlmann J, Wagner H. Immunologische *in vivo*-und *in vitro*-Untersuchungen mit *Echinacea*-Extrakten. *Arzneim Forsch/Drug Res* 1988b, 38: 276-281

Bauer R, Khan IA, Wagner H. TLC and HPLC analysis of *Echinacea pallida* and *E. angustifolia* roots. *Planta Med* 1988a, 54: 426-430

Bauer R, Liersch R. *Echinacea*. In: *Hagers Handbuch der Pharmazeutischen Praxis* Springer, 2008

Bauer R, Remiger P. TLC and HPLC analysis of alkamides in *Echinacea* drugs. *Planta Med* 1989, 55: 367-371

Beuscher N, Bodinet C, Willigmann I, Egert D. Immunomodulierende Eigenschaften von Wurzelextrakten verschiedener *Echinacea*-Arten. *Z Phytother* 1995, 16: 157-166

Binns SE, Hudson J, Merali S, Arnason JT. Antiviral activity of characterized extracts from *Echinacea* spp. (Heliantheae: Asteraceae) against herpes simplex virus (HSV-I). *Planta Med* 2002, 68: 780-783

Binns SE, Purgina B, Bergeron C, Smith ML, Ball L, Baum BR, et al. Light-mediated antifungal activity of *Echinacea* extracts. *Planta Med* 2000, 66: 241-244

Birt DF, Widrlechner MP, Lalone CA, Wu L, Bae J, Solco AK, et al. *Echinacea* in infection. *Am J Clin Nutr* 2008, 87(2): 488S-492S

Blumenthal M, Goldberg A, Brinckmann J, editors. *Herbal medicine. Expanded Commission E Monographs*. The American Botanical Council, Austin Texas 2000, 389-93

Bodinet K. Immunopharmakologische Untersuchungen an einem pflanzlichen Immunomodulator. Dissertation, Ernst-Moritz-Arndt-Universität Greifswald 1999

Bossaer JB, Odle BL. Probable etoposide interaction with *Echinacea*. *J Diet Suppl* 2012, 9(2): 90-95

Bräunig B, Knick E. Therapeutische Erfahrungen mit *Echinacea pallida* bei grippalen Infekten. *Naturheilpraxis* 1993, 46: 72-75

Bradley P. *Echinacea*. In: *British Herbal Compendium*. Vol. 2. British Herbal Medicine Association, Bournemouth, UK, 2006, 129-141

Cheminat A, Zawatzky R, Becker H, Brouillard R. Caffeoyl conjugates from *Echinacea* species: structures and biological activity. *Phytochemistry* 1988, 27:2787-2794

Chen Y, Fu T, Tao T, Yang J, Chang Y, Wang M, et al. Macrophage activating effects of new alkamides from the roots of *Echinacea* species. *J Nat Prod* 2005, 68:773-776

Chicca A, Adinolfi B, Martinotti E, Fogli S, Breschi MC, Pellati F, et al. Cytotoxic effects of *Echinacea* root hexanic extracts on human cancer cell lines. *J Ethnopharmacol* 2007, 110:148-153

Chicca A, Adinolfi B, Pellati F, Orlandini G, Benvenuti S, Nieri P. Cytotoxic activity and G1 cell cycle arrest of a Dienynone from *Echinacea pallida*. *Planta Med* 2010, 76(5):444-446

Chicca A, Pellati F, Adinolfi B, Matthias A, Massarelli I, Benvenuti S, et al. Cytotoxic activity of polyacetylenes and polyenes isolated from roots of *Echinacea pallida*. *Br J Pharmacol* 2008, 153:879-885

Classen B, Thude S, Blaschek W, Wack M, Bodinet C. Immunomodulatory effects of arabinogalactan-proteins from *Baptisia* and *Echinacea*. *Phytomedicine* 2006, 13:688-694

Cuzzolin L, Francini-Pesenti F, Verlato G, Joppi M, Baldelli P, Benoni G. Use of herbal products among 392 Italian pregnant women: focus on pregnancy outcome. *Pharmacoepidemiol Drug Saf* 2010, 19(11):1151-1158

Dabbou S, Rotolo L, Kovitvadhi A, Bergagna S, Dezzutto D, Barbero R, et al. Rabbit dietary supplementation with pale purple coneflower. 1. Effects on the reproductive performance and immune parameters of does. *Animal* 2016, 10(7):1101-1109

Dorn M, Knick E, Lewith G. Placebo-controlled, double-blind study of *Echinaceae pallidae radix* in upper respiratory tract infections. *Complement Ther Med* 1997, 5:40-42

Egger M, Pellett P, Nickl K, Geiger S, Graetz S, Seifert R, et al. Synthesis and cannabinoid receptor activity of ketoalkenes from *Echinacea pallida* and nonnatural analogues. *Chemistry* 2008, 14(35):10978-10984

European Pharmacopoeia 6th ed. Pale coneflower root. Council of Europe. 1/2008: France, 2602-2604

ESCOP Monographs 2nd ed., *Echinaceae pallidae radix*. European Scientific Cooperative on Phytotherapy, editor. Thieme, Stuttgart 2003, 126-128

Facino RM, Carini M, Aldini G, Saibene L, Pietta P, Mauri P. Echinacoside and caffeoyl conjugates protect collagen from free radical-induced degradation: a potential use of *Echinacea* extracts in the prevention of skin photodamage. *Planta Med* 1995, 61:510-514

Freeman C, Spelman K . A critical evaluation of drug interactions with *Echinacea* spp. *Mol Nutr Food Res* 2008, 52: 789-798

Gallo M, Sarkar M, Au W, Pietrzak K, Comas B, Smith M, et al. Pregnancy outcome following gestational exposure to *Echinacea*: a prospective controlled study. *Arch Intern Med* 2000, 160: 3141-3143

German Comission E Monograph. *Echinaceae pallidae radix*. Erscheinungsdatum Bundesanzeiger. Monographie BGA/BfArM (Kommission E) 1992, 162

Henneicke-von Zepelin H, Hentschel C, Schnitker J, Kohnen R, Köhler G, Wüstenberg P. Efficacy and safety of a fixed combination phytomedicine in the treatment of the common cold (acute viral respiratory tract infection): results of a randomised, double blind, placebo controlled, multicentre study. *Curr Med Res Opin* 1999, 15: 214-227

Holst L, Wright D, Haavik S, Nordeng H. Safety and efficacy of herbal remedies in obstetrics-review and clinical implications. *Midwifery* 2011, 27(1): 80-86

Hou CC, Chen CH, Yang NS, Chen YP, Lo CP, Wang SY, et al. Comparative metabolomics approach coupled with cell-and gene based assays for species classification and anti-inflammatory bioactivity validation of *Echinacea* plants. *J Nutr Biochem* 2010, 21(11): 1045-1059

Hu C, Kitts DD. Studies on the antioxidant activity of *Echinacea* root extract. *J Agric Food Chem* 2000, 48: 1466-1472

Huntley AL, Thompson Coon J, Ernst E. The safety of herbal medicinal products derived from *Echinacea* species: a systematic review. *Drug Saf.* 2005, 28(5): 387-400

Kovitvadhi A, Gai F, Dabbou S, Ferrocino I, Rotolo L, Falzone M, et al. Rabbit dietary supplementation with pale purple coneflower. 2. Effects on the performances, bacterial community, blood parameters and immunity of growing rabbits. *Animal* 2016, 10(7): 1110-1117

LaLone CA, Hammer KD, Wu L, Bae J, Leyva N, Liu Y, et al. *Echinacea* species and alkamides inhibit prostaglandin E(2) production in RAW264.7 mouse macrophage cells. *J Agric Food Chem* 2007, 55: 7314-7322

Linde K, Barret B, Bauer R, Melchart D, Woelkart K. *Echinacea* for preventing and treating the common cold. *Cochrane Database Syst Rev* 2006, 1: 1-88

McCann DA, Solco A, Liu Y, Macaluso F, Murphy PA, Kohut ML, et al. Cytokine- and interferon-modulating properties of *Echinacea* spp. root tinctures stored at -20degrees C for 2 years. *J Interferon Cytokine Res* 2007, 27(5): 425-436

Merali S, Binns S, Paulin-Levasseur M, Ficker C, Smith M, Baum B, et al. Antifungal and anti-inflammatory activity of the genus *Echinacea*. *Pharmaceutical Biology* 2003, 41: 412-420

Morandi S, Pellati F, Ori C, Adinolfi B, Nieri P, Benvenuti S, et al. Isolation, structure elucidation and total synthesis of a cytotoxic dienone from *Echinacea pallida*. *Org Biomol Chem* 2008, 6(23): 4333-4339

Nordeng H, Bayne K, Havnen GC, Paulsen BS. Use of herbal drugs during pregnancy among 600 Norwegian women in relation to concurrent use of conventional drugs and pregnancy outcome. *Complement Ther Clin Pract* 2011, 17(3): 147-151

Nordeng H, Havnen GC. Use of herbal drugs in pregnancy: a survey among 400 Norwegian women. *Pharmacoepidemiol Drug Saf* 2004, 13(6): 371-380

- Pellati F, Benvenuti S, Magro L, Melegari M, Soragni F. Analysis of phenolic compounds and radical scavenging activity of *Echinacea* spp. *J Pharm Biomed Anal* 2004, 35:289-301
- Pellati F, Calò S, Benvenuti S, Adinolfi B, Nieri P, Melegari M. Isolation and structure elucidation of cytotoxic polyacetylenes and polyenes from *Echinacea pallida*. *Phytochemistry* 2007, 67:1359-1364
- Perri D, Dugoua JJ, Mills E, Koren G. Safety and efficacy of *Echinacea* (*Echinacea angustifolia*, *E. purpurea* and *E. pallida*) during pregnancy and lactation. *Can J Clin Pharmacol* 2006, 13(3):262-267
- Romiti N, Pellati F, Nieri P, Benvenuti S, Adinolfi B, Chieli E. P-Glycoprotein inhibitory activity of lipophilic constituents of *Echinacea pallida* roots in a human proximal tubular cell line. *Planta Med* 2008, 74:264-266
- Rusu MA, Tamas M, Puica C, Roman I, Sabadas M. The hepatoprotective action of ten herbal extracts in CCl₄ intoxicated liver. *Phytother Res* 2005, 19:744-749
- Schneider S, Reichling J, Stintzing FC, Messerschmidt S, Meyer U, Schnitzler P. Anti-herpetic properties of hydroalcoholic extracts and pressed juice from *Echinacea pallida*. *Planta Med* 2010, 76(3):265-272
- Senchina DS, Strauch JH, Hoffmann GB, Shah NB, Lafren BK, Dumke BL, et al. Phytochemical and immunomodulatory properties of an *Echinacea laevigata* (Asteraceae) tincture. *J Altern Complement Med* 2011, 17(4):375-377
- Senchina DS, Wu L, Flinn GN, Konopka del N, McCoy JA, Widrlechner MP, et al. Year-and-a-half old, dried *Echinacea* roots retain cytokine-modulating capabilities in an *in vitro* human older adult model of influenza vaccination. *Planta Med* 2006, 72:1207-1215
- Sloley BD, Urichuk LJ, Tywin C, Coutts RT, Pang PK, Shan JJ. Comparison of chemical components and antioxidants capacity of different *Echinacea species*. *J Pharm Pharmacol* 2001, 53:849-857
- Speroni E, Govoni P, Guizzardi S, Renzulli C, Guerra MC. Anti-inflammatory and cicatrizing activity of *Echinacea pallida* Nutt. root extract. *J Ethnopharmacol* 2002, 79:265-272
- Stoll A, Renz J, Brack A. Isolierung und Konstitution des Echinacosids, eines Glykosids aus den Wurzeln von *Echinacea angustifolia*. *D.C. Helv Chim Acta* 1950, 33:1877-1893
- Thom E, Wollan T. A controlled clinical study of Kanjang mixture in the treatment of uncomplicated upper respiratory tract infections. *Phytother Res* 1997, 11:207-210
- Voaden DJ, Jacobson M. Tumor inhibitors. 3. Identification and synthesis of an oncolytic hydrocarbon from American coneflower roots. *J Med Chem* 1972, 15:619-623
- WHO monographs on selected medicinal plants. Radix *Echinaceae*. World Health Organization, Geneva 1999, 1:128-135
- Willuhn G. *Echinaceae pallidae* radix. In: Teedrogen und Phytofarmaka, 4th ed. Wissenschaftliche Verlagsgesellschaft, Stuttgart, Germany, 2002, 183-186
- Wolters Kluwer Health. *Echinacea*. In: The Review of Natural Products, Wolters Kluwer Health, St. Luis, MO, USA, 2012
- Zhai Z, Liu Y, Wu L, Senchina DS, Wurttele ES, Murphy PA, et al. Enhancement of innate and adaptive immune functions by multiple *Echinacea* species. *J Med Food* 2007a, 10:423-434
- Zhai Z, Haney D, Wu L, Solco A, Murphy PA, Wurttele ES, et al. Alcohol extracts of *Echinacea* inhibit production of nitric oxide and tumor necrosis factor-alpha by macrophages *in vitro*. *Food Agric Immunol* 2007b, 18:221-236

Zhai Z, Haney DM, Wu L, Solco AK, Murphy PA, Wurtele ES, et al. Alcohol extract of *Echinacea pallida* reverses stress-delayed wound healing in mice. *Phytomedicine* 2009, 16(6-7):669-678

Reference assessed but not quoted in the Assessment report

Melchart D, Linde K, Worku F, Bauer R, Wagner H. Immunomodulation with *Echinacea*. A systematic review of controlled clinical trials. *Phytomed* 1994, 1:245-254