

20 November 2018
EMA/HMPC/188806/2017
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Ruscus aculeatus L., rhizoma*

Final

The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Abascal K, Yarnall E. Botanical treatments for hemorrhoids. *Altern Complement Ther* 2005, 285-289

AFSSAPS. Médicaments à base de plantes. Les cahiers de l'Agence n°3. Agence du médicament. Paris 1998

Archimowicz-Cyrylowska B, Adamek B, Drozdzik M. Clinical effect of Buckwheat herb, Ruscus extract and Toxerutin on retinopathy and lipids in diabetic patients. *Phytother Res* 1996, 10:659-662

Azevedo I, Texeira AA, Osswald W. Changes induced by ageing and denervation in the canine saphenous vein; a comparison with the human varicose vein. In: Vanhoutte P, editor. Return circulation and norepinephrine: an update. John Libbey Eurotext, Paris 1991, 131-137

Barbic M, Willer EA, Rothenhöfer M, Heilmann J, Fürst R, Jürgenliemk G. Spirostanol saponins andesculin from Rusci rhizome reduce the thrombin-induced hyperpermeability of endothelial cells. *Phytochem* 2013, 90: 106–113

Baudet HJ, Collet D, Aubard Y. Therapeutic test of Ruscus extract in pregnant women: evaluation of the fetal tolerance applying the pulse Doppler's method of the cord. In: Vanhoutte P, editor. Return circulation and norepinephrine: an update. John Libbey Eurotext, Paris 1991, 63-71

Berg D. First results with *Ruscus* extract in the treatment of pregnancy related varicose veins In: Vanhoutte P, editor. Return circulation and norepinephrine: an update. John Libbey Eurotext, Paris 1991, 55-61

Bernard P, Cousse H, Rico AG, Fauran F. A whole-body autoradiography study of the distribution of tritium in cynomolgus monkeys dosed with a tritiated extract of *Ruscus*. *Ann Pharm Fr* 1985, 43:573-584

BfArM information. Documentation for information for the preparation of the assessment report for the development of community monographs and for inclusion of herbal substance(s) preparation(s) or combinations thereof in the list. 2007

Bouaziz N, Michiels C, Janssens D, Berna N, Eliaers F, Panconi E, et al. Effect of Ruscus extract and hesperidin methylchalcone on hypoxia-induced activation of endothelial cells. *Int Angiol* 1999, 18: 306-312

Boucard M, Beaulaton I, Reboul C. Etude de la toxicité aiguë de divers extraits fluides de fragon épineux. *Travaux de la Société de Pharmacie de Montpellier* 1967, 27: 187-191

Bouskela E. Microcirculatory responses to *Ruscus* extract in the hamster cheek pouch. In: Vanhoutte P, editor. Return circulation and norepinephrine: an update. John Libbey Eurotext, Paris 1991, 207-218

Bouskela E, Cyrino FZ, Marcelon G. Inhibitory effect of the *Ruscus* extract and of the flavonoid hesperidine methylchalcone on increased microvascular permeability induced by various agents in the hamster cheek pouch. *J Cardiovasc Pharm* 1993a, 22: 225-230

Bouskela E, Cyrino FZ, Marcelon G. Effects of *Ruscus* extract on the internal diameter of arterioles and venules of the hamster cheek pouch microcirculation. *J Cardiovasc Pharm* 1993b, 22: 221-224

Bouskela E, Cyrino FZ. Possible mechanisms for the effects of *Ruscus* extract on microvascular permeability and diameter. *Clin Hemorheol* 1994, 14: S23-S36

Bouskela E, Cyrino FZ, Marcelon G. Possible mechanisms for the venular constriction elicited by *Ruscus* extract on hamster cheek pouch. *J Cardiovasc Pharm* 1994, 24: 165-170

Branco D, Osswald W. The influence of *Ruscus* extract on the uptake and metabolism of noradrenaline in the normal and varicose human saphenous vein. *Phlebology* 1988, 3: 33-39

Boyle P, Diehm C, Robertson C. Meta-analysis of clinical trials of Cyclo 3 Fort in the treatment of chronic venous insufficiency. *Int Angiol* 2003, 22: 250-262

Caujolle F, Mériel P, Stanislas E. Sur les propriétés pharmacologiques de l'extrait de *Ruscus aculeatus* L.. *Ann Pharm Fr* 1953, 11: 109-120

Chanal JL, Cousse H, Sicart MT, Derocq JM. Kinetic study of the absorption of a radiolabeled (3H) *Ruscus* extract. *Work from the Société de Pharmacie de Montpellier* 1978, 38: 43-48

Chanal JL, Mbatchi B, Sicart MT, Cousse H, Fauran F. Comparison of the bioavailability of tritium-labeled *Ruscus* extract in the rat, according to the route of administration. *Travaux de la Société de Pharmacie de Montpellier* 1981, 41: 263-272

Commission E Monographs. *Ruscus aculeatus*. Butcher's broom. Monograph. *Altern Med Rev* 2001, 6: 608-612

De Marino S, Festa C, Zollo, F, Iorizzi M. Novel Steroidal Components from the Underground Parts of *Ruscus aculeatus* L. *Molecules* 2012, 17: 14002-14014

Diehm C, Trampisch HJ, Lange S, Schmidt C. Comparison of leg compression stocking and oral horse-chestnut seed extract therapy in patients with chronic venous insufficiency. *Lancet* 1996, 347: 292-294

Dunouau C, Belle R, Oulad-Ali A, Anton R, David B. Triterpenes and Sterols from *Ruscus aculeatus*. *Planta Med* 1996, 62, 189-190

Elbadir S, El Sayed F, Renaud F. L'allergie de contact aux ruscogenines. *Rev Fr Allergol Immunol Clin* 1998, 38: 37-40

European Pharmacopoeia 8th ed. Rusci rhizome. Council of Europe. Strasbourg 2014, 01/2011: 1847

ESCOP Monographs 2nd ed. Rusci Rhizoma. Butcher's broom. European Scientific Cooperative on Phytotherapy, editor. Thieme, Stuttgart 2003

Felix W, Schmidt Y, Nieberle J. Protective effect of *Ruscus* extract against injury of vascular endothelium and vascular smooth muscle caused by ethracrylic acid. *Int Angiol* 1984, 3: 77-79

Harker CT, Marcelon G, Vanhoutte PM. Temperature, oestrogens and contractions of venous smooth muscle of the rabbit. *Phlebology* 1988, 3: 77-82

Hönig I, Felix W. Effect on the permeability of the isolated ear vein of the pig; a comparison between flavonoids and saponins. In: Davy A, Stemmer R, editors. *Phlébologie*. John Libbey Eurotext Ltd. Paris 1989, 680-682

Labie C. Gutachten über die teratogene Wirkung des Präparates "Cyclo 3" (*Unpublished; cited in ESCOP 2003*)

Landa N, Aguirre A, Goday J. Allergic contact dermatitis from a vasoconstrictor cream. *Contact Dermatitis* 1990, 22: 290-291

Launois R, Reboul-Marty J, Henry B. Construction and validation of a quality of life questionnaire in Chronic Lower Limb Venous Insufficiency (CIVIQ). *Qual Life Res* 1996, 5: 539-554

Marcelon G, Lauressergues H, Vanhoutte PM. Mechanism of action of *Ruscus* extract: correlation between *in vitro* and *in vivo* studies. XIII Congress of The International Union of Angiology, Rochester, USA 1983a

Marcelon G, Verbeuren TJ, Lauressergues H, Vanhoutte PM. Effect of *Ruscus aculeatus* on isolated canine cutaneous veins. *Gen Pharmacol* 1983b, 14: 103-106

Marcelon G, Vanhoutte PM. Mechanism of action of *Ruscus* extract. *Int Angiol* 1984, 3: 74-76

Marcelon G, Vanhoutte PM. Veinotonic effect of *Ruscus* under variable temperature conditions *in vitro*. *Phlebology* 1988, 3: 51-54

Marcelon G, Pouget G, Tisné-Versailles J. Effect of *Ruscus* on the adrenoceptors of the canine lymphatic thoracic duct. *Phlebology* 1988a, 3: 109-112

Marcelon G, Vieu S, Pouget G, Tisné-Versailles J. Oestrogenous impregnation and *Ruscus* action on the human vein *in vitro*, depending on preliminary results. *Phlebology* 1988b, 3: 83-85

Masullo M, Pizza C, Piacente S. *Ruscus* Genus: A rich source of bioactive steroid saponins. *Planta Med* 2016, 82: 1513-1524

McHale NG. Mechanism of noradrenaline action in lymphatic vessels. In: Vanhoutte P, editor. Return circulation and norepinephrine: an update. John Libbey Eurotext, Paris 1991, 73-88

Miller VM, Marcelon G, Vanhoutte PM. Progesterone augments the venoconstrictor effect of *Ruscus* without altering adrenergic reactivity. *Phlebology* 1991a, 6: 261-268

Miller VM, Marcelon G, Vanhoutte PM. *Ruscus* extract releases endothelium-derived relaxing factor in arteries and veins. In: Vanhoutte P, editor. Return circulation and norepinephrine: an update. John Libbey Eurotext, Paris 1991b, 31-42

Miller VM, Rud K, Gloviczki P. Interactions of *Ruscus*-extract with endothelin-receptors in human varicose veins. *Clin Hemorheol* 1994, 14: S37-S45

Mimaki Y, Kuroda M, Kameyama A, Yokosuka A, Sashida Y. Steroidal saponins from the underground parts of *Ruscus aculeatus* and their cytostatic activity on HL-60 cells. *Phytochem* 1998, 48: 485-493

Nikolov S, Joneidi M, Panova D. Quantitative determination of ruscogenin in *Ruscus* species by densitometric thin-layer chromatography. *Pharmazie* 1976, 31: 611-612

Pouget G, Ducros L, Marcelon G. Effect of *Ruscus* extract on peripheral lymphatic vessel pressure and flow. In: Vanhoutte P, editor. Return circulation and norepinephrine: an update. John Libbey Eurotext, Paris 1991, 89-95

Ramelet AA, Boisseau MR, Allegra C, Nicolaides A, Jaeger K, Carpentier P, et al. Veno-active drugs in the management of chronic venous disease. An international consensus statement: Current medical position, prospective views and final resolution. *Clin Hemorheol Microcirc* 2005, 33:309-319

Ramirez-Hernandez M. Allergic contact dermatitis to ruscogenins. *Contact Dermatitis* 2006, 54:60

Rauwald HW, Grunwidl J. *Ruscus aculeatus* extract: Unambiguous proof of the absorption of spirostanol glycosides in human plasma after oral administration. *Planta Med* 1991, 57:A75-A76

Redman DA. *Ruscus aculeatus* (Butcher's Broom) as a potential treatment for orthostatic hypotension with case report. *J Altern Complement med* 2000, 6:539-549

Roux G. Toxicologisches Gutachten für *Ruscus aculeatus*. Faculté Med Pharm, Université de Toulouse 1969 (*Unpublished, cited in ESCOP 2003*)

Rubanyi G, Marcelon G, Vanhoutte PM. Effect of temperature on the responsiveness of cutaneous veins to the extract of *Ruscus aculeatus*. *Gen Pharmacol* 1984, 15:431-434

Rudofsky G, Nobbe F. Action of a drug combination on venous capacity. *Fortschr Med* 1982, 100:1217-1220

Rudofsky G, Diehm C, Gruss J, Hartmann M, Schultzehrenburg Hu, Bisler H. Effect of a combination of *Ruscus* extract and hesperidine methyl chalcone in healthy probands in heat stress. *PHLEBOLOGY 89: Proceedings of the 10th World Congress of the Union-Internationale-De-Phlebologie* 1989, 731-733

Rudofsky G. Efficacy of *Ruscus* extract in venolymphatic edema using foot volumetry. In: Vanhoutte P, editor. Return circulation and norepinephrine: an update. John Libbey Eurotext, Paris 1991, 121-130

Sadarmin PP, Timperley JT. An unusual case of butcher's broom precipitating diabetic ketoacidosis. *J Emerg Med* 2013, 45:e63-e65

Texeira AA, Osswald W. Effects of *Ruscus aculeatus* extract on the structural and functional alterations caused by sympathetic denervation of the saphenous vein. *Phlebology* 1988, 3:27-31

Valnet-Rabier MB, Dupond JL, Paulmier L. Phytotherapy and microscopic colitis: a case report implicating *Ruscus aculeatus* in the development of collagenous colitis. *Fund Clin Pharmacol* 2004, 18:224

Vanscheidt W, Heidrich H, Junger M. Guidelines for testing drugs for chronic venous insufficiency. *VASA* 2000, 29:274-278

Vanscheidt W, Jost V, Wolna P, Luker PW, Muller M, Theurer C, et al. Efficacy and safety of a Butcher's broom preparation (*Ruscus aculeatus* L extract) compared to placebo in patients suffering from chronic venous insufficiency. *Drugs* 2002, 52:243-250