

05 May 2021
EMA/HMPC/475727/2020
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Taraxacum officinale* F.H. Wigg., radix

Draft

The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Abdel-Magied N, Abdel Fattah SM, Elkady AA. Differential effect of *Taraxacum officinale* L. (dandelion) root extract on hepatic and testicular tissues of rats exposed to ionizing radiation. Molec Biol Rep 2019; 46:4893–4907.

Akashi T, Furuno T, Takahashi T, Ayabe SI. Biosynthesis of triterpenoids in cultured cells, and regenerated and wild plant organs of *Taraxacum officinale*. Phytochemistry 1994; 36:303-308.

Bisset NG, Phillipson JD, Czygan FC, Frohne D, Höltzel D, Nagell A, et al., (eds). Herbal Drugs and Phytopharmaceuticals: A Handbook for Practice on a Scientific Basis. CRC Press, Boca Raton 1994, 486-48.

Bradley PR ed. Dandelion Root. British Herbal Compendium. Volume I, British Herbal Medicine Association, Bournemouth 1993, 76-77.

British Herbal Pharmacopoeia 1983, p.207.

Burrows S, Simpson J. The triterpene alcohols of *Taraxacum* root. The triterpene group. Part IV. J Chem Soc (Part II) 1938; 2042-2047.

Cai L, Wan D, Yi F, Luan L. Purification, Preliminary Characterization and Hepatoprotective Effects of Polysaccharides from Dandelion Root. Molecules 2017; 22:1409-1423.



Capasso F, Gaginella TS, Grandolini G, Izzo AA. Phytotherapy. A Quick Reference to Herbal Medicine. Springer-Verlag Berlin Heidelberg 2003, p. 307.

Choi HR, Choi JS, Han YN, Bae SJ, Chung HY. Peroxynitrite Scavenging Activity of Herb Extracts. *Phytother Res* 2002; 16:364-367.

Choi JH, Shin KM, Kim NY, Hong JP, Lee YS, Kim HJ, et al. Taraxinic Acid, a Hydrolysate of Sesquiterpene Lactone Glycoside from the *Taraxacum coreanum* NAKAI, Induces the Differentiation of Human Acute Promyelocytic Leukemia HL-60 Cells. *Biol Pharm Bull* 2002; 25:1446-1450.

Clifford MN, Shutler S, Thomas GA, Ohiokpehai O. The chlorogenic acids content of coffee substitutes. *Food Chem* 1987; 24:99-107.

Colitti M, Stefanon B. Different anti-adipogenic effects of bio-compounds on primary visceral pre-adipocytes and adipocytes. *EXCLI J* 2016; 15:362-377.

Dymowski W, Jankiewics K. Ile zioł odmierzamy łyżka albo łyżeczką do przygotowania zaparu? Zawartość substancji roślinnych w wybranych łyżkach i łyżeczkach używanych w ciągu ostatnich dekad. *Almanach* 2020; 15:47-57.

Ding A, Wen X. Dandelion root extract protects NCM460 colonic cells and relieves experimental mouse colitis. *J Nat Med* 2018; 72:857-866.

Esatbeyoglu T, Obermair B, Dorn T, Siems K, Rimbach G, Birringer M. Sesquiterpene Lactone Composition and Cellular Nrf2 Induction of *Taraxacum officinale* Leaves and Roots and Taraxinic Acid β-D-Glucopyranosyl Ester. *J Med Food* 2017; 20:1-8.

ESCOP Monographs. Second Edition. Thieme Verlag Stuttgart, 2003, p.502-504.

European Pharmacopoeia. 7th Edition. Dandelion root (*Taraxaci officinalis radix*). Monograph 01/2011:1852.

Fernandez C, Martin-Esteban M, Fiandor A, Pascual C, Lopez Serrano C, Martinez Alzamora F, et al. Analysis of cross-reactivity between sunflower pollen and other pollens of the Compositae family. *J Allergy Clin Immunol* 1993; 92:660-667.

Gerbino A, Schena G, Milano S, Milella L, Barbosa AF, Armentano F, et al. Spilanthol from *Acmella Oleracea* Lowers the Intracellular Levels of cAMP Impairing NKCC2 Phosphorylation and Water Channel AQP2 Membrane Expression in Mouse Kidney. *PLoS ONE* 2016;11:e0156021.

Gerbino A, Russo D, Colella M, Procino G, Svelto M, Milella L, et al. Dandelion Root Extract Induces Intracellular Ca²⁺ Increases in HEK293 Cells. *Int J Mol Sci* 2018; 19:1112-1128.

Gerbino A, De Zio R, Russo D, Milella L, Milano S, Procino G, et al. Role of PKC in the Regulation of the Human Kidney Chloride Channel ClC-Ka. *Sci Rep.* 2020; 10:10268.

Ghale-Salimi MY, Eidi M, Ghaemi N, Khavari-Nejad RA. Antiurolithiatic effect of the taraxasterol on ethylene glycol induced kidney calculi in male rats. *Urolithiasis* 2018; 46:419-428.

Goldberg ED, Amosova EN, Zueva EP, Razina TG, Krylova SG, Reikhart DV. Effects of Extracts from Medicinal Plants on the Development of Metastatic Process. *Bull Exp Biol Med* 2004; 138(3):288-294.

González-Castejón M, García-Carrasco B, Fernández-Dacosta R, Dávalos A, Rodriguez-Casado A. Reduction of Adipogenesis and Lipid Accumulation by *Taraxacum officinale* (Dandelion) Extracts in 3T3L1 Adipocytes: An in vitro Study. *Phytother Res* 2014; 28:745-752.

Grases F, Melero G, Costa-Bauzá A, Prieto R, March JG. Urolithiasis and phytotherapy. *Int Urol Nephrol* 1994; 26:507-511.

HagerROM 2006. Hagers Handbuch der Drogen und Arzneistoffe. Version 5.0, Blaschek W, Ebel S, Hackenthal E, Holzgrabe U, Keller K, Reichling J, Schulz V, (eds). Deutscher Apotheker Verlag, Stuttgart 2006.

Hagymási K, Blázovics A, Fehér J, Lugasi A, Kristó ST, Kéry A. The *in vitro* effect of dandelion antioxidants on microsomal lipid peroxidation. *Phytother Res* 2000a; 14:43-44.

Hagymási K, Blázovics A, Lugasi A, Kristó ST, Fehér J, Kéry A. *In vitro* antioxidant evaluation of dandelion (*Taraxacum officinale* WEB.) water extracts. *Acta Alimentaria* 2000b; 29:1-7.

Hagymási K, Blázovics A, Lugasi A, Kristó ST, Fehér J, Kéry A. *In vitro* antioxidant evaluation of dandelion (*Taraxacum officinale* WEB.) water extracts. *Accredit Quality Assurance* 2000c; 5:1-7.

Hance P, Martin Y, Vasseur J, Hilbert JL, Trotin F. Quantification of cichory root bitterness by an ELISA for 11 β ,13-dihydrolactucin. *Food Chem* 2007; 105:742-748.

Harkness R, Bratman S. *Mosby's Handbook of Drug-Herb and Drug-Supplement Interactions*. Mosby, St. Louis London Philadelphia Sydney Toronto 2003, 163-163.

Hausen BM. Taraxinsäure-1'-O- β -D-glucopyranosid, das Kontaktallergen des Löwenzahns (*Taraxacum officinale* Wiggers). *Dermatosen* 1982; 30:51-53.

Hausen BM and Vieluf IK. Allergiepflanzen/Pflanzenallergene: Handbuch und Atlas der Allergie-induzierenden Wild- und Kulturpflanzen, 2nd edition. Ecomed Verlagsgesellschaft mbH, Landsberg München 1997.

Hänsel R, Kartarahardja M, Huang JT, Bohlmann F. Sesquiterpenlacton- β -D-glucopyranoside sowie ein neues Eudesmanolid aus *Taraxacum officinale*. *Phytochemistry* 1980; 19:857-861.

Hook I, McGee A, Henman M. Evaluation of dandelion for diuretic activity and variation in potassium content. *Int J Pharmacogn* 1993; 31:29-34.

Hörhammer L, Wagner H. Chemistry of Natural and Synthetic Colour Matters, Gore TS (ed). Academic Press: London, 1962; 315–330.

Huber M, Triebwasser-Freese D, Reichelt M, Heiling S, Paetz C, Chandran JN, et al. Identification, quantification, spatiotemporal distribution and genetic variation of major latex secondary metabolites in the common dandelion (*Taraxacum officinale* agg.). *Phytochemistry* 2015; 115:89–98.

Jovanović M, Poljački M, Mimica-Dukić N, Bož P, Vujanović LJ, Đuran V, et al. Sesquiterpene lactone mix patch testing supplemented with dandelion extract in patients with allergic contact dermatitis, atopic dermatitis and non-allergic chronic inflammatory skin diseases. *Contact Dermatitis* 2004; 51:101–110.

Jung HJ, Sung HM, Kim KM, Shin Y-R, Wee j-H. Comparison of Antioxidant Activities of Water Extract from Dandelion (*Taraxacum officinale*) Aerial Parts, Roots, and Their Mixtures. *J Korean Soc Food Sci Nutr* 2015; 44(8), 1157-1164.

Kashiwada Y, Takanaka K, Tsukada H, Miwa Y, Taga T, Tanaka S, et al. Sesquiterpene glucosides from anti-leukotriene B4 release fraction of *Taraxacum officinale*. *J Asian Nat Prod Res* 2001; 3:191-197.

Kaurinovic B, Popovic M, Cebovic T, Mimica-Dukic N. Effects of *Calendula officinalis* L. and *Taraxacum officinale* WEBER (Asteraceae) extracts on the production of OH radicals. *Fresenius Environ Bull* 2003; 12:250-253.

Kenny O, Smyth TJ, Hewage CM, Brunton NP, McLoughlin P. 4-Hydroxyphenylacetic acid derivatives of inositol from dandelion (*Taraxacum officinale*) root characterised using LC-SPE-NMR and LC-MS techniques. *Phytochemistry* 2014; 98:197–203.

Kenny O, Brunton NP, Walsh D, Hewage CM, McLoughlin P, Smyth TJ. Characterisation of Antimicrobial Extracts from Dandelion Root (*Taraxacum officinale*) Using LC-SPE-NMR. *Phytother. Res.* 2015; 29: 526–532.

Kikuchi T, Tanaka A, Uriuda M, Yamada T, Tanaka R. Three Novel Triterpenoids from *Taraxacum officinale* Roots. *Molecules* 2016; 21:1121-1231.

Kisiel W, Barszcz B. Further sesquiterpenoids and phenolics from *Taraxacum officinale*. *Fitoterapia* 2000; 71:269-273.

Kuusi T, Pyysalo H, Autio K. The bitterness properties of dandelion. II. Chemical investigations. *Lebensmittel-Wiss Technol* 1985; 18:347-349.

Laquale S, Avato P, Argentieri MP, Candido V, Perniola M, D'Addabbo T. Nematicidal potential of *Taraxacum officinale*. *Environ Sci Pollut Res* 2018; 25:30056-30065.

Liu Q, Zhao H, Gao Y, Meng Y, Zhao X-X, Pan S-N. Effects of Dandelion Extract on the Proliferation of Rat Skeletal Muscle Cells and the Inhibition of a Lipopolysaccharide-Induced Inflammatory Reaction. Chin Med J 2018; 131(14):1724-1731.

Lopatina KA, Razina TG, Zueva EP, Krylova SG, Amosova EN, Guryev AM. Plant Polysaccharides in Combined Therapy of Transplanted Tumors. Bull Exp Biol Med 2007; 143(1):24-27.

Lovell CR, Rowan M. Dandelion dermatitis. Contact Dermatitis 1991; 25:185-188.

Maliakal PP, Wanwimolruk S. Effect of herbal teas on hepatic drug metabolizing enzymes in rats. J Pharm Pharmacol 2001; 53:1323-1329.

Mark KA, Brancaccio RR, Soter NA, Cohen DE. Allergic contact and photoallergic contact dermatitis to plant and pesticide allergens. Arch Dermatol 1999; 135:67-70

Mascolo N, Autore G, Capasso F, Menghini A, Fasolo MP. Biological screening of Italian medicinal plants for anti-inflammatory activity. Phytother Res 1987; 1:28-31.

Minciullo PL, Calapai G, Miroddi M, Mannucci C, Chinou I, Gangemi S, et al. Contact dermatitis as an adverse reaction to some topically used European herbal medicinal products – part 4: Solidago virgaurea–Vitis vinifera. Contact Dermatitis 2017; 77:67-87.

Moriarty B, Pinney JH, Owen-Casey MP, Rustin MHA, Deroide F, Laing C, et al. Digital necrosis from dandelion tea. Br J Dermatol 2013; 169:227-229.

Nassan MA, Soliman MM, Ismail SA, El-Shazly S. Effect of *Taraxacum officinale* extract on PI3K/Akt pathway in DMBA-induced breast cancer in albino rats. Biosci Rep 2018; 38:BSR20180334.

Neef H, Cilli F, Declerck PJ, Laekeman G. Platelet antiaggregating activity of *Taraxacum officinale* Weber. Phytother Res 1996; 10:138-140.

Önal S, Timur S, Okutucu B, Zihnioğlu F. Inhibition of α-Glucosidase by Aqueous Extracts of Some Potent Antidiabetic Medicinal Plants. Prep Biochem Biotechnol 2005; 35:29-36.

Ovadje P., Ammar S, Guerrero J-A, Arnason JT, Pandey S. Dandelion root extract affects colorectal cancer proliferation and survival through the activation of multiple death signalling pathways. Oncotarget 2016; 7:73080-73100

Ożarowski A, Kaćucki J, Gąsiorowska K. Leki roslinne. Informator. Zjednoczenie przemysłu zielarskiego Herbapol, Warszawa 1978.

Paulsen E, Andersen KE. Clinical patterns of Compositae dermatitis in Danish monosensitized patients. Contact Dermatitis 2017; 78:185-193.

Popovic M, Kaurinovic B, Mimica-Dukic N, Vojinovic-Miloradov M, Dordevic A. Combined effects of plant extracts and xenobiotics on liposomal lipid peroxidation. Part 3. Dandelion extract—CCl₄/fullnerol. Oxidation Commun 2001; 24:335-343.

Rácz-Kotilla E, Rácz G, Solomon A. The action of *Taraxacum officinale* extracts on the body weight and diuresis of laboratory animals. *Planta Med* 1974; 26:212-217.

Rauwald HW, Huang JT. Taraxacoside, a type of acylated-butyrolactone glucoside from *Taraxacum officinale*. *Phytochemistry* 1985; 24:1557-1559.

Saeki D, Yamada T, In Y, Kajimoto T, Tanaka R, Iizuka Y, et al. Officinatrione: an unusual (17S)-17,18-seco-lupane skeleton, and four novel lupane-type triterpenoids from the roots of *Taraxacum officinale*. *Tetrahedron* 2013; 69:1583-1589.

Scherf-Clavel M, Treiber S, Deckert J, Unterecker S, Hommers L. Drug-Drug Interactions Between Lithium and Cardiovascular as Well as Anti-Inflammatory Drugs. *Pharmacopsychiatry* 2020, DOI <https://doi.org/10.1055/a-1157-9433>.

Schulz V, Hänsel R, Tyler VE. Rational Phytotherapy. A Physicians' Guide to Herbal Medicine. Springer-Verlag Berlin Heidelberg 2001, p. 36.

Schütz K, Kammerer DR, Carle R, Schieber A. Characterization of phenolic acids and flavonoids in dandelion (*Taraxacum officinale* WEB. ex WIGG.) root and herb by high-performance liquid chromatography-electrospray ionization mass spectrometry. *Rapid Commun Mass Spectrom* 2005; 19:179-186.

Sigstedt SC, Hooten CJ, Callewaert MC, Jenkins AR, Romero AE, Pullin MJ, et al. Evaluation of aqueous extracts of *Taraxacum officinale* on growth and invasion of breast and prostate cancer cells. *Int J Oncology* 2008; 32:1085-1090.

Southall W. Southall's Organic Materia Medica. Sixth and enlarged edition. London, J.&A. Churchill 1900. Reprinted by Forgotten Books 2013, p. 39.

Sumanth M, Rana AC. *In vivo* antioxidant activity of hydroalcoholic extract of *Taraxacum officinale* roots in rats. *Indian J Pharmacol* 2006; 38:54-55.

Tita B, Bello U, Faccendini P, Bartolini R, Bolle P. *Taraxacum officinale* W.: pharmacological effect of ethanol extract. *Pharmacol Res* 1993; 27 (Supplement 1):23-24.

Trojanová I, Rada V, Kokoska L, Vlková E. The bifidogenic effect of *Taraxacum officinale* root. *Fitoterapia* 2004; 75:760-763.

Guidance for Industry: Estimating the Maximum Safe Starting Dose in Initial Clinical Trials for Therapeutics in Adult Healthy Volunteer. USFDA. Department of Health and Human Services. July 2005.

Wagner H, Wiesenauer M. Phytotherapie. Phytopharmaka und pflanzliche Homöopathika. Gustav Fischer Verlag. Stuttgart Jena New York 1995, 132-134.

Wichtl M. Teedrogen. Ein Handbuch für Apotheker und Ärzte Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart 1984, 217-219.

Williams CA, Goldstone F, Greenham J. Flavonoids, cinnamic acids and coumarins from the different tissues and medicinal preparations of *Taraxacum officinale*. *Phytochemistry* 1996; 42:121-127

Wojdylo A, Oszmianski J, Czeremys R. Antioxidant activity and phenolic compounds in 32 selected herbs. *Food Chem* 2007; 105:940-949.

Wu SH, Luo XD, Ma YB, Hao XJ, Wu DG. Anti-gastric ulcer sesquiterpene lactone glycosides from *Crepis napifera*. *Yaoxue Xuebao* 2002; 37:33-36.

Yang Y, Li S. Dandelion Extracts Protect Human Skin Fibroblasts from UVB Damage and Cellular Senescence. *Oxid Med Cell Longev* 2015; Article ID 619560.

Yasukawa K, Akihisa T, Inoue Y, Tamura T, Yamanouchi S, Takido M. Inhibitory effect of the methanol extracts from Compositae plants on 12-O-tetradecanoylphorbol-13-acetate-induced ear oedema in mice. *Phytther Res* 1998; 12:484-487.

You Y, Yoo S, Yoon H-G, Park J, Lee Y-H, Kim S, et al. *In vitro* and *in vivo* hepatoprotective effects of the aqueous extract from *Taraxacum officinale* (dandelion) root against alcohol-induced oxidative stress. *Food Chem Toxicol* 2010; 48:1632-1637.

Zeller W, de Gols M, Hausen BM. The sensitizing capacity of Compositae plants VI. Guinea pig sensitization experiments with ornamental plants and weeds using different methods. *Arch Dermatol Res* 1985; 277:28-35.

Zhu H, Zhao H, Zhang L, Xu J, Zhu C, Zhao H, et al. Dandelion root extract suppressed gastric cancercells proliferation and migration through targeting lncRNA-CCAT1. *Biomed Pharmacother* 2017; 93:1010-1017.