



24 November 2021  
EMA/HMPC/475727/2020  
Committee on Herbal Medicinal Products (HMPC)

## List of references supporting the assessment of *Taraxacum officinale* F.H. Wigg., radix Final

**The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.**

Abdel-Magied N, Abdel Fattah SM, Elkady AA. Differential effect of *Taraxacum officinale* L. (dandelion) root extract on hepatic and testicular tissues of rats exposed to ionizing radiation. *Molec Biol Rep* 2019, 46:4893-4907

Akashi T, Furuno T, Takahashi T, Ayabe SI. Biosynthesis of triterpenoids in cultured cells, and regenerated and wild plant organs of *Taraxacum officinale*. *Phytochemistry* 1994, 36:303-308

Bisset NG, Phillipson JD, Czygan FC, Frohne D, Höltzel D, Nagell A, et al. editors. *Herbal Drugs and Phytopharmaceuticals: A Handbook for Practice on a Scientific Basis*. CRC Press, Boca Raton 1994, 486-48

Blaschek W, Ebel S, Hackenthal E, Holzgrabe U, Keller K, Reichling J, et al. editors. *Hagers Handbuch der Drogen und Arzneistoffe*. HagerROM 2006. Version 5.0. Deutscher Apotheker Verlag, Stuttgart 2006

Bradley PR editor. *Dandelion Root*. British Herbal Compendium. Vol 1. British Herbal Medicine Association, Bournemouth 1993, 76-77

British Herbal Pharmacopoeia 1983, p.207

Burrows S, Simpson J. The triterpene alcohols of *Taraxacum* root. The triterpene group. Part IV. *J Chem Soc (Part II)* 1938, 2042-2047

Cai L, Wan D, Yi F, Luan L. Purification, Preliminary Characterization and Hepatoprotective Effects of Polysaccharides from Dandelion Root. *Molecules* 2017, 22:1409-1423

Capasso F, Gaginiella TS, Grandolini G, Izzo AA. *Phytotherapy. A Quick Reference to Herbal Medicine*. Springer-Verlag, Berlin Heidelberg 2003, 307



Choi HR, Choi JS, Han YN, Bae SJ, Chung HY. Peroxynitrite Scavenging Activity of Herb Extracts. *Phytother Res* 2002, 16:364-367

Choi JH, Shin KM, Kim NY, Hong JP, Lee YS, Kim HJ, et al. Taraxinic Acid, a Hydrolysate of Sesquiterpene Lactone Glycoside from the *Taraxacum coreanum* NAKAI, Induces the Differentiation of Human Acute Promyelocytic Leukemia HL-60 Cells. *Biol Pharm Bull* 2002, 25:1446-1450

Clifford MN, Shutler S, Thomas GA, Ohiokpehai O. The chlorogenic acids content of coffee substitutes. *Food Chem* 1987, 24:99-107

Colitti M, Stefanon B. Different anti-adipogenic effects of bio-compounds on primary visceral pre-adipocytes and adipocytes. *EXCLI J* 2016, 15:362-377

Dymowski W, Jackiewicz K. Ile zioł odmierzamy łyżka albo łyżeczką do przygotowania zaparu? Zawartość substancji roślinnych w wybranych łyżkach i łyżeczkach używanych w ciągu ostatnich dekad. *Almanach* 2020, 15:47-57

Ding A, Wen X. Dandelion root extract protects NCM460 colonic cells and relieves experimental mouse colitis. *J Nat Med* 2018, 72:857-866

Esatbeyoglu T, Obermair B, Dorn T, Siems K, Rimbach G, Birringer M. Sesquiterpene Lactone Composition and Cellular Nrf2 Induction of *Taraxacum officinale* Leaves and Roots and Taraxinic Acid β-D-Glucopyranosyl Ester. *J Med Food* 2017, 20:1-8

ESCOP Monographs 2<sup>nd</sup> ed. European Scientific Cooperative on Phytotherapy, editor. Thieme, Stuttgart 2003, 502-504

European Pharmacopoeia 7<sup>th</sup> ed. Dandelion root (*Taraxaci officinalis* radix). Council of Europe. 01/2011: 1852

Fernandez C, Martin-Esteban M, Fiandor A, Pascual C, Lopez Serrano C, Martinez Alzamora F, et al. Analysis of cross-reactivity between sunflower pollen and other pollens of the Compositae family. *J Allergy Clin Immunol* 1993, 92:660-667

Gerbino A, De Zio R, Russo D, Milella L, Milano S, Procino G, et al. Role of PKC in the Regulation of the Human Kidney Chloride Channel ClC-Ka. *Sci Rep* 2020, 10:10268

Gerbino A, Russo D, Colella M, Procino G, Svelto M, Milella L, et al. Dandelion Root Extract Induces Intracellular Ca<sup>2+</sup> Increases in HEK293 Cells. *Int J Mol Sci* 2018, 19:1112-1128

Gerbino A, Schena G, Milano S, Milella L, Barbosa AF, Armentano F, et al. Spilanthol from *Acmella Oleracea* Lowers the Intracellular Levels of cAMP Impairing NKCC2 Phosphorylation and Water Channel AQP2 Membrane Expression in Mouse Kidney. *PLoS ONE* 2016, 11:e0156021

Ghale-Salimi MY, Eidi M, Ghaemi N, Khavari-Nejad RA. Antiurolithiatic effect of the taraxasterol on ethylene glycol induced kidney calculi in male rats. *Urolithiasis* 2018, 46:419-428

Goldberg ED, Amosova EN, Zueva EP, Razina TG, Krylova SG, Reikhart DV. Effects of Extracts from Medicinal Plants on the Development of Metastatic Process. *Bull Exp Biol Med* 2004, 138(3):288-294

González-Castejón M, García-Carrasco B, Fernández-Dacosta R, Dávalos A, Rodriguez-Casado A. Reduction of Adipogenesis and Lipid Accumulation by *Taraxacum officinale* (Dandelion) Extracts in 3T3L1 Adipocytes: An *in vitro* Study. *Phytother Res* 2014, 28:745-752

Grases F, Melero G, Costa-Bauzá A, Prieto R, March JG. Urolithiasis and phytotherapy. *Int Urol Nephrol* 1994, 26:507-511

Hagymási K, Blázovics A, Fehér J, Lugasi A, Kristó ST, Kéry A. The *in vitro* effect of dandelion antioxidants on microsomal lipid peroxidation. *Phytother Res* 2000a, 14:43-44

Hagymási K, Blázovics A, Lugasi A, Kristó ST, Fehér J, Kéry A. *In vitro* antioxidant evaluation of dandelion (*Taraxacum officinale* WEB.) water extracts. *Acta Alimentaria* 2000b, 29:1-7

Hagymási K, Blázovics A, Lugasi A, Kristó ST, Fehér J, Kéry A. *In vitro* antioxidant evaluation of dandelion (*Taraxacum officinale* WEB.) water extracts. *Accredit Quality Assurance* 2000c, 5:1-7

Hance P, Martin Y, Vasseur J, Hilbert JL, Trotin F. Quantification of chicory root bitterness by an ELISA for 11 $\beta$ ,13-dihydrolactucin. *Food Chem* 2007, 105:742-748

Hausen BM. Taraxinsäure-1'-O- $\beta$ -D-glucopyranosid, das Kontaktallergen des Löwenzahns (*Taraxacum officinale* Wiggers). *Dermatosen* 1982, 30:51-53

Hausen BM and Vieluf IK. Allergiepflanzen/Pflanzenallergene: Handbuch und Atlas der Allergie-induzierenden Wild- und Kulturpflanzen, 2<sup>nd</sup> ed. Ecomed Verlagsgesellschaft mbH, Landsberg München 1997

Hänsel R, Kartarahardja M, Huang JT, Bohlmann F. Sesquiterpenlacton- $\beta$ -D-glucopyranoside sowie ein neues Eudesmanolid aus *Taraxacum officinale*. *Phytochemistry* 1980, 19:857-861

Hook I, McGee A, Henman M. Evaluation of dandelion for diuretic activity and variation in potassium content. *Int J Pharmacogn* 1993, 31:29-34

Hörhammer L, Wagner H, Gore TS editors. Chemistry of Natural and Synthetic Colour Matters. Academic Press, London, 1962, 315-330

Huber M, Triebwasser-Freese D, Reichelt M, Heiling S, Paetz C, Chandran JN, et al. Identification, quantification, spatiotemporal distribution and genetic variation of major latex secondary metabolites in the common dandelion (*Taraxacum officinale* agg.). *Phytochemistry* 2015, 115:89-98

Jovanović M, Poljački M, Mimica-Dukić N, Bož P, Vučanović LJ, Đuran V, et al. Sesquiterpene lactone mix patch testing supplemented with dandelion extract in patients with allergic contact dermatitis, atopic dermatitis and non-allergic chronic inflammatory skin diseases. *Contact Dermatitis* 2004, 51:101-110

Jung HJ, Sung HM, Kim KM, Shin Y-R, Wee j-H. Comparison of Antioxidant Activities of Water Extract from Dandelion (*Taraxacum officinale*) Aerial Parts, Roots, and Their Mixtures. *J Korean Soc Food Sci Nutr* 2015, 44(8):1157-1164

Kashiwada Y, Takanaka K, Tsukada H, Miwa Y, Taga T, Tanaka S, et al. Sesquiterpene glucosides from anti-leukotriene B4 release fraction of *Taraxacum officinale*. *J Asian Nat Prod Res* 2001, 3:191-197

Kaurinovic B, Popovic M, Cebovic T, Mimica-Dukic N. Effects of *Calendula officinalis* L. and *Taraxacum officinale* WEBER (Asteraceae) extracts on the production of OH radicals. *Fresenius Environ Bull* 2003, 12:250-253

Kenny O, Smyth TJ, Hewage CM, Brunton NP, McLoughlin P. 4-Hydroxyphenylacetic acid derivatives of inositol from dandelion (*Taraxacum officinale*) root characterised using LC-SPE-NMR and LC-MS techniques. *Phytochemistry* 2014, 98:197-203

Kenny O, Brunton NP, Walsh D, Hewage CM, McLoughlin P, Smyth TJ. Characterisation of Antimicrobial Extracts from Dandelion Root (*Taraxacum officinale*) Using LC-SPE-NMR. *Phytother. Res.* 2015, 29:526-532

Kikuchi T, Tanaka A, Uriuda M, Yamada T, Tanaka R. Three Novel Triterpenoids from *Taraxacum officinale* Roots. *Molecules* 2016, 21:1121-1231

Kisiel W, Barszcz B. Further sesquiterpenoids and phenolics from *Taraxacum officinale*. *Fitoterapia* 2000, 71:269-273

Kuusi T, Pyysalo H, Autio K. The bitterness properties of dandelion. II. Chemical investigations. *Lebensmittel-Wiss Technol* 1985, 18:347-349

Laquale S, Avato P, Argentieri MP, Candido V, Perniola M, D'Addabbo T. Nematicidal potential of *Taraxacum officinale*. *Environ Sci Pollut Res* 2018, 25:30056-30065

Liu Q, Zhao H, Gao Y, Meng Y, Zhao X-X, Pan S-N. Effects of Dandelion Extract on the Proliferation of Rat Skeletal Muscle Cells and the Inhibition of a Lipopolysaccharide-Induced Inflammatory Reaction. *Chin Med J* 2018, 131(14):1724-1731

Lopatina KA, Razina TG, Zueva EP, Krylova SG, Amosova EN, Guryev AM. Plant Polysaccharides in Combined Therapy of Transplanted Tumors. *Bull Exp Biol Med* 2007, 143(1):24-27

Lovell CR, Rowan M. Dandelion dermatitis. *Contact Dermatitis* 1991, 25:185-188

Maliakal PP, Wanwimolruk S. Effect of herbal teas on hepatic drug metabolizing enzymes in rats. *J Pharm Pharmacol* 2001, 53:1323-1329

Mark KA, Brancaccio RR, Soter NA, Cohen DE. Allergic contact and photoallergic contact dermatitis to plant and pesticide allergens. *Arch Dermatol* 1999, 135:67-70

Mascolo N, Autore G, Capasso F, Menghini A, Fasolo MP. Biological screening of Italian medicinal plants for anti-inflammatory activity. *Phytother Res* 1987, 1:28-31

Minciullo PL, Calapai G, Miroddi M, Mannucci C, Chinou I, Gangemi S, et al. Contact dermatitis as an adverse reaction to some topically used European herbal medicinal products – part 4: Solidago virgaurea–Vitis vinifera. *Contact Dermatitis* 2017, 77:67-87

Moriarty B, Pinney JH, Owen-Casey MP, Rustin MHA, Deroide F, Laing C, et al. Digital necrosis from dandelion tea. *Br J Dermatol* 2013, 169:227-229

Nassan MA, Soliman MM, Ismail SA, El-Shazly S. Effect of *Taraxacum officinale* extract on PI3K/Akt pathway in DMBA-induced breast cancer in albino rats. *Biosci Rep* 2018, 38:BSR20180334

Neef H, Cilli F, Declerck PJ, Laekeman G. Platelet antiaggregating activity of *Taraxacum officinale* Weber. *Phytother Res* 1996, 10:138-140

Önal S, Timur S, Okutucu B, Zihnioglu F. Inhibition of α-Glucosidase by Aqueous Extracts of Some Potent Antidiabetic Medicinal Plants. *Prep Biochem Biotechnol* 2005, 35:29-36

Ovadje P, Ammar S, Guerrero J-A, Arnason JT, Pandey S. Dandelion root extract affects colorectal cancer proliferation and survival through the activation of multiple death signalling pathways. *Oncotarget* 2016, 7:73080-73100

Ożarowski A, Kaćucki J, Gaśiorowska K. Leki roslinne. Informator. Zjednoczenie przemysłu zielarskiego Herbapol, Warszawa 1978

Paulsen E, Andersen KE. Clinical patterns of Compositae dermatitis in Danish monosensitized patients. *Contact Dermatitis* 2017, 78:185-193

Popovic M, Kaurinovic B, Mimica-Dukic N, Vojinovic-Miloradov M, Dordevic A. Combined effects of plant extracts and xenobiotics on liposomal lipid peroxidation. Part 3. Dandelion extract—CCl<sub>4</sub>/fullnerol. *Oxidation Commun* 2001, 24:335-343

Rácz-Kotilla E, Rácz G, Solomon A. The action of *Taraxacum officinale* extracts on the body weight and diuresis of laboratory animals. *Planta Med* 1974, 26:212-217

Rauwald HW, Huang JT. Taraxacoside, a type of acylated-butyrolactone glucoside from *Taraxacum officinale*. *Phytochemistry* 1985, 24:1557-1559

Saeki D, Yamada T, In Y, Kajimoto T, Tanaka R, Iizuka Y, et al. Officinatrione: an unusual (17S)-17,18-seco-lupane skeleton, and four novel lupane-type triterpenoids from the roots of *Taraxacum officinale*. *Tetrahedron* 2013, 69:1583-1589

Schulz V, Hänsel R, Tyler VE. Rational Phytotherapy. A Physician's Guide to Herbal Medicine. Springer-Verlag, Berlin Heidelberg 2001, 36

Schütz K, Kammerer DR, Carle R, Schieber A. Characterization of phenolic acids and flavonoids in dandelion (*Taraxacum officinale* WEB. ex WIGG.) root and herb by high-performance liquid chromatography-electrospray ionization mass spectrometry. *Rapid Commun Mass Spectrom* 2005, 19:179-186

Sigstedt SC, Hooten CJ, Callewaert MC, Jenkins AR, Romero AE, Pullin MJ, et al. Evaluation of aqueous extracts of *Taraxacum officinale* on growth and invasion of breast and prostate cancer cells. *Int J Oncology* 2008, 32:1085-1090

Southall W. Southall's Organic Materia Medica. Sixth and enlarged edition. London, J. & A. Churchill 1900. Reprinted by Forgotten Books 2013, 39

Sumanth M, Rana AC. *In vivo* antioxidant activity of hydroalcoholic extract of *Taraxacum officinale* roots in rats. *Indian J Pharmacol* 2006, 38:54-55

Tita B, Bello U, Faccendini P, Bartolini R, Bolle P. *Taraxacum officinale* W.: pharmacological effect of ethanol extract. *Pharmacol Res* 1993, 27(1):23-24

Trojanová I, Rada V, Kokoska L, Vlková E. The bifidogenic effect of *Taraxacum officinale* root. *Fitoterapia* 2004, 75:760-763

Wagner H, Wiesnauer M. Phytotherapie. Phytopharmaka und pflanzliche Homöopatika. Gustav Fischer Verlag, Stuttgart, Jena, New York 1995, 132-134

Wichtl M. Teedrogen. Ein Handbuch für Apotheker und Ärzte Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart 1984, 217-219

Williams CA, Goldstone F, Greenham J. Flavonoids, cinnamic acids and coumarins from the different tissues and medicinal preparations of *Taraxacum officinale*. *Phytochemistry* 1996, 42:121-127

Wojdylo A, Oszmianski J, Czeremys R. Antioxidant activity and phenolic compounds in 32 selected herbs. *Food Chem* 2007, 105:940-949

Wu SH, Luo XD, Ma YB, Hao XJ, Wu DG. Anti-gastric ulcer sesquiterpene lactone glycosides from *Crepis napifera*. *Yaoxue Xuebao* 2002, 37:33-36

Yang Y, Li S. Dandelion Extracts Protect Human Skin Fibroblasts from UVB Damage and Cellular Senescence. *Oxid Med Cell Longev* 2015, Article ID 619560

Yasukawa K, Akihisa T, Inoue Y, Tamura T, Yamanouchi S, Takido M. Inhibitory effect of the methanol extracts from Compositae plants on 12-O-tetradecanoylphorbol-13-acetate-induced ear oedema in mice. *Phytother Res* 1998, 12:484-487

You Y, Yoo S, Yoon H-G, Park J, Lee Y-H, Kim S, et al. *In vitro* and *in vivo* hepatoprotective effects of the aqueous extract from *Taraxacum officinale* (dandelion) root against alcohol-induced oxidative stress. *Food Chem Toxicol* 2010, 48:1632-1637

Zeller W, de Gols M, Hausen BM. The sensitizing capacity of Compositae plants VI. Guinea pig sensitization experiments with ornamental plants and weeds using different methods. *Arch Dermatol Res* 1985, 277:28-35

Zhu H, Zhao H, Zhang L, Xu J, Zhu C, Zhao H, et al. Dandelion root extract suppressed gastric cancer cells proliferation and migration through targeting lncRNA-CCAT1. *Biomed Pharmacother* 2017, 93:1010-1017

#### **References assessed but not cited in the assessment report**

Guidance for Industry: Estimating the Maximum Safe Starting Dose in Initial Clinical Trials for Therapeutics in Adult Healthy Volunteer. USFDA. Department of Health and Human Services, July 2005

Harkness R, Bratman S. Mosby's Handbook of Drug-Herb and Drug-Supplement Interactions. Mosby, St. Louis, London, Philadelphia, Sydney, Toronto 2003, 163-163

Scherf-Clavel M, Treiber S, Deckert J, Unterecker S, Hommers L. Drug-Drug Interactions Between Lithium and Cardiovascular as Well as Anti-Inflammatory Drugs. *Pharmacopsychiatry* 2020, in press, doi <https://doi.org/10.1055/a-1157-9433>