



EUROPEAN MEDICINES AGENCY  
SCIENCE MEDICINES HEALTH

12 May 2023  
EMA/HMPC/367012/2021  
Committee on Herbal Medicinal Products (HMPC)

## List of references supporting the assessment of *Fumaria officinalis* L., herba

Final – Revision 1

**The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.**

Adham AN, Naqishbandi AM, Efferth T. Cytotoxicity and apoptosis induction by *Fumaria officinalis* extracts in leukemia and multiple myeloma cell lines. *J Ethnopharmacol* 2021, 266(10), Article No 113458

Akkol EK, Karpuz B, Sobarzo-Sánchez E, Khan H. A phytopharmacological overview of medicinal plants used for prophylactic and treatment of colitis. *Food Chem Toxicol* 2020, 144, Article No 111628

Anderson LA, Phillipson JD. Herbal medicine, education and the pharmacist. *Pharm J* 1986, 236:303

Barnes J, Anderson LA, Phillipson JD. Herbal Medicines. 2<sup>nd</sup> ed. Pharmaceutical Press, London 2002

Blaschek W, Ebel S, Hackethal E, Holzgrabe U, Keller K, Reichling J, *et al.* HagerROM 2006: Hagers Handbuch der Drogen und Arzneistoffe. Springer Medizin Verlag, Berlin, Heidelberg 2006

Blumenthal M, Busse WR, Goldberg A, Gruenwald J, *et al.* The Complete German Commission E Monographs. American Botanical Council, Austin Texas 1998, 221

Boegge SC, Nahrstedt A, Linscheid M, Nigge W. Distribution and stereochemistry of hydroxycinnamoylmalic acids and of free malic acids in Papaveraceae and Fumariaceae. *Z Naturforsch* 1995, 50c:608-615

Bonnet D, Mejdoubi S, Sommet A, Alric L. Hépatite aiguë probablement imputable au fumeterre et à la vigne rouge, produits de phytothérapie. *Gastroentérol Clin Biol* 2007, 31(11): 1041-1042 (abstract only)

Boucard M, Laubenheimer B. Action du nébulisat de fumeterre sur le débit biliaire du rat. *Thérapie* 1966, 21:903-911

Bourjat P. Xérostomies par radiothérapie. Essais de traitement par le nébulisat de *Fumaria officinalis*. Xerostomia due to radiotherapy: trials of treatment with nebulizate of *Fumaria officinalis*. *Gazette Med Fr* 1974, 81(12):1549-1552 (abstract only)

---

**Official address** Domenico Scarlattilaan 6 • 1083 HS Amsterdam • The Netherlands

**Address for visits and deliveries** Refer to [www.ema.europa.eu/how-to-find-us](http://www.ema.europa.eu/how-to-find-us)

**Send us a question** Go to [www.ema.europa.eu/contact](http://www.ema.europa.eu/contact) **Telephone** +31 (0)88 781 6000

An agency of the European Union



© European Medicines Agency, 2024. Reproduction is authorised provided the source is acknowledged.

- Bradley PR. British Herbal Compendium. Vol 1. Fumitory - *Fumariae herba*. British Herbal Medicine Association, Bournemouth 1992, 102-104
- Brinkhaus B, *et al.* Herbal medicine with curcuma and fumitory in the treatment of irritable bowel syndrome: a randomized, placebo-controlled, double-blind clinical trial. *Scand J Gastroenterol* 2005, 40:936-943 (abstract only)
- British Herbal Pharmacopoeia (BHP). Vol. 1. Fumitory. *Fumariae herba*. British Herbal Medicine Association, Exeter 1976, 91
- Bulletins Officiels N° 86/20 bis and N° 90/22 bis. Direction de la Pharmacie et du Médicament, French Health Authorities, 1986
- Chlebek J, *et al.* Isoquinoline alkaloids from *Fumaria officinalis* L. and their biological activities related to Alzheimer's disease. *Chem Biodiver* 2016, 13(1), 91-99
- Delaveau. Fumeterre. *Les actualites pharmaceutiques* 1980, 172:33-34
- DerMarderosian A, Beutler JA. The Review of Natural Products. 4th ed. Lippincott Williams & Wilkins, Wolters Kluwer Health Inc. 2005, 458-460
- Edziri H, Guerrab M, Anthonissen R, Mastouri M, Verschaeve L. Phytochemical screening, antioxidant, anticoagulant and *in vitro* toxic and genotoxic properties of aerial parts extracts of *Fumaria officinalis* L. growing in Tunisia. *S Afr J Bot* 2020, 130:268-273
- European Pharmacopoeia 10<sup>th</sup> ed. *Fumariae herba* – fumitory. Council of Europe. 07/2015:1869 corrected 9.2
- Fablet J, Coluin R, Geffroy Y. Action thérapeutiques du *Fumaria officinalis* dans le syndrome hépatobiliaires et les migraines. *Actualite Therap* 1968, 3376-3379
- Fatima S, *et al.* Antioxidant and alpha amylase inhibitory activities of *Fumaria officinalis* and its antidiabetic potential against alloxan induced diabetes. *Cell mol biol* (Noisy-le-Grand, France) 2019, 65(2): 50-57
- Fiegel G. Die amphocholoretische Wirkung der *Fumaria officinalis*. *Z Allgemeinmed Landarzt* 1971, 34: 1819-1820
- Forgacs P, *et al.* Composition chimique des Fumariacées. Alcaloides de quatorze espèces de *Fumaria*. *Plantes Med Phytother* 1982, 16:99-115 (abstract only)
- Gruenwald J, Brendler T, Jaenicke C, editors. PDR for herbal medicines 3<sup>rd</sup> ed. Thomson PDR, Montvale 2007, 340
- Hahn R, Nahrstedt A. High content of hydroxycinnamic acids esterified with (+)-d-malic acid in the upper parts of *Fumaria officinalis*. *Planta Medica*, 1985, 59(2):189
- Heully F, Drouin P, Laurant J, Bas M, Mauuary G. Appreciation Des propriétés cholérétiques du nebulisat de *Fumaria officinalis* par le tubage duodenal minute. *Ann Med Nancy* 1969, 8:295-299
- Hermansson J, Sandberg F. Alkaloids of *Fumaria officinalis*. *Acta Pharm Suec* 1973, 10(6):520-522. Abstract only
- Hunold W. Klinische erfahrungen mit dem amphocholoretikum oddibil bei primar und sekundar organischen sowie funktionellen cholezysto- und cholangiohepatopathien. Clinical experience with *Fumaria officinalis* ('Oddibil') in primary and secondary, organic or functional affections of the gall bladder and biliary system. *Zeitschrift fur Allgemeinmedizin* 1975, 51(5):237-241

- Khamtache-Abderrahim S, et al. Isoquinoline alkaloid fractions of *Fumaria officinalis*: Characterization and evaluation of their antioxidant and antibacterial activities. *Ind Crops Prod* 2016, 94:1001-1008
- Khare R, Upmanyu N. *In vitro* – *In vivo* cellular reprogramming and antioxidant potential of herbal drug: *Fumaria officinalis*. *Res J Pharm Technol* 2019, 12(11):5517-5523
- Khoshvaghti A, Zamanzadeh A, Derakhshanian S, Safi S. The effect of *Fumaria officinalis* hydroalcoholic extract on blood urea nitrogen and creatinine in New Zealand rabbits. *Med Plants* 2013, 5(3):155-158 (only abstract available)
- Khoshvaghti A, Derakhshanian S, Zamanzadeh A, Sarvestani AA. The effects of *Fumaria officinalis* hydroalcoholic extracts on haematological profile of New Zealand rabbits. *Comp Clin Path* 2014, 23(4):869-873 (only abstract available)
- Kopp H. Choleretsche Wirkung und Vertraeglichkeit von Chol-Kugeletten bei Cholezystopathien. *Therapiewoche* 1979, 29:5645-5655
- Les Cahier de l'Agence n° 3: Médicaments à base de plantes. *Fumeterre* ed. Agence du Médicament, Paris 2008
- Lagrange E, Arousseau M. Effect of spray-dried product of *Fumaria officinalis* on experimental gall bladder lithiasis in mice. *Ann Pharm Fr* 1973, 31:357-362 (abstract only)
- Maheshwari R, Balaraman R, Sailor G, Parmar G, Patel A, Seth AK. Antiulcer and antioxidant effects of Normacid syrup (a polyherbal formulation) on experimentally-induced gastric ulcers. *Orient Pharm Exp Med* 2014, 14(2):145-155
- Madaus G. Lehrbuch der biologischen Heilmittel, Band II, 1979, 1391-1397
- Mardirossian ZH, Kiryakovt HG, Ruder JP, MacLean DB. Alkaloids of *Fumaria officinalis*. *Phytochemistry* 1983, 22(3):759-761
- Martindale W. The extra pharmacopoeia 31<sup>st</sup> ed. RPS, London 1996
- Massa V, Susplugas P, Anelli A. Sur les pigments phenoliques du *Fumaria officinalis* L. *Trav Soc Pharm Montpellier* 1971, 31:233-236 (abstract only)
- Müscher CH. Fumarinhaltiges Amphocholeretikum Cholezystopathien und Hepatopathien. *Ärztliche Praxis* 1971, 49:2655-2656
- Păltinean R, Mocan A, Vlase L, Gheldiu A-M, Crişan G, Ielciu I, Vostinaru O, Crişan O. Evaluation of polyphenolic content, antioxidant and diuretic activities of six *Fumaria* species. *Molecules* 2017, 22(4):639
- Paris RR, Moyse H. Précis de Matière Médicale Tome II, Masson, Paris 1981, 207-208
- Pharmacopée Française, Codex medicamentarius Gallicus. *Fumeterre*. Masson et Cie, Paris 1908, 308
- Preininger V. The pharmacology and toxicology of the papaveraceae alkaloids. *The Alkaloids: Chemistry and Physiology*. Academic Press, London 1975, 15:207-261
- Raafat KM, El-Zahaby SA. Niosomes of active *Fumaria officinalis* phytochemicals: antidiabetic, antineuropathic, anti-inflammatory, and possible mechanisms of action. *Chin Med (UK)* 2020, 15(1): 1-22
- Rahimi R, Abdollahi M. Herbal medicines for the management of irritable bowel syndrome: a comprehensive review. *World J Gastroenterol* 2012, 18(7):589-600

- Reynier M, Lagrange E, Godard F. Action du nebulisat de Fumeterre officinal sur la musculature lisse. [*Fumaria officinalis* spray action on smooth muscles.] *Travaux de la Société de Pharmacie de Montpellier* 1977i, 37(2):85-102 (abstract only)
- Reynier M, Lagrange E, Haring J, Vigouroux M. Effet du nebulisat de Fumeterre, de la Protopine et de la Papaverine sur la secretion biliaire du rat en hypocholerese. *Fumaria* spray, protopine and papaverine effects on hypocholeresis rat biliary secretion. *Travaux de la Societe de Pharmacie de Montpellier* 1977ii, 37(2):73-84 (abstract only)
- Roux M. Le nebulisat de fumeterre dans la régulation des troubles de intestinaux chroniques d'origine biliaire. *Gazette Médicale de France* 1977, 84(34):3794-3798
- Tariq A, et al. Ethnomedicinal evaluation of medicinal plants used against gastrointestinal complaints. *BioMed Research Inter* 2015, 892947
- Torck M, et al. Flavonoids of *Fumaria officinalis* L. *Ann Pharm Fr* 1971, 29:591-596 (abstract only)
- Van Hellemont J. Compendium de Phytothérapie. Association Pharmaceutique Belge, 1986, 169-171
- Vrancheva RZ, Ivanov IG, Aneva IY, Dincheva IN, Badjakov IK, Pavlov AI. Alkaloid profiles and acetylcholinesterase inhibitory activities of *Fumaria* species from Bulgaria. *Zeitschr Naturforsch C J Biosci* 2016, 71(1-2):9-14
- Wawrzynowicz T, Waksmundzki A, Soczewiński E. Partition chromatography and countercurrent distribution of alcaloids of *Fumaria officinalis* I. Chromatographic separation of ternary bases. *Chromatographia* 1968, 1(7-8):327-331
- Wichtl M. Teedrogen und Phytopharmaka 4<sup>th</sup> ed. WVG (Wissenschaftlicher Verlagsgesellschaft mbH), Stuttgart 1998
- Wynne PM, Vine JH, Amiet RG. Protopine alkaloids in horse urine. *J Chromatography B: Anal Techn Biomed Life Sc* 2004, 811(1): 85-91
- Zacharewicz M, Chorazy W, Mossor ST, Zacharewicz MJr. *Fumaria* Nebulisat in der Behandlung von Gallenwegerkrankungen. *Wiener Med Wochenschr* 1979, 8:222-224
- Zawodsky, L. Klinische erfahrungen mit dem amphocholeretikum oddibil. Clinical experience with *Fumaria officinalis* nebulisate, an amphocholinergic agent. *Wiener Med Wochenschr* 1974, 124(46):677-680
- Zhang R, Guo Q, Kennelly EJ, Long C, Chai X. Diverse alkaloids and biological activities of *Fumaria* (Papaveraceae): An ethnomedicinal group. *Fitoterapia* 2020, 146, 104697