

20 March 2024  
EMA/HMPC/320286/2023  
Committee on Herbal Medicinal Products (HMPC)

## List of references supporting the assessment of *Eucalyptus globulus* Labill.; *Eucalyptus polybractea* R.T. Baker; *Eucalyptus smithii* R.T. Baker, aetheroleum

Draft – Revision 1

**The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.**

Abdullah D, Ping QN, Liu GJ. Enhancing effect of essential oils on the penetration of 5-fluorouracil through rat skin. *Yao Xue Xue Bao* 1996, 31: 214-221

Akinrinde AS, Adebiyi OE, Asekun A. Amelioration of Aflatoxin B1-induced gastrointestinal injuries by Eucalyptus oil in rats. *J Complement Integr Med* 2019, 17(1): /j/jcim.2019.17.issue-1/jcim-2019-0002/jcim-2019-0002.xml

Alam P, Shakeel F, Anwer MK, Foudah AI, Alqqarni MH. Wound Healing Study of Eucalyptus Essential Oil Containing Nanoemulsion in Rat Model. *J Oleo Sci.* 2018, 67(8): 957-968

Anpalahan M, Le Couteur DG. Deliberate self-poisoning with Eucalyptus oil in an elderly woman. *Aust NZ J Med* 1998, 28: 58

Astani A, Reichling J, Schnitzler P. Comparative study on the antiviral activity of selected monoterpenes derived from essential oils. *Phytother Res* 2010, 24: 673-679

Bahr TA, Rodriguez D, Beaumont C, Allred K. The Effects of Various Essential Oils on Epilepsy and Acute Seizure: A Systematic Review. *E- Based Compl Alt Med* 2019, 6216745

Bandi R, Lathiya R, Lingappa L, Konanki R. Herbal Medicine-Induced Seizures in Children: Single-Center Experience Over 18 Months. *Indian Pediatr* 2021, 58(1): 71-73. doi: 10.1007/s13312-021-2099-4

Barbosa LC, Filomeno CA, Teixeira RR. Chemical Variability and Biological Activities of *Eucalyptus* spp. Essential Oils. *Molecules* 2016, 21(12): 1671

Blaschek W, Ebel S, Hilgenfeldt U, Holzgrabe U, Keller K, Reichling J, Schulz V, editors. *Hagers Enzyklopädie der Arzneistoffe und Drogen. Eucalyptus*. Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart, 2007

Blaschek W, Hilgenfeldt U, Holzgrabe U, Mörike K, Reichling J, Ruth P, editors. *HagerROM* 2021. Hagers



Enzyklopädie der Arzneistoffe und Drogen, Eucalypti aetheroleum. Wissenschaftliche Verlagsgesellschaft Stuttgart, 2021

Blumenthal M, Busse WR, Goldberg A, Gruenwald J, Hall T, Riggins W et al., editors. The Complete German Commission E Monographs. The American Botanical Council, Austin, Texas, 1998

Blumenthal M, Goldberg A, Brinckmann J, editors. Herbal medicine. Expanded Commission E Monographs. The American Botanical Council, Austin Texas 2000

Bosnic T, Softic D, Grujic-Vasic J. Antimicrobial activity of some essential oils and major constituents of essential oils. *Acta Med Acad* 2006, 35: 19-22

Boyd EM, Pearson G.L. On the expectorant action of volatile oils. *Am J Med Sci* 1946, 211: 602-610

Boyd EM, Sheppard EP. The effect of steam inhalation of volatile oils on the output and composition of respiratory tract fluid. *J Pharm Exp Ther* 1968, 163: 250-256

Boyle S, Walters MR. Clinically significant interaction between warfarin and popular cough lozenges 'Fisherman's Friend'. *BMJ case reports* 2011: bcr0920114791

Brinsi C, Abidi A, Hosni K, Tounsi H, Sebai H. Protective Effect of Eucalyptus globulus extracts against Bleomycin-induced pulmonary fibrosis in rats. *J Med Food* 2022, 25(7): 741-750. doi: 10.1089/jmf.2021.0152

Brown JS, Marcy SA. The use of botanicals for health purposes by members of a prepaid health plan. *Res Nurs Health* 1991, 14: 339-350

Burrow A, Eccles R, Jones AS. The effects of camphor, Eucalyptus and menthol vapour on nasal resistance to airflow and nasal sensation. *Acta Otolaryngol* 1983, 96: 157-161

Cai ZM, Peng JQ, Chen Y, Tao L, Zhang YY, Fu LY et al. 1,8-Cineole: a review of source, biological activities, and application. *J Asian Nat Prod Res* 2020, 23(10): 938-954. doi: 10.1080/10286020.2020

CHMP. Assessment report for suppositories containing terpenic derivatives. EMA/67070/2012. Available at: [https://www.ema.europa.eu/en/documents/referral/terpenic-derivatives-article-31-referral-assessment-report\\_en.pdf](https://www.ema.europa.eu/en/documents/referral/terpenic-derivatives-article-31-referral-assessment-report_en.pdf). Assessed 10/2023

Choi NY, Wu YT, Park SA. Effects of Olfactory Stimulation with Aroma Oils on Psychophysiological Responses of Female Adults. *Int J Environ Res Pub Health* 2022, 19(9): 5196. doi: 10.3390/ijerph19095196

Chung KH, Yang KS, Kim J, Kim JC, Lee KY. Antibacterial activity of essential oils on the growth of *Staphylococcus aureus* and measurement of their binding interaction using optical biosensor. *J Microb Biotech* 2007, 17(11): 1848-1855

Cimanga K, Kambu K, Tona L, Apers S, De Bruyne T, Hermans N et al. Correlation between chemical composition and antibacterial activity of essential oils of some aromatic medicinal plants growing in the Democratic Republic of Congo. *J Ethnopharmacol* 2002, 79: 213-220

Clegg RJ, Middleton B, Bell DG, White DA. Inhibition of hepatic cholesterol synthesis and S-3-hydroxy-3-methylglutaryl-CoA reductase by mono and bicyclic monoterpenes administered in vivo. *Biochem Pharm* 1980, 29: 2125-2127

Clegg RJ, Middleton B, Bell DG, White DA. The mechanism of cyclic monoterpene inhibition of hepatic 3-hydroxy-3-methylglutaryl Coenzym A reductase in vivo in the rat. *J Biol Chem* 1982, 257(5): 2294-2299

Commission B monograph "Eukalyptusöl-Bäder" of 10.11.1998, BAnz Nr. 212 [German]

Commission E monograph "Eucalypti aetheroleum" of 24.9.1986, BAnz. Nr. 177a [German]; correction of 13.03.1990, BAnz Nr. 50 [German]

Dhakad AK, Pandey VV, Beg S, Rawat JM, Singh A. Biological, medicinal and toxicological significance of Eucalyptus leaf essential oil: a review. *J Sci Food Agric* 2018, 98(3): 833-848

Darben T, Cominos B, Lee CT. Topical Eucalyptus oil poisoning. *Aust J Dermatol* 1998, 39: 265-267

Daroui-Mokaddem H, Kabouche A, Bouacha M, Soumati B, El-Azzouny A, Bruneau C et al. GC/MS analysis and antimicrobial activity of essential oil and fresh leaves of *Eucalyptus globulus*, and leaves and stems of *Smyrnium olusatrum* from Constantine (Algeria). *Nat Prod Comm* 2010, 5: 1669-1672

Das MK, Bhattacharya A, Ghosal SK. Effect of different terpene-containing essential oils on percutaneous absorption of trazodone hydrochloride through mouse epidermis. *Drug Deliv* 2006, 13: 425-431

Debong MW, N'Diaye K, Owsienko D, Schöberl D, Ammar T, Lang R et al. Dietary linalool is transferred into the milk of nursing mothers. *Mol Nutr Food Res* 2021, 65: e2100507. PubMed PMID: 34658145

De Groot AC, Schmidt E. Eucalyptus oil and tea tree oil. *Contact Dermatitis* 2015, 73: 381-386

De Vincenzi M, Silano M, De Vincenzi A, Maialetti F, Scazzocchio B. Constituents of aromatic plants: Eucalyptol. *Fitoterapia* 2002, 73: 269-275

Dorow P. Welchen Einfluß hat Cineol auf die mukoziliare Clearance? *Ther woch* 1989, 39: 2652-2654 [German]

Dost FH, Leiber B, editors. Menthol and Menthol-containing External Remedies, Use Mode od Effect and Tolerance in Children. *Georg Thieme Verlag*, Stuttgart, 1967, 99-107

Dudipala SC, Mandapuram P, Ch LK. Eucalyptus Oil-Induced Seizures in Children: Case Reports and Review of the Literature. *J Neurosci Rural Pract* 2021, 12(1): 112-115. doi: 10.1055/s-0040-1721199.

Duisken M, Sandner F, Blömeke B, Hollender J. Metabolism of 1,8-cineole by human cytochrome P450 enzymes: identification of a new hydroxylated metabolite. *Biochim Biophys Acta* 2005, 1722: 305-311

Douros A, Bronder E, Andersohn F, Klimpel A, Kreutz R, Garbe E et al. Herb-Induced Liver Injury in the Berlin Case-Control Surveillance Study. *Int J Mol Sci.* 2016, 17(1): 114. doi: 10.3390/ijms17010114

Drugs and Lactation Database (LactMed). Bethesda (MD): National Institute of Child Health and Human Development; 2006-. Basil. [Updated 2022 Jan 18]. Available at: <https://www.ncbi.nlm.nih.gov/books/>. Assessed 10/2023

Elangovan S, Mudgil P. Antibacterial Properties of *Eucalyptus globulus* Essential Oil against MRSA: A Systematic Review. *Antibiotics* 2023, 12(3): 474. doi: 10.3390/antibiotics12030474

Embryotox. Homepage of the Pharmacovigilance and Advisory Center for Embryonal Toxicology at Charité-Universitätsmedizin Berlin, Germany. Available at:

<https://www.embryotox.de/ärzneimittel/details/ansicht/medikament/thymian>. Assessed 10/2023

European Pharmacopoeia 11<sup>th</sup> ed. Eucalyptus oil. Council of Europe. 07/2021:0390

European Pharmacopoeia 11<sup>th</sup> ed. Eucalyptus leaf. Council of Europe. 07/2014:1320

ESCOP monographs. Eucalyptus oil - *Eucalyptus aetheroleum*. European Scientific Cooperative on Phytotherapy, 2<sup>nd</sup> ed. Thieme, Stuttgart 2003, 150-156

Faulds G. Eucalyptus in the treatment of diabetes. *Glasgow Med J* 1902, 57: 342-348

FDA (U.S. Food and Drug Administration). Eucalyptus oil. 10/2022. Substances Added to Food.

Available at:

[https://www.cfsanappexternal.fda.gov/scripts/fdcc/index.cfm?set=FoodSubstances&id=EUCALYPTUS\\_OIL](https://www.cfsanappexternal.fda.gov/scripts/fdcc/index.cfm?set=FoodSubstances&id=EUCALYPTUS_OIL). Assessed 03/2023

Fischer J, Dethlefsen U. Efficacy of cineole in patients suffering from acute bronchitis: a placebo-controlled double-blind trial. *Cough* 2013, 9(1): 25. doi:10.1186/1745-9974-9-25

Galan DM, Ezeudu NE, Garcia J, Geronimo CA, Berry NB, Malcolm BJ. Eucalyptol (1,8-cineole): an underutilized ally in respiratory disorders? *J Ess Oil Res* 2020, 32(2): 103-110. doi: 10.1080/10412905.2020.1716867

Gardiner P, Adams D, Filippelli AC, Nasser H, Saper R, White L et al. A systematic review of the reporting of adverse events associated with medical herb use among children. *Glob Adv Health Med* 2013, 2(2):46-55. doi: 10.7453/gahmj.2012.071

Göbel H, Schmidt G, Soyka D. Effect of peppermint and eucalyptus oil preparations on neurophysiological and experimental algescimetric headache parameters. *Cephalgia* 1994, 14(3): 228-234

Gomes-Carneiro MR, Felzenszwab I, Paumgartten FJR. Mutagenicity testing of ( $\pm$ )-camphor, 1,8-cineole, citral, citronellal, (-)-menthol and terpineol with the *Salmonella*/microsome assay. *Mutat Res* 1998, 416: 129-136

Gurr FW, Scroggie JG. Eucalyptus oil poisoning treated by dialysis and mannitol infusion, with an appendix on the analysis of biological fluids for alcohol and eucalyptol. *Austral Ann Med* 1965, 14: 238-249

Gyldenløve M, Menné T, Thyssen JP. Eucalyptus contact allergy. *Contact Derm* 2014, 71(5): 3003-3004

Harkenthal M, Reichling J, Geiss HK., Saller R. Comparative study on the *in vitro* antibacterial activity of Australian tea tree oil, cajuput oil, niaouli oil, manuka oil, kanuka oil and eucalyptus oil. *Pharmazie* 1999, 54: 460-463

Hendry ER, Worthington T, Conway BR, Lambert PA. Antimicrobial efficacy of eucalyptus oil and 1,8-cineole alone and in combination with chlorhexidine digluconate against microorganisms grown in planktonic and biofilm cultures. *J Antim Chem* 2009, 64: 1219-1225

Higgins C, Palmer A, Nixon R. Eucalyptus oil: contact allergy and safety. *Contact Dermatitis* 2015, 72(5): 344-346

Hohenwallner W, Klima J. In vivo activation of glucuronyl transferase in rat liver by eucalyptol. *Biochem Pharmacol* 1971, 20: 3463-3472

Horvathova E, Turcaniova V, Slamenova D. Comparative study of DNA-damaging and DNA-protective effects of selected components of essential plant oils in human leukemic cells K 652. *Neoplasma* 2007, 54(6): 478-483

Hu Z, Feng R, Xiang F, Song X, Yin Z, Zhang C et al. Acute and subchronic toxicity as well as evaluation of safety pharmacology of eucalyptus oil-water emulsions. *Int J Clin Exp Med* 2014, 7(12): 4835-4845

Huggins JT, Kaplan A, Martin-Harris B, Sahn SA. Eucalyptus as a specific irritant causing vocal cord

dysfunction. *Ann Allerg Asthma Immun* 2004, 93(3): 299-303

Hume SJ, Rotella JA, Gome JJ, Wong AY. Massive eucalyptus oil overdose leading to prolonged coma. *Clin Tox (Phila)* 2019; 57(9): 829-830

Ilmberger J, Heuberger E, Mahrhofer C, Dessovic H, Kowarik D, Buchbauer G. The influence of essential oils on human attention: alertness. *Chem Senses* 2001, 26: 239-245

Ittyachen AM, George GR, Radhakrishnan M, Joy Y. Eucalyptus oil poisoning: two case reports. *J Med Case Rep* 2019, 13: 326

Jäger W, Nasel B, Nasel C, Binder R, Stimpfl T, Vycudilik W et al. Pharmacokinetic studies of the fragrance compound 1,8-cineole in humans by inhalation. *Chem Senses* 1996, 21:477-480

Jenner PM, Hagan EC, Taylor JM, Cook EL, Fitzhugh OG. Food flavourings and compounds of related structure I. Acute oral toxicity. *Food Cosmet Toxicol* 1964, 2: 327-343

Jorch G. Auslösungsmechanismus des Kratzschmer-Reflexes. *Arzneimittel-, Therapie-Kritik & Medizin und Umwelt* 2009, 41(4): 384 [in German]

Jori A, Bianchetti A, Prestini PE. Effect of essential oils on drug metabolism. *Biochem Pharm* 1969, 18: 2081-2085

Jori A, Bianchetti A, Prestini PE, Garattini S. Effect of eucalyptol (1,8-cineole) on the metabolism of other drugs in rats and in man. *Eur J Pharm* 1970, 9: 362-366

Jori A, Briatico G. Effect of eucalyptol on microsomal enzyme activity of foetal and newborn rats. *Biochem Pharm* 1973, 22: 543-544

Jori A, Di Sale E, Pescador R. On the inducing activity of eucalyptol. *J Pharm Pharm* 1972, 24: 464-469

Juergens UR, Stöber M, Schmidt-Schilling I, Kleuver T, Vetter H. Anti-inflammatory effects of eucalyptol (1,8-cineole) in bronchial asthma: inhibition of arachidonic acid metabolism in human blood monocytes ex vivo. *Eur J Med Res* 1998a, 3: 407-412

Juergens UR, Stöber M, Vetter H. Inhibition of cytokine production and arachidonic acid metabolism by eucalyptol (1,8-cineole) in human blood monocytes in vitro. *Eur J Med Res* 1998b, 3: 508-510

Juergens UR, Dethlefsen U, Steinkamp G, Gillissen A, Repges R, Vetter H. Anti-inflammatory activity of 1,8-cineole (eucalyptol) in bronchial asthma: a double-blind placebo-controlled trial. *Respir Med* 2003, 97: 250-256

Juergens UR, Engelen T, Racke K, Gillissen A, Vetter H. Inhibitory activity of 1,8-cineole (eucalyptol) on cytokine production in cultured human lymphocytes and monocytes. *Pulm Pharm Ther* 2004, 17: 281-287

Kamal J, Azzi J, Elsayegh D. Exogenous lipoid pneumonia due to intranasal application of vicks vaporub. *Chest* 2015, 148

Karpanen TJ, Conway BR, Worthington T, Hilton A, Elliott TSJ, Lambert PA. Enhanced chlorhexidine skin penetration with Eucalyptus oil. *BMC Infect Dis* 2010, 10: 278-284

Kehrl W, Sonnemann U, Dethlefsen U. Therapy for acute non-purulent rhinosinusitis with cineole: results of a double-blind randomised, placebo-controlled trial. *Laryngoscope* 2004, 114:738-742

Kirsch F, Beauchamp J, Buettner A. Time-dependent aroma changes in breast milk after oral intake of a pharmacological preparation containing 1,8-cineole. *Clin Nutr* 2012, 31: 682-692. PubMed PMID:

22405404

Kirsch F, Buettner A. Characterisation of the metabolites of 1,8-cineole transferred into human milk: Concentrations and ratio of enantiomers. *Metabolites* 2013; 3: 47–71. PubMed PMID: 24957890

Kirsch F, Horst K, Röhrlig W, Rychlik M, Buettner A. Tracing metabolite profiles in human milk: Studies on the odorant 1,8-cineole transferred into breast milk after oral intake. *Metabolomics* 2013, 9: 483-496. doi: 10.1007/s11306-012-0466-9

Köhler H. Bericht über die neusten auf *Eucalyptus globulus* (Myrtaceae) bezüglichen Arbeiten. *Arch Pharm* 1873, 203(2): 126-146 [German]

Kooperation Phytopharma. Eukalyptus. In: Arzneipflanzenlexikon. Available at: <https://arzneipflanzenlexikon.info/eukalyptus.php>. Assessed 03/2023 [German]

Kristiansen E, Madsen C. Induction of protein droplet ( $\alpha_{2\mu}$ -globulin) nephropathy in male rats after short-term dosage with 1,8-cineole and /-limonene. *Tox Lett* 1995, 80: 147-152

Kumar KJ, Sonnathi S, Anitha C, Santhoshkumar M. Eucalyptus Oil Poisoning. *Tox Int* 2015, 22(1): 170-171

Laude EA, Morice H, Grattan TJ. The antitussive effects of menthol, camphor and cineol in conscious guinea-pigs. *Pulm Pharmol* 1994, 7: 179-184

Lemos ICS, Delmondes GA, Dos Santos ADF, Santos ES, de Oliveira DR, de Figueiredo PRL et al. Ethnobiological Survey of Plants and Animals Used for the Treatment of Acute Respiratory Infections in Children of a Traditional Community in the Municipality of Barbalha, Ceara, Brazil. *Afr J Trad Compl Alt Med* 2016, 13(4): 166-175

Li Y, Lai Y, Wang Y, Liu N, Zhang F, Xu P. 1, 8-Cineol Protect Against Influenza-Virus-Induced Pneumonia in Mice. *Inflammation* 2016, 39: 1582-1593

Liapi C, Anifandis G, Chinou I, Kourounakis AP, Theodosopoulos S, Galanopoulou P. Antinociceptive properties of 1,8-cineole and beta-pinene, from the essential oil of *Eucalyptus camaldulensis* leaves, in rodents. *Planta Med* 2007, 73(12): 1247-1254

Madaus, Lehrbuch der biologischen Heilmittel. Vol. 2. Georg Olms Verlag. Hildesheim-New York 1976 (reprint), 1308

Madia VN, Toscanelli W, De Vita D, De Angelis M, Messore A, Ialongo D et al. Ultrastructural Damages to H1N1 Influenza Virus Caused by Vapor Essential Oils. *Molecules* 2022, 27(12): 3718. doi: 10.3390/molecules27123718

Madayastha K, Chadha A. Metabolism of 1,8-cineole in rat: its effects on liver and lung microsomal cytochrome P-450 systems. *Bull Environ Cont Tox* 1986, 37: 759-766

Martin D, Konrad M, Adarkwah CC, Kostev K. Reduced antibiotic use after initial treatment of acute respiratory infections with phytopharmaceuticals- a retrospective cohort study. *Postgrad Med* 2020, 132(5): 412-418. doi: 10.1080/00325481.2020.1751497

Mathew T, Kamath V, Kumar RS, Srinivas M, Hareesh P, Jadav R et al. Eucalyptus oil inhalation-induced seizure: A novel, underrecognized, preventable cause of acute symptomatic seizure. *Epilepsia Open* 2017, 2(3): 350-354. doi: 10.1002/epi4.12065.

Mathew T, John SK, Kamath V, Kumar RS, Jadav R, Shaji A et al. Essential oil-related status epilepticus: A small case series study. *JACEP Open* 2021a, 1: 918-921

Mathew T, John SK, Kamath V, Kumar RS, Jadav R, Swamy S et al. Essential oil related seizures (EORS): A multi-center prospective study on essential oils and seizures in adults. *Epilepsy Res* 2021b, 173:106626. doi: 10.1016/j.eplepsyres.2021.106626.

Melis K, Janssens G, Bochner A. Accidental nasal eucalyptol and menthol instillation. *Acta Clin Belg Suppl* 1990, 13: 101-102

Mieres-Castro D, Ahmar S, Shabbir R, Mora-Poblete F. Antiviral Activities of Eucalyptus Essential Oils: Their Effectiveness as Therapeutic Targets against Human Viruses. *Pharmaceuticals* 2021, 14(12): 1210

Miyamoto CT, Sant'Anna JR, Franco CC, Cunico MM, Miguel OG, Cocco LC et al. Genotoxic activity of *Eucalyptus globulus* essential oil in *Aspergillus nidulans* diploid cells. *Folia Microbiol* 2009, 54(6): 493-498. doi: 10.1007/s12223-009-0070-1

Miyazawa M, Kameoka H, Morinaga K, Negoro K, Mura N. Hydroxycineole: Four new metabolites of 1,8-cineole in rabbits. *J Agric Food Chem* 1989, 37:222-226

Miyazawa M, Shindo M. Biotransformation of 1,8-cineole by human liver microsomes. *Nat Prod Letts* 2001a, 15(1): 49-53

Miyazawa M, Shindo M, Shimada T. Oxidation of 1,8-cineole, the monoterpane cyclic ether originated from *Eucalyptus polybractea*, by cytochrome P450 3A enzymes in rat and human liver microsomes. *Drug Metabol Dispos* 2001b, 29: 200-205

Nauert C, Oestreich W. Nichtinterventionelle Studie mit 336 Kindern (2-11 J) mit akuter Bronchitis: Compliance, Verträglichkeit und klinischer Verlauf unter Therapie mit Cineol. *Z Phytother* 2015, 36(Suppl 1): 15-16 [German]

Neher A, Gstöttner M, Thaurer M, Augustijns P, Reinelt M, Schobersberger W. Influence of essential and fatty oils on ciliary beat frequency of human nasal epithelial cells. *Am J Rhinol* 2008, 22: 130-134

OECD. Test No. 471: Bacterial Reverse Mutation Test, OECD Guidelines for the Testing of Chemicals, Section 4, OECD Publishing, Paris, 2020. Available at: <https://doi.org/10.1787/9789264071247-en>. Assessed 11/2023

Opdyke DLJ. Eucalyptus oil. *Food Cosm Tox* 1975, 13: 107-108

Osman GA, Ricci A, Terzo F, Falasca C, Giovagnoli MR, Bruno P et al. Exogenous lipoid pneumonia induced by nasal decongestant. *Clin Respir J* 2018, 12(2): 524-531

Packman EW, London SJ. The utility of artificially induced cough as a clinical model for evaluating the antitussive effects of aromatics delivered by inunction. *Eur Resp J* 1980, 61(110): 101-109

Pages N, Fournier G, Le Luyer F, Marques M. Les Huiles essentielles et leurs propriétés tératogènes potentielles: Example de l'huile essentielle d'*Eucalyptus globulus*. Etude préliminaire chez la souris. *Plantes Méd Phytothérapie* 1990, 24:21-26 [French]

Pharmacopée Française 9<sup>ème</sup> édition Commission Permanente de la Pharmacopée. Les fiches de pratique officinale. 'Huile essentielle d'Eucalyptus'. Paris 1978, [French]

Prabuseenivasan S, Jyakumar M, Ignacimuthu S. *In vitro* antibacterial activity of some plant essential oils. *BMC Compl Alt Med* 2006, 6: 39

Rantzsch U, Vacca G, Dück R, Gillissen A. Anti-inflammatory effects of myrtol standardized and other essential oil on alveolar macrophages from patients with chronic obstructive pulmonary disease. *Eur J*

*Med Res* 2009, 14: 205-209

Reynolds JE, Parfitt K, Parson AS, Sweetmann SC, editors. Martindale, The Extra Pharmacopoeia. The Pharmaceutical Press, London, 1989

Reynolds JEF, Parfitt K, Parson AS, Sweetmann SC, editors. Martindale, The Extra Pharmacopoeia. 31<sup>st</sup> ed. The Pharmaceutical Press, London, 1996. The Pharmaceutical Society

Riechelmann H, Brommer C, Hinni M, Martin C. Response of human ciliated respiratory cells to a mixture of menthol, Eucalyptus oil and Pine needle oil. *Arzneim-Forsch/Drug Res* 1997, 47(II):1034-1039

Ridouh I, Hackshaw KV. Essential Oils and Neuropathic Pain. *Plants* 2022, 11(14): 1797. doi: 10.3390/plants11141797

Rivera JO, Hughes HW, Stuart G. Herbals and asthma: usage patterns among a border population. *Ann Pharmacother* 2004, 38: 220-225

Römmelt H, Zuber A, Dirnagl K, Drexel H. Zur Resorption von Terpenen aus Badezusätzen [The absorption of terpenes from bath additives]. *Münch Med Wochenschr* 1974, 116: 537-540 [German]

Saller R, Hellstern A, Hellenbrecht D. Klinische Pharmakologie und therapeutische Anwendung von Cineol (Eucalyptusöl) und Menthol als Bestandteile ätherischer Öle. *Intern Praxis* 1988, 28: 355-364 [German]

Sandner G, Heckmann M, Weghuber J. Immunomodulatory Activities of Selected Essential Oils. *Biomolecules* 2020, 10(8): 1139. doi: 10.3390/biom10081139

Saify ZS, Ahsan O, Dayo A. Cineole as skin penetration enhancer. *Pak J Pharm Sci* 2000, 13: 29-32

Santos FA, Rao VSN. Anti-inflammatory and antinociceptive effects of 1,8-cineole a terpenoid oxide present in many plant essential oils. *Phytotherapy Res* 2000, 14: 240-244

Sasaki YF, Imanishi H, Ohta T, Shirasu Y. Modifying effects of components of plant essence on the induction of sister-chromatid exchange in cultured Chinese hamster ovary cells. *Mut Res* 1989, 226: 103-110

SCF (Scientific Committee on Food). Opinion of the Scientific Committee on Food on eucalyptol. SCF/CS/FLAV/FLAVOUR/20 ADD2 Final 2002. Available at: [https://food.ec.europa.eu/system/files/2016-10/fs\\_food-improvement-agents\\_flavourings-out126.pdf](https://food.ec.europa.eu/system/files/2016-10/fs_food-improvement-agents_flavourings-out126.pdf)  
Assessed 03/2023

Schaller M, Korting HC. Allergic airborne contact dermatitis from essential oils used in aromatherapy. *Clin Exp Derm* 1995, 20: 143-145

Schmidt M. Cineol bei akuter Bronchitis: Eine nicht interventionelle Studie bei Kindern und Erwachsenen [Cineole in acute bronchitis: A non-interventional study in children and adults]. *J Pharm Ther* 2013, 22:40-44 [German]

Schnitzler P, Schön K, Reichling J. Antiviral activity of Australian tea tree oil and eucalyptus oil against *Herpes simplex* virus in cell culture. *Pharmazie* 2001, 56: 343-347

Serafino A, Vallebona PS, Andreola F, Zonfrillo M, Mercuri L, Federici M et al. Stimulatory effect of Eucalyptus essential oil on innate cell-mediated immune response. *BMC Immunol* 2008, 9: 17-33

Sharara AI. Lozenge-induced esophagitis. *Gastro Endosco* 2000, 51(5): 622-623

Sherry E, Boeck H, Warnke PH. Topical application of a new formulation of Eucalyptus oil phytochemical clears methicillin-resistant *Staphylococcus aureus* infection. *Am J Infect Control* 2001, 29(5): 346

Shishir RS, Renita C, Kumuda AR, Subhas BG. Irrational use of Eucalyptus oil in dentistry: a case report. *Bangladesh J Med Sci* 2011, 10(2): 121-124

Silvestre AJD, Cavaleiro JAS, Delmond B, Filliatre C, Burgeois G. Analysis of the variation of essential oil composition of *Eucalyptus globulus* Labill. from Portugal using multivariate statistical analysis. *Ind Crop Pro* 1997, 6: 27-33

Sitaraman R, Rao G. A Pediatric Case of Accidental Eucalyptus Oil Poisoning from New Delhi, India: Emergency Measures, Historical Context, and Implications for Practice. *Cureus* 2019, 11(9): e5734. DOI 10.7759/cureus.5734

Silva J, Abebe W, Sousa SM, Duarte VG, Machado MIL, Matos FJA. Analgesic and anti-inflammatory effects of essential oils of Eucalyptus. *J Ethnopharmacol* 2003, 89: 277-283

Spoerke DG, Vandenberg SA, Smolinske SC, Kulig K, Rumack BH. Eucalyptus oil: 14 cases of exposure. *Vet Hum Tox* 1989, 31: 166-168

Standardzulassung (German Standard Marketing Authorisation). Eucalyptusöl Nr. 6599.99.99 published 02/1996

Stimpfl T, Našel B, Našel Ch, Binder R, Vycudilik W, Buchbauer G. Concentration of 1,8-cineole in human blood during prolonged inhalation. *Chem Sens* 1995, 20: 349-350

Stoner GD, Shimkin MB, Kniazeff AJ, Weisburger JH, Weisburger EK, Gori GB. Test for carcinogenicity of food additives and chemotherapeutic agents by the pulmonary tumour response in strain amice. *Cancer Res* 1973, 33: 3069-3085

Swenberg JA, Short B, Borghoff S, Strasser J, Charbonneau M. The comparative pathobiology of alpha-2-globulin nephropathy. *Tox Appl Pharmacol* 1989, 97: 35-46

Tesche S, Metternich F, Sonnemann U, Engelke JC, Dethlefsen U. The value of herbal medicines in the treatment of acute non-purulent rhinosinusitis. *Eur Arch Otorhinolaryngology* 2008, 265:1355-1359

Tibballs J. Clinical effects and management of Eucalyptus oil ingestion in infants and young children. *Med J Aust* 1995, 163: 177-180

Unger M, Frank A. Simultaneous determination of the inhibitory potency of herbal extracts on the activity of six major cytochrome P450 enzymes using liquid chromatography/mass spectrometry and automated online extraction. *Rapid Comm Mass Spectrum* 2004, 18: 2273-2281

Vieira CS, Almeida JRG, Teixeira-Araujo AA, Cruz LC, Vale, TS, Moreira SR. Essential oil of eucalyptus and cardiovascular responses in elderly after acute isometric exercise session. *Saúde e Pesqui* 2020, 13(3): 561-570

Weyers W, Brodbeck R. Hautdurchdringung ätherischer Öle. *Pharm Unserer Zeit* 1989, 18(3):82-86 [German]

WHO monographs on selected medicinal plants. Vol. 2. Aetheroleum Eucalypti. World Health Organization. Geneva 2002, 97-105

Willms RU von, Funk P, Walther C. Lokale Verträglichkeit zweier eucalyptus- und kiefernnadelölkaltiger Topika. *MMW Fortschr Med* 2005, 147: 109-112 [in German]

Wittmann M, Petro W, Kaspar P, Repges R, Dethlefsen U. Zur Therapie chronisch obstruktiver Atemwegserkrankungen mit Sekretolytika. *Atem- Lung* 1998, 24(2): 67-74 [in German]

Worth H, Schacher C, Dethlefsen U. Concomitant therapy with cineole (eucalyptol) reduces exacerbations in COPD: a placebo-controlled double-blind trial. *Respir Res* 2009, 10: 69-75

Worth H, Dethlefsen U. Patients with asthma benefit from concomitant therapy with cineole: A placebo-controlled, double-blind trial. *Journal of Asthma* 2012; 49: 849-853

Young S, O'Driscoll R, Antony M, Whyte I. Massive eucalyptus oil overdose. *Intern Med J* 2017, 47(9): 1085-1086

Zänker KS, Tölle W, Blümel G, Probst J. Evaluation of surfactant-like effects of commonly used remedies for colds. *Respiration* 1980, 39: 150-157

Zhao C, Cao Y, Zhang Z, Nie D, Li Y. Cinnamon and Eucalyptus Oils Suppress the Inflammation Induced by Lipopolysaccharide In Vivo. *Molecules* 2021, 26(23): 7410. doi: 10.3390/molecules26237410

Zimmermann T, Seibering M, Thomann P, Karabelnik D. Untersuchungen zur relativen Bioverfügbarkeit und zur Pharmakokinetik von Myrtol standardisiert. *Arzneim-Forsch/Drug Res* 1995, 45(II): 1198-1201 [in German]

#### **Literature read but not cited in the AR**

Agarwal V, Lal P, Pruthi V. Prevention of *Candida albicans* biofilm by plant oils. *Mycopathologia* 2008, 165(1): 13-19. doi: 10.1007/s11046-007-9077-9

Alajeel AI, Hasan AS, Faisal AA. The Study Of Eucalyptus Extract Effect On Acne Patients. *Sys Rev Pharm* 2020, 11: 2439-2441

Baranska M, Schulz H, Reitzenstein S, Uhlemann U, Strehle MA, Krüger H et al. Vibrational spectroscopic studies to acquire a quality control method of Eucalyptus essential oils. *Biopolymers* 2005, 78:237-248

Betts TJ. Solid phase microextraction of volatile constituents from individual fresh Eucalyptus leaves of three species. *Planta Med* 2000, 66:193-195

Bradley P, editor. British Herbal Compendium. Vol. 1. British Herbal Medicine Association, Bournemouth 2006, 142-146

Braun R, Haffner F, Schultz OE, Schmid W. Normdosen gebräuchlicher Arzneistoffe und Drogen. 16<sup>th</sup> ed. Eucalyptus aetheroleum E1. Wissenschaftliche Verlagsgesellschaft, Stuttgart 2011

Cermelli C, Fabio A, Fabio G, Quaglio P. Effect of Eucalyptus essential oil on respiratory bacteria and viruses. *Curr Microbiol* 2008, 56: 89-92

DAB 6 (1951) Deutsches Arzneibuch, Eucalyptusöl, 6. Ausgabe 1926, Neudruck 1951, Deutscher Apotheker-Verlag, Stuttgart

DAB 7 (1968) Deutsches Arzneibuch, Eucalyptusöl, 7. Ausgabe 1968, Deutscher Apotheker-Verlag, Stuttgart

Daniel MC, Sunny A, Rubab S, Freddy MP. Antiviral Activities of Eucalyptus Essential Oils: Their Effectiveness as Therapeutic Targets against Human Viruses. *Pharmaceuticals* 2021, 14: 1210

Dayal R, Ayyar KS. Analysis of medicinal oil from *Eucalyptus globulus* ssp. *bicostata* leaves. *Planta Med* 1986, 162

Dellacassa E, Menendez P, Moyna P. Antimicrobial activity of Eucalyptus essential oils. *Fitoterapia* 1989, 60: 544-546

De Smet PAGM, Keller K, Hänsel R, Chandler RF, editors. Adverse Effects of Herbal Drugs. Eucalyptus species. Springer-Verlag, Berlin, Heidelberg, New York 1992, 125-133

Dessi MA, Deiana M, Rosa A, Piredda M, Cottiglia F, Bonsignore L et al. Antioxidant activity of extracts from plants growing in Sardinia. *Phytother Res* 2001, 15: 511-518

Diepenbrock F. Gehes Codex der pharmazeutischen Spezialpräparate mit Angaben über Zusammensetzung, Indikationen, Zubereitungsformen und Hersteller. Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart, Schwarzeck-Verlag GmbH, München 1960 IX Auflage, 441

Erler F, Ulug I, Yalcinkaya. Repellent activity of five essential oils against *Culex pipiens*. *Fitoterapia* 2006, 77: 491-494

Goodger JQD, Heskes AM, Mitchell MC, King DJ, Neilson EH, Woodrow IE. Isolation of intact sub-dermal secretory cavities from *Eucalyptus*. *Plant Methods* 2010, 6: 20

Goodger JQD, Cao B, Jayadi I, Williams SJ, Woodrow IE. Non-volatile components of the essential oil secretory cavities of Eucalyptus leaves: Discovery of two glucose monoterpane esters, cuniloside B and froggattiside A. *Phytochemistry* 2009, 70: 1187-1194

Greive KA, Barnes TM. The efficacy of Australian essential oils for the treatment of head lice infestation in children: A randomised controlled trial. *Austral J Derm* 2018, 59(2): e99-e105

Grimm H. Antioobstruktive Wirksamkeit von Cineol bei Atemwegserkrankungen. *Therapiewoche* 1987, 37: 4306-4311 [German]

Habich G, Repges R. Chronisch obstruktive Atemwegserkrankungen - Cineol als Medikation sinnvoll und bewährt. *Therapiewoch* 1994, 44(6): 356-365 [German]

Hasegawa T, Takano F, Takata T, Niiyama M, Ohta T. Bioactive monoterpane glycosides conjugated with gallic acid from the leaves of *Eucalyptus globulus*. *Phytochemistry* 2008, 69: 747-753

Henson S. Clinical Efficacy of Australian Eucalyptus and Lemon-scent Tea Tree Essential Oils for Head Lice Treatment. *HerbalGram* 2017, 115:28-29

Hindle RC. Eucalyptus oil ingestion. *NZ Med J* 1994, 107: 185-186

Hong CZ, Shellock FG. Effects of a topically applied counterirritant (Eucalyptamint) on cutaneous blood flow and on skin and muscle temperatures. *Am J Phys Med Rehabil* 1991, 70(1): 29-33

Hümer M, Scheller G, Kapellen T, Gebauer C, Schmidt H, Kiess W. Phytotherapie in der Kinderheilkunde. *Dtsch Med Woch* 2010, 135: 959-964 [German]

Ishikawa J, Yoshida H, Ito S, Naoe A, Fujimura T, Kitahara T et al. Dry skin in the winter is related to the ceramide profile in the stratum corneum and can be improved by treatment with a Eucalyptus extract. *J Cosm Dermatol* 2013, 12(1): 3-11. doi: 10.1111/jocd.12019

Juan LW, Lucia A, Zerba EN, Harrand L, Marco M, Masuh HM. Chemical composition and fumigant toxicity of the essential oils from 16 species of *Eucalyptus* against *Haematobia irritans* (Diptera: Muscidae) adults. *J Econ Entomol* 2011, 104(3): 1087-1092

Juergens UR. Wirkt Eukalyptusöl bei Asthma? *MMW Fortschr Med* 2001, 13:14 [German]

Jun YS, Kang P, Min SS, Lee JM, Kim HK, Seol GH. Effect of eucalyptus oil inhalation on pain and inflammatory responses after total knee replacement: A randomized clinical trial. *E-Based Compl Alt Med* 2013; 2013: 502727. doi: 10.1155/2013/502727

Kenia P, Houghton T, Beardsmore C. Does inhaling menthol affect nasal patency or cough? *Pediatr Pulmon* 2008, 43:532-537

Kirkness WR. Poisoning by oil of Eucalyptus. *Hospital reports* 1910, 261

Köteles F, Babulka P. Role of expectations and pleasantness of essential oils in their acute effects. *Acta Physiol Hung* 2014; 101(3): 329-340

Kohlert C, Van Rensen I, März R, Schindler G, Graefe EU, Veit M. Bioavailability and pharmacokinetics of natural volatile terpenes in animals and humans. *Planta Med* 2000, 66: 495-505

McLean S, Boyle RR, Brandon NS, Davies NW, Sorensen JS. Pharmacokinetics of 1,8-cineole, a dietary toxin, in the brushtail possum (*Trichosurus vulpecula*): significance for feeding. *Xenobiotica* 2007, 37(9): 903-922

Limbourg A, Steiert A, Jokuszies A, Young K, Adams HA, Vogt PM. Toxic epidermal necrolysis and natural remedies. *Br J Dermatol* 2014, 171(6):1583-1585. doi: 10.1111/bjd.13161

Lee KG, Shibamoto T. Antioxidant activities of volatile components isolated from *Eucalyptus* species. *J Sci Food Agric* 2001, 81: 1573-1579

Pass GJ. McLean S, Stupans I, Davies N. Microsomal metabolism of terpene 1,8-cineole in the common brushtail possum (*Trichosurus vulpecula*), koala (*Phascolarctos cinereus*), rat and human. *Xenobiotica* 2001, 31(4): 205-221

Patel S, Wiggins J. Eucalyptus oil poisoning. *Arch Dis Child* 1980, 55: 405-406

Pattnaik S, Subramanyam VR, Kole C. Antibacterial and antifungal activity of ten essential oils *in vitro*. *Microbios* 1996, 86: 237-246

Pharmacopée Française 9<sup>ème</sup> ed. Commission Permanente de la Pharmacopée. Monographie: 'Huile essentielle d'Eucalyptus'. Paris 1976 [French]

Rai MK, Qureshi S, Pandey AK. In vitro susceptibility of opportunistic *Fusarium* spp. to essential oils. *Mycoses* 1999, 42: 97-101

Real Farmacopea Espanola 3<sup>rd</sup> ed. Eucalipto, Aceite esencial de. 2005, 1563-1564 [Spanish]

Schmid W, Schultz OE, Haffner F. Normdosen der gebräuchlichen Arzneimittel. 6<sup>th</sup> edition, Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart 1979

Skrbonja JR, Delic DN, Karaman MA, Matavulj MN, Bogavac MA. Antifungal properties of *Foeniculum vulgare*, *Carum carvi* and *Eucalyptus* sp. essential oils against *Candida albicans* strains. *Jour Nat Sci, Matica Srpska Novi Sad* 2013, 124: 195-202

Soledum forte capsules, package leaflet 2022. Available at:

[https://cdn.aws.klosterfrau.com/project\\_soledum\\_at-master/df5aa81a7e46cde4bf6258f30af54de7d7c25439/2021-02-23 GI Soledum%20200%20mg\\_clean\\_2021-01-21KF\\_barrierefrei.pdf](https://cdn.aws.klosterfrau.com/project_soledum_at-master/df5aa81a7e46cde4bf6258f30af54de7d7c25439/2021-02-23 GI Soledum%20200%20mg_clean_2021-01-21KF_barrierefrei.pdf). Assessed 03/2023

Southwell IA, Flynn TM. Metabolism of  $\alpha$ -pinene and  $\beta$ -pinene, *p*-cymene and 1,8-cineole in brushtail

possum, *Trichosurus vulpecula*. *Xenobiotica* 1980, 10(1): 17-23

Sweetman SC editor. Martindale: The complete drug reference. 35<sup>th</sup> ed. Eucalyptus oil. The Pharmaceutical Press, London 2007

Toloza AC, Zygadlo J, Cueto G, Biurrun F, Zerba E, Picollo MI. Fumigant and repellent properties of essential oils and component compounds against permethrin-resistant *Pediculus humanus capititis* (Anoplura: Pediculidae) from Argentina. *J Med Entomology* 2006, 43(5): 889-895

Toloza AC, Lucia A, Zerba E, Masuh H, Picollo MI. Eucalyptus essential oil toxicity against permethrin-resistant *Pediculus humanus capititis* (Phthiraptera: Pediculidae). *Parasitol Res* 2010, 106: 409-414

Webb NJA, Pitt WR. Eucalyptus oil poisoning in childhood: 41 cases in south-east Queensland. *J Paediatr Child Health* 1993, 29: 368-371

Wichtl M. Teedrogen und Phytopharmaka 3<sup>rd</sup> ed. Eucalyptus leaf. Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart 2004

Yang YC, Choi HY, Choi WS, Clark JM, Ahn YJ. Ovicidal and adulticidal activity of *Eucalyptus globulus* leaf oil terpenoids against *Pediculus humanus capititis* (Anoplura: Pediculidae). *J Agric Food Chem* 2004, 52: 2507-2511