



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

09 July 2025
EMA/HMPC/528923/2024
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Glycyrrhiza glabra* L.; *Glycyrrhiza inflata* Bat.; *Glycyrrhiza uralensis* Fisch., radix

Draft – Revision 1

The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Abudayyak M, Özdemir Nath E, Özhan G. Toxic potentials of ten herbs commonly used for aphrodisiac effect in Turkey. *Turk J Med Sci* 2015, 45(3):496-506

Agarwal A, Gupta D, Yadav G, Goyal P, Singh PK, Singh U. An evaluation of the efficacy of licorice gargle for attenuating postoperative sore throat: a prospective, randomized, single-blind study. *Anesth Analg* 2009, 109(1):77-81

Ahmadizad P, Shohani M, Moghadam AD, Jalilian A, Sayadi H, Abbasi N. Comparison of the effect of licorice vaginal cream and estrogen vaginal cream on sexual function of postmenopausal women: An RCT. *Int J Reprod Biomed* 2022, 20(11):963-972

Aipire A, Yuan P, Aimaier A, Cai S, Mahabati M, Lu J, et al. Preparation, Characterization, and Immuno-Enhancing Activity of Polysaccharides from *Glycyrrhiza uralensis*. *Biomolecules* 2020, 10(1):159

Akbari N, Asadimehr N, Kiani Z. The effects of licorice containing diphenhydramine solution on recurrent aphthous stomatitis: A double-blind, randomized clinical trial. *Complement Ther Med* 2020, 50:102401.

Al-Deeb ID, Arafat TA, Irshaid YM. The effect of licorice drink on the systemic exposure of verapamil in rabbits. *Drug Metab Lett* 2010, 4(3):173-179

Al-Dujaili EAS, Kenyon CJ, Nicol MR, Mason JI. Liquorice and glycyrrhetic acid increase DHEA and deoxycorticosterone levels *in vivo* and *in vitro* by inhibiting adrenal SULT2A1 activity. *Mol Cell Endocrinol* 2011, 336(1-2):102-109

Alfajaro MM, Kim HJ, Park JG, Ryu EH, Kim JY, Jeong YJ, et al. Anti-rotaviral effects of *Glycyrrhiza uralensis* extract in piglets with rotavirus diarrhea. *Viral J* 2012, 9:310

Official address Domenico Scarlattilaan 6 • 1083 HS Amsterdam • The Netherlands

Address for visits and deliveries Refer to www.ema.europa.eu/how-to-find-us

Send us a question Go to www.ema.europa.eu/contact **Telephone** +31 (0)88 781 6000

An agency of the European Union



- Aly AM, Al-Alousi L, Salem HA. Licorice: A possible anti-inflammatory and anti-ulcer drug. *AAPS PharmSciTech* 2005, 6(1):E74–E82
- Almaz ME, Sönmez IS, Ökte Z, Oba AA. Efficacy of a sugar-free herbal lollipop for reducing salivary *Streptococcus mutans* levels: a randomized controlled trial. *Clin Oral Invest* 2017, 21:839–845
- Angus L, Stranks J. Natural liquorice-induced pseudoaldosteronism causing severe hypokalaemia, hypertension and rhabdomyolysis. *Intern Med J* 2020, 50(4):502-503
- Armanini D, Bonanni G, Palermo M. Reduction of serum testosterone in men by licorice. *N Engl J Med* 1999,341(15):1158
- Armanini D, De Palo CB, Mattarello MJ, Spinella P, Zaccaria M, Ermolao A, Palermo M, Fiore C, Sartorato P, Francini-Pesenti F, Karbowiak I. Effect of licorice on the reduction of body fat mass in healthy subjects. *J Endocrinol Invest* 2003a, 26(7):646-650
- Armanini D, Bonanni G, Mattarello MJ, Fiore C, Sartorato P, Palermo M. Licorice consumption and serum testosterone in healthy man. *Exp Clin Endocrinol Diabetes* 2003b, 111(6):341-343
- Armanini D, Mattarello MJ, Fiore C, Bonanni G, Scaroni C, Sartorato P, Palermo M. Licorice reduces serum testosterone in healthy women. *Steroids* 2004, 69(11-12):763-766
- Armanini D, Castello R, Scaroni C, Bonanni G, Faccini G, Pellati D, Bertoldo A, Fiore C, Moghetti P. Treatment of polycystic ovary syndrome with spironolactone plus licorice. *Eur J Obstet Gynecol Reprod Biol* 2007, 131(1):61-67
- Asgari P, Bahramnezhad F, Narenj F, Golitaleb M, Askari M. A clinical study of the effect of *Glycyrrhiza glabra* plant and exercise on the quality of life of menopausal women. *Chron Dis J* 2015, 3(2):79-86
- Asl MN, Hosseinzadeh H. Review of pharmacological effects of *Glycyrrhiza* sp. and its bioactive compounds. *Phytother Res* 2008, 22(6):709-724
- Awad R, Mallah E, Al Khawaya B, Dayyih WA, El-Hajji F, Matalka KZ, et al. Pomegranate and licorice juices modulate metformin pharmacokinetics in rats. *Neuro Endocrinol Lett* 2016, 37(3):202-206
- Badr AE, Omar N, Badria FA. A laboratory evaluation of the antibacterial and cytotoxic effect of Licorice when used as root canal medicament. *Int Endod J* 2011, 44(1):51-58
- Bahmani M, Sarrafchi A, Shirzad H, Shahinfard N, Rafieian-Kopaei M, Shahsavari S, et al. Pharmaceutical, phytochemical, and economical potentials of *Glycyrrhiza glabra* L: a review. *JCPS* 2015, 8(4):683-692
- Baker MB, Ciccone M, Wilson M, Stanczyk F, Shoupe D. A double-blind, placebo controlled trial on the effects of a licorice extract on menopausal symptoms. *Fertility and Sterility* 2011, 96(3) (only abstract available)
- Ballin NZ, Larsen DM, Jensen ST, Andersen LB, Olesen PT. Glycyrrhizinic acid in licorice products on the Danish market. *Food Control* 2023, 143:109322
- Bardhan KD, Cumberland DC, Dixon RA, Holdsworth CD. Clinical trial of deglycyrrhizinised liquorice in gastric ulcer. *Gut* 1978, 19(9):779-782
- Barnes J, Anderson LAA, Phillipson JD. Herbal Medicines 2nd ed. Pharmaceutical Press: London, 2002, 325–329
- Basar N, Oridupa OA, Ritchie KJ, Nahar L, Osman NMM, Stafford A, et al. Comparative Cytotoxicity of *Glycyrrhiza glabra* Roots from Different Geographical Origins Against Immortal Human Keratinocyte

- (HaCaT), Lung Adenocarcinoma (A549) and Liver Carcinoma (HepG2) Cells. *Phytother Res* 2015, 29(6):944-948
- Beck KR, Thompson III GR, Odermatt A. Drug-induced endocrine blood pressure elevation. *Pharmacol Res* 2020, 154:104311
- Bell ZW, Canale RE, Bloomer RJ. A dual investigation of the effect of dietary supplementation with licorice flavonoid oil on anthropometric and biochemical markers of health and adiposity. *Lipids Health Dis* 2011, 10:29
- Benediktsson R, Calder AA, Edwards CR, Seckl JR. Placental 11 β -hydroxysteroid dehydrogenase: a key regulator of fetal glucocorticoid exposure. *Clin Endocrinol (Oxf)* 1997, 46(2):161-166
- Bernardi M, D'Intino PE, Trevisani F, Cantelli-Forti G, Raggi MA, Turchetto E, et al. Effects of prolonged ingestion of graded doses of licorice by healthy volunteers. *Life Sci* 1994, 55 (11):863-872
- Bhide RM, Bethapudi B, Chalichem NSS, Nithyanantham M, Murugan SK, Mundkinajeddu D. Acute and Subchronic Toxicity Study of Flavonoid Rich Extract of *Glycyrrhiza glabra* (GutGard®) in Sprague Dawley Rats. *J Toxicol* 2022, 2022:8517603
- Bisogni V, Rossi GP, Calò LA. Apparent mineralcorticoid excess syndrome, an often forgotten or unrecognized cause of hypokalemia and hypertension: case report and appraisal of the pathophysiology. *Blood Press* 2014, 23(3):189-192
- BMJ (British Medical journal). Treatment of Duodenal Ulcer with Glycyrrhizinic-acid-reduced Liquorice. *Br Med J* 1971; 3(5773):501-503
- Braun L, Cohen M. Herbs and Natural Supplements – An evidence-based guide. 4th Ed. Elsevier Australia, 2015; Vol. 2:643-659
- Brush J, Mendenhall E, Guggenheim A, Chan T, Connelly E, Soumyanath A, et al. The effect of *Echinacea purpurea*, *Astragalus membranaceus* and *Glycyrrhiza glabra* on CD69 expression and immune cell activation in humans. *Phytother Res* 2006, 20(8):687-695
- Calò LA, Zaghetto F, Pagnin E, Davis PA, De Mozzi P, Sartorato P, et al. Effect of aldosterone and glycyrrhetic acid on the protein expression of PAI-1 and p22^(phox) in human mononuclear leukocytes. *J Clin Endocrinol Metab* 2004, 89(4):1973-1976
- Cantelli-Forti G, Maffei F, Hrelia P, Bugamelli F, Bernardi M, D'Intino P, et al. Interaction of licorice on glycyrrhizin pharmacokinetics. *Environ Health Perspect* 1994, 102(Suppl 9):65-68
- Castangia I, Caddeo C, Manca ML, Casu L, Latorre AC, Díez-Sales L, et al. Delivery of liquorice extract by liposomes and hyalurosomes to protect the skin against oxidative stress injuries. *Carbohydr Polym* 2015, 134:657-663
- Celik MM, Karakus A, Zeren C, Demir M, Bayarogullari H, Duru M, et al. Licorice induced hypokalemia, edema, and thrombocytopenia. *Hum Exp Toxicol* 2012, 31(12):1295-1298
- Chakotiya AS, Tanwar A, Srivastava P, Narula A. Effect of aquo-alcoholic extract of *Glycyrrhiza glabra* against *Pseudomonas aeruginosa* in Mice Lung Infection Model. *Biomed Pharmacother* 2017, 90:171-178
- Chandrasekaran CV, Deepak HB, Kathiresan S, Sangli GK, Deepak M, Agarwal A. Dual inhibitory effect of *Glycyrrhiza glabra* (GutGard™) on COX and LOX products. *Phytomedicine* 2011°, 18(4):278-284

- Chandrasekaran CV, Sundarajan K, Gupta A, Srikanth HS, Edwin J, Agarwal A. Evaluation of the genotoxic potential of standardized extract of *Glycyrrhiza glabra* (GutGard™). *Regul Toxicol Pharmacol* 2011b, 61(3):373-380
- Chang GH, Lin YS, Hsu KH, Cheng YC, Yang PR, Tsai MS, et al. Nasal irrigation with *Glycyrrhiza glabra* extract for treatment of allergic rhinitis – A study of *in vitro*, *in vivo* and clinical trial. *J Ethnopharmacol* 2021, 275:114116
- Chatterjee N, Domoto-Reilly K, Fecci PE, Schwamm LH, Singhal AB. Licorice-associated reversible cerebral vasoconstriction with PRES. *Neurology* 2010, 75(21):1939–1941
- Chauhan P, Sharma H, Kumar U, Mayachari A, Sangli G, Singh S. Protective effects of *Glycyrrhiza glabra* supplementation against methotrexate-induced hepato-renal damage in rats: An experimental approach. *J Ethnopharmacol* 2020, 263:113209
- Cheel J, Van Antwerpen P, Tůmová L, Onofre G, Vokurková D, Zouaoui-Boudjeltia K, et al. Free radical-scavenging, antioxidant and immunostimulating effects of a licorice infusion (*Glycyrrhiza glabra* L.). *Food Chem* 2010, 122(3):508–517
- Chen G, Zhu L, Liu Y, Zhou Q, Chen H, Yang J. Isoliquiritigenin, a flavonoid from licorice, plays a dual role in regulating gastrointestinal motility *in vitro* and *in vivo*. *Phytother Res* 2009, 23(4):498-506
- Chen HJ, Kang SP, Lee IJ, Lin YL. Glycyrrhetic acid suppressed NF-κB activation in TNF-α-induced hepatocytes. *J Agric Food Chem* 2014°, 62(3):618-625
- Chen CM, Weng YT, Chen WL, Lin TH, Chao CY, Lin CH, et al. Aqueous extract of *Glycyrrhiza inflata* inhibits aggregation by upregulating PPARGC1A and NFE2L2–ARE pathways in cell models of spinocerebellar ataxia 3. *Free Radic Biol Med* 2014b, 71:339-350
- Cheng M, Zhang J, Yang L, Shen S, Li P, Yao S, et al. Recent advances in chemical analysis of licorice (Gan-Cao). *Fitoterapia* 2021, 149:104803
- Chen MF, Shimada F, Kato H, Yano S, Kanaoka M. Effect of glycyrrhizin on the pharmacokinetics of prednisolone following low dosage of prednisolone hemisuccinate. *Endocrinol Jpn* 1990, 37(3):331-341
- Chen Y, Agnello M, Dinis M, Chien KC, Wang J, Hu W, et al. Lollipop containing *Glycyrrhiza uralensis* extract reduces *Streptococcus mutans* colonization and maintains oral microbial diversity in Chinese preschool children. *PLoS One* 2019, 14(8):e0221756
- Chiu YJ, Lee CM, Lin TH, Lin HY, Lee SY, Mesri M, et al. Chinese Herbal Medicine *Glycyrrhiza inflata* Reduces Aβ Aggregation and Exerts Neuroprotection through Anti-Oxidation and Anti-Inflammation. *Am J Chin Med* 2018, 46(7):1-25
- Cho HJ, Lim SS, Lee YS, Kim JS, Lee CH, Kwon DY, et al. Hexane/ethanol extract of *Glycyrrhiza uralensis* licorice exerts potent anti-inflammatory effects in murine macrophages and in mouse skin. *Food Chem* 2010, 121(4):959–966
- Choi JS, Han JY, Ahn HK, Ryu HM, Kim MY, Chung JH, et al. Fetal and neonatal outcomes in women reporting ingestion of licorice (*Glycyrrhiza uralensis*) during pregnancy. *Planta Medica* 2013, 79(2):97-101
- Chowdhury B, Bhattamisra SK, Das MC. Anti-convulsant action and amelioration of oxidative stress by *Glycyrrhiza glabra* root extract in pentylenetetrazole-induced seizure in albino rats. *Indian J Pharmacol* 2013, 45(1):40–43

- Claude B, Morin P, Lafosse M, Belmont AS, Haupt K. Selective solid-phase extraction of a triterpene acid from a plant extract by molecularly imprinted polymer. *Talanta* 2008, 75:344–350
- Conn JW, Rovner DR, Cohen EL. Licorice-induced pseudoaldosteronism. *JAMA* 1968, 205(7):492-496
- Correia-Varela-Almeida A, Öst Å, Baldaque-Silva F. A Sweet Discovery. *Gastroenterology* 2018, 155(5):e13-e14
- Cuzzolin L, Francini-Pesenti F, Verlato G, Joppi M, Baldelli P, Benoni G. Use of herbal products among 392 Italian pregnant women: focus on pregnancy outcome. *Pharmacoepidemiol Drug Saf* 2010, 19(11):1151-1158
- Davis EA, Morris DJ. Medicinal uses of licorice through the millennia: the good and plenty of it. *Molecular and Cellular Endocrinology* 1991, 78:1-6
- Dayyih WAA, Mallah EM, Al-Ani IH, Arafat TA. Liquorice beverage effect on the pharmacokinetic parameters of atorvastatin, simvastatin, and lovastatin by liquid chromatography-mass spectroscopy/mass spectroscopy. *Asian J Pharm Clin Res* 2016, 9(2):174-179
- Desmet T, Vanhauwaert H, Vanuytsel J, Mahieu E, Bogaert AM, Boey O, et al. Distinct hypokalemia combined with torsade des pointes and ventricular tachycardia in an 88-year old patient: Licorice tea. *Tijdschr. voor Geneeskunde* 2003, 69(13):671-678 (article in Dutch)
- Deutscher Arzneimittel-Codex (DAC) 2009 – Ergänzungsbuch zum Arzneibuch – Band 1; ABDA Bundesvereinigung Deutscher Apothekerverbände; Govi Verlag Pharmazeutischer Verlag GmbH; Eschborn Deutscher Apotheker Verlag – Stuttgart 2008:D-095, 20
- Dhingra D, Parle M, Kulkarni SK. Memory enhancing activity of *Glycyrrhiza glabra* in mice. *J Ethnopharmacol* 2004, 91(2-3):361-365
- Dhingra D, Sharma A. Antidepressant-like activity of *Glycyrrhiza glabra* L. in mouse models of immobility tests. *Prog Neuropsychopharmacol Biol Psychiatry* 2006, 30(3):449-454
- Di Lorenzo C, Ceschi A, Kupferschmidt H, Lude S, De Souza Nascimento E, Dos Santos A, et al. Adverse effects of plant food supplements and botanical preparations: a systematic review with critical evaluation of causality. *Br J Clin Pharmacol* 2015, 79(4):578-592
- Dirican E, Turkez H. *In vitro* studies on protective effect of *Glycyrrhiza glabra* root extracts against cadmium-induced genetic and oxidative damage in human lymphocytes. *Cytotechnology* 2014, 66(1):9–16
- Drugs and Lactation Database (LactMed®) – Licorice, U.S. Department of Health and Human Services. 2021
- Du J, Cao L, Jia R, Yin G. Hepatoprotective and antioxidant effects of dietary *Glycyrrhiza* polysaccharide against TCDD-induced hepatic injury and RT-PCR quantification of AHR2, ARNT2, CYP1A mRNA in Jian Carp (*Cyprinus carpio* var. Jian). *J Environ Sci (China)* 2017, 51:181-190
- Duan X, Wen J, Zhang M, Wang C, Xiang Y, Wang L, et al. *Glycyrrhiza uralensis* Fisch. and its active components mitigate Semen Strychni-induced neurotoxicity through regulating high mobility group box 1 (HMGB1) translocation. *Biomed Pharmacother* 2022, 149:112884
- Edelman ER, Butala NM, Avery LL, Lundquist AL, Dighe AS. Case 30-2020: A 54-Year-Old Man with Sudden Cardiac Arrest. *N Engl J Med* 2020, 383(13):1263-1275
- Epstein MT, Espiner EA, Donald RA, Hughes H. Liquorice toxicity and the renin-angiotensin-aldosterone axis in man. *Br Med J* 1977°, 1(6055):209–210

- Epstein MT, Espiner EA, Donald RA, Hughes H. Effect of eating liquorice on the renin-angiotensin aldosterone axis in normal subjects. *Br Med J* 1977b, 1(6059):488–490
- Epstein MT, Espiner EA, Donald RA, Hughes H, Cowles RJ, Lun S. Licorice raises urinary cortisol in man. *J Clin Endocrinol Metab* 1978, 47(2):397-400
- Erdogan ZM, Gong P, Zhao YC, Xu L, Wrobel KU, Hartman JA, Wang M, et al. Dietary licorice root supplementation improves diet-induced weight gain, lipid deposition and hepatic steatosis in ovariectomized mice without stimulating reproductive tissues and mammary gland. *Mol Nutr Food Res* 2016, 60(2):369-380
- ESCOP (European Scientific Cooperative on Phytotherapy): *Liquiritiae radix*. In: Monographs on the medicinal uses of plant drugs. Argyle House, ESCOP, Exeter, UK; 2003
- EFSA (European Food Safety Authority): Scientific Opinion on the safety of 'Glavonoid®', an extract derived from the roots or rootstock of *Glycyrrhiza glabra* L., as a Novel Food ingredient. *EFSA Journal* 2011, 9(7):2287
- European Commission, Opinion of the scientific committee on food on glycyrrhizinic acid and its ammonium salt. SCF/CS/ADD/EDUL/225 Final, 10 April 2003
- European Pharmacopoeia, Licorice root – *Liquiritiae radix*. Council of Europe. 11th Ed. 01/2012:0277
- European Pharmacopoeia, Liquorice dry extract for flavouring purposes – *Liquiritiae extractum siccum ad saporandum*. Council of Europe. 11th Ed. 01/2012:2378
- Faghihi G, Iraji F, Abtahi-Naeini B, Saffar B, Saffaei A, Pourazizi M, et al. Complementary Therapies for Idiopathic Hirsutism: Topical Licorice as Promising Option. *Evid Based Complement Alternat Med* 2015, 2015:659041
- Farag MA, Wessjohann LA. Volatiles profiling in medicinal licorice roots using steam distillation and solid-phase microextraction (SPME) coupled to chemometrics. *J Food Sci* 2012, 77(11): C.1179-1184
- Fenwick GR, Lutomski J, Nieman C. Liquorice, *Glycyrrhiza glabra* L. Composition, uses and analysis. *Food Chem* 1990, 38(2):119–143
- Fiore C, Eisenhut M, Ragazzi E, Zanchin G, Armanini D. A history of the therapeutic use of liquorice in Europe. *J Ethnopharmacol* 2005, 99:317-324
- Flores Robles BJ, Hurtarte Sandoval AR, Penate Dardon JD, Alonso Blas C. Lethal liquorice lollies (liquorice abuse causing pseudohyperaldosteronism). *BMJ Case Rep* 2013, 2013:bcr2013201007
- Fogelman Y, Gaitini D, Carmeli E. Antiatherosclerotic effects of licorice extract supplementation on hypercholesterolemic patients: decreased CIMT, reduced plasma lipid levels, and decreased blood pressure. *Food Nutr Res* 2016, 60:30830
- Forslund T, Fyhrquist F, Frøseth B, Tikkanen I. Effects of licorice on plasma atrial natriuretic peptide in healthy volunteers. *J Intern Med* 1989, 225(2):95-99
- Francini-Pesenti F, Puato M, Piccoli A, Brocadello F. Liquorice-induced hypokalaemia and water retention in the absence of hypertension. *Phytother Res* 2008, 22(4):563-565
- Fraunfelder FW. Ocular side effects from herbal medicines and nutritional supplements. *Am J Ophthalmol* 2004, 138(4):639-647
- Fry JC. Natural low-calorie sweeteners. *Natural Food Additives, Ingredients and Flavourings*, 2012; Chapter 3, 41-75

- Fuhrman B, Buch S, Vaya J, Belinki PA, Coleman R, Hayek T, et al. Licorice extract and its major polyphenol glabridin protect low-density lipoprotein against lipid peroxidation: *in vitro* and *ex vivo* studies in humans and in atherosclerotic apolipoprotein E-deficient mice. *Am J Clin Nutr* 1997, 66(2):276–275
- Fuhrman B, Volkova N, Kaplan M, Presser D, Attias J, Hayek T, et al. Antiatherosclerotic Effects of Licorice Extract Supplementation on Hypercholesterolemic Patients: Increased Resistance of LDL to Atherogenic Modifications, Reduced Plasma Lipid Levels, and Decreased Systolic Blood Pressure. *Nutrition* 2002, 18(3):268-273
- Fukui M, Kitagawa Y, Nakamura N, Yoshikawa T. Glycyrrhizin and serum testosterone concentrations in male patients with type 2 diabetes. *Diabetes Care* 2003, 26(10):2962
- Galal M, Nasry SA, Mostafa DM, Ammar NM. Therapeutic efficacy of herbal formulations for recurrent aphthous ulcer. Correlation with salivary epidermal growth factor. *Life Science Journal* 2012, 9(3):2398-2406
- Ghalayani P, Emami H, Pakravan F, Isfahani MN. Comparison of triamcinolone acetonide mucoadhesive film with licorice mucoadhesive film on radiotherapy-induced oral mucositis: A randomized double-blinded clinical trial. *Asia Pac J Clin Oncol* 2017, 13(2):e48-e56
- Glycyrrhiza glabra. Monograph. *Alternative Medicine Review* 2005, 10:230-237
- Gupta D, Agrawal S, Sharma JP. Effect of preoperative licorice lozenges on incidence of postextubation cough and sore throat in smokers undergoing general anesthesia and endotracheal intubation. *Middle East J Anaesthesiol* 2013, 22(2):173-178
- Gupta VK, Fatima A, Faridi U, Negi AS, Shanker K, Kumar JK, et al. Antimicrobial potential of *Glycyrrhiza glabra* roots. *J Ethnopharmacol* 2008, 116(2):377-380
- Gupta VK, Kaushik A, Chauhan DS, Ahirwar RK, Sharma S, Bisht D. Anti-mycobacterial activity of some medicinal plants used traditionally by tribes from Madhya Pradesh, India for treating tuberculosis related symptoms. *J Ethnopharmacol* 2018, 227:113-120
- Ha Y, Wang T, Li J, Li J, Lu R, Li J, et al. Herb-Drug Interaction Potential of Licorice Extract and Paclitaxel: A Pharmacokinetic Study in Rats. *Eur J Drug Metab Pharmacokinet* 2020, 45(2):257-264
- Hajiaghamohammadi AA, Ziaee A, Samimi R. The efficacy of licorice root extract in decreasing transaminase activities in non-alcoholic fatty liver disease: a randomized controlled clinical trial. *Phytother Res* 2012, 26(9):1381-1384
- Hajiaghamohammadi AA, Zargar A, Oveisi S, Samimi R, Reisian S. To evaluate of the effect of adding licorice to the standard treatment regimen of *Helicobacter pylori*. *Braz J Infect Dis* 2016, 20(6): 534-538
- Hao B, Wang X, Ma X, Jin Y, Fan W, Laba C, et al. Preparation of complex microcapsules of soluble polysaccharide from *Glycyrrhiza uralensis* and its application in wound repair and scar inhibition. *Int J Biol Macromol* 2020, 156:906-917
- Harahap ISK, Sasaki N, Gunadi, Yusoff S, Lee MJ, Morikawa S, et al. Herbal Medicine Containing Licorice May Be Contraindicated for a Patient with an *HSD11B2* Mutation. *Evid Based Complement Alternat Med* 2011, 2011:646540
- Harding V, Stebbing J. Liquorice: a treatment for all sorts? *Lancet Oncol* 2017, 18(9):1155

- Hattori M, Sakamoto T, Kobashi K, Namba T. Metabolism of glycyrrhizin by human intestinal flora. *Planta Medica* 1983, 48(1):38-42
- Hattori M, Sakamoto T, Yamagishi T, Sakamoto K, Konishi K, Kobashi K, et al. Metabolism of glycyrrhizin by human intestinal flora. II. Isolation and characterization of human intestinal bacteria capable of metabolizing glycyrrhizin and related compounds. *Chem Pharm Bull (Tokyo)* 1985, 33(1):210-217
- Hauksdottir D, Sigurjonsdottir HA, Arnadottir M, Geirsson RT. Severe, very early onset pre-eclampsia associated with liquorice consumption. *Hypertens Pregnancy* 2015, 34(2):221-226
- Hautaniemi EJ, Tahvanainen AM, Koskela JK, Tikkakoski AJ, Kähönen M, Uitto M, et al. Voluntary liquorice ingestion increases blood pressure via increased volume load, elevated peripheral arterial resistance, and decreased aortic compliance. *Sci Rep* 2017, 7(1):10947
- Hautaniemi EJ, Tikkakoski AJ, Eräranta A, Kähönen M, Hämäläinen E, Turpeinen U, et al. Liquorice ingestion attenuates vasodilatation via exogenous nitric oxide donor but not via β_2 -adrenoceptor stimulation. *PLoS One* 2019, 14(10):e0223654
- He R, Guo WJ, She F, Miao GB, Liu F, Xue YJ, et al. A rare case of hypokalemia-induced rhabdomyolysis. *J Geriatr Cardiol* 2018, 15(4):321-324
- Heck AM, DeWitt BA, Lukes AL. Potential interactions between alternative therapies and warfarin. *Am J Health Syst Pharm* 2000, 57(13):1221-7; quiz 1228-30
- Hejazi II, Khanam R, Mehdi SH, Bhat AR, Rizvi MMA, Islam A, et al. New insights into the antioxidant and apoptotic potential of *Glycyrrhiza glabra* L. during hydrogen peroxide mediated oxidative stress: An *in vitro* and *in silico* evaluation. *Biomed Pharmacother* 2017, 94:265-279
- Herbrechter R, Ziemba PM, Hoffmann KM, Hatt H, Werner M, Gisselmann G. Identification of *Glycyrrhiza* as the rikkunshito constituent with the highest antagonistic potential on heterologously expressed 5-HT_{3A} receptors due to the action of flavonoids. *Front Pharmacol* 2015, 6:130
- Hoffmann D. Medical herbalism – The science and practice of herbal medicine. Inner Traditions Bear and Company, 2003
- Hollanders D, Green G, Woolf IL, Boyes BE, Wilson RY, Cowley DJ, et al. Prophylaxis with deglycyrrhizinised liquorice in patients with healed gastric ulcer. *Br Med J* 1978, 1(6106):148
- Honarmand A, Safavi M, Arani AS, Shokrani O. The efficacy of different doses of liquorice gargling for attenuating postoperative sore throat and cough after tracheal intubation. *Eur J Anaesthesiol* 2016, 33(8):595-596
- Honda H, Nagai Y, Matsunaga T, Saitoh S, Akashi-Takamura S, Hayashi H, et al. Glycyrrhizin and isoliquiritigenin suppress the LPS sensor Toll-like receptor 4/MD-2 complex signaling in a different manner. *J Leukoc Biol* 2012, 91(6):967-976
- Hong YK, Wu HT, Ma T, Liu WJ, He XJ. Effects of *Glycyrrhiza glabra* polysaccharides on immune and antioxidant activities in high-fat mice. *Int J Biol Macromol* 2009, 45(1):61-64
- Hou YC, Lin SP, Lee Chao PD. Liquorice reduced cyclosporine bioavailability by activating P-glycoprotein and CYP 3A. *Food Chem* 2012, 135(4):2307-2312
- Hsu YC, Chang PJ, Tung CW, Shih YH, Ni WC, Li YC, et al. De-Glycyrrhizinized Licorice Extract Attenuates High Glucose-Stimulated Renal Tubular Epithelial-Mesenchymal Transition via Suppressing the Notch2 Signaling Pathway. *Cells* 2020, 9(1):125

- Hu CH, He J, Eckert R, Wu XY, Li LN, Tian Y, et al. Development and evaluation of a safe and effective sugar-free herbal lollipop that kills cavity-causing bacteria. *Int J Oral Sci* 2011, 3(1):13-20
- Hu WY, Li YW, Hou YN, He K, Chen JF, But PP, et al. The induction of liver microsomal cytochrome P450 by *Glycyrrhiza uralensis* and glycyrrhetic acid in mice. *Biomed Environ Sci* 1999, 12(1): 10-14 (only abstract available)
- Hukkanen J, Ukkola O, Savolainen MJ. Effects of low-dose liquorice alone or in combination with hydrochlorothiazide on the plasma potassium in healthy volunteers. *Blood Press* 2009, 18(4):192-195
- Hundertmark S, Dill A, Buhler H, Stevens P, Looman K, Ragosch V, et al. 11 β -Hydroxysteroid dehydrogenase type 1: a new regulator of fetal lung maturation. *Horm Metab Res* 2002, 34(10):537-544
- Huo HZ, Wang B, Liang YK, Bao YY, Gu Y. Hepatoprotective and antioxidant effects of licorice extract against CCl₄-induced oxidative damage in rats. *Int J Mol Sci* 2011, 12(10):6529-6543
- Huo X, Liu D, Gao L, Li L, Cao L. Flavonoids Extracted from Licorice Prevents Colitis-Associated Carcinogenesis in AOM/DSS Mouse Model. *Int J Mol Sci* 2016, 17(9):1343
- Hwang IK, Lim SS, Choi KH, Yoo KY, Shin HK, Kim EJ, et al. Neuroprotective effects of roasted licorice, not raw form, on neuronal injury in gerbil hippocampus after transient forebrain ischemia. *Acta Pharmacol Sin* 2006, 27(8):959-965
- Ibrahim AN, Anis S. Licorice versus ketamine gargle for postoperative sore throat due to insertion of a double-lumen endobronchial tube. *The Egyptian Journal of Cardiothoracic Anesthesia* 2016, 10(3):45-49
- Igarashi Y, Iida S, Dai J, Huo J, Cui X, Sawashita J, et al. Glavonoid-rich oil supplementation reduces stearyl-coenzyme A desaturase 1 expression and improves systemic metabolism in diabetic, obese KK-A^y mice. *Biomed Pharmacother* 2021, 140:111714
- Ikken Y, Morales P, Martinez A, Marin ML, Haza AI, Cambero MI. Antimutagenic effect of fruit and vegetable ethanolic extracts against N-nitrosamines evaluated by the Ames test. *J Agric Food Chem* 1999, 47(8):3257-3264
- Inami K, Mine Y, Kojo Y, Tanaka S, Ishikawa S, Mochizuki M. Antimutagenic components in *Glycyrrhiza* against N-methyl-N-nitrosourea in the Ames assay. *Nat Prod Res* 2017, 31(6):691-695
- Isbrucker RA, Burdock GA. Risk and safety assessment on the consumption of Licorice root (*Glycyrrhiza* sp.), its extract and powder as a food ingredient, with emphasis on the pharmacology and toxicology of glycyrrhizin. *Regular Toxicol Pharmacol* 2006, 46:167-192
- Ishida S, Kinoshita M, Sakiya Y, Taira,Z, Ichikawa T. Glycyrrhizin binding site on human serum albumin. *Chem Pharm Bull (Tokyo)* 1992, 40(1):275-278
- Itami T, Ema M, Kanoh S. Effect of Disodium Glycyrrhizinate on Pregnant Rats and Their Offspring (Studies on the Fetal toxicity of Food Additives, III). *J Food Hyg Soc Japan* 1985, 26(5):640-644
- Jafari Z, Emtiazy M, Sohrabvand F, Talei D, Oveidzadeh L, Abrishamkar M, et al. The effect of *Glycyrrhiza glabra* L. on Primary Dysmenorrhea compared with Ibuprofen: A Randomized, Triple-Blind Controlled Trial. *Iran J Pharm Res* 2019 , 18(Suppl1):291-301
- Jain E, Pandey RK, Khanna R. Liquorice root extracts as potent cariostatic agents in pediatric practice. *J Indian Soc Pedod Prev Dent* 2013, 31(3):146-152

Jain P, Sontakke P, Walia S, Yadav P, Biswas G, Kaur D. Assessment of the efficacy of licorice versus 0.2% chlorhexidine oral rinse on plaque-induced gingivitis: A randomized clinical trial. *Indian Journal of Oral Health and Research* 2017, 3(1):15-18

Jalilzadeh-Amin G, Najarnezhad V, Anassori E, Mostafavi M, Keshipour H. *Iran J Pharm Res* 2015, 14(4): 1163–1170 Jayaprakasam B, Yang N, Wen MC, Wang R, Goldfarb J, Sampson H, Li XM. Constituents of the anti-asthma herbal formula ASHMI™ synergistically inhibit IL-4 and IL-5 secretion by murine Th2 memory cells, and eotaxin by human lung fibroblasts *in vitro*. *J Integr Med* 2013, 11(3):195-205

Jeon JH, Park D, Shin S, Kang DH, Moon SH, Kim YB. Effect of green tea and licorice extracts on cyclophosphamide teratogenicity. *Reprod Toxicol*, 2007, 24(1):75-75 (only abstract available)

Jezova D, Karailiev P, Karailievova L, Puhova A, Murck H. Food Enrichment with *Glycyrrhiza glabra* Extract Suppresses ACE2 mRNA and Protein Expression in Rats—Possible Implications for COVID-19. *Nutrients* 2021, 13(7):2321

Jiang M, Zhao S, Yang S, Lin X, He X, Wei X, et al. An "essential herbal *medicine*"-licorice: A review of phytochemicals and its effects in combination preparations. *J Ethnopharmacol* 2020, 249:112439

Jin YR, Zhou H, Liu ZZ, Li XF, Liang J. Idiopathic mesenteric phlebosclerosis occurring after long-term medication with licorice: A case report. *J Dig Dis* 2022, 23(3):183-185

Jo EH, Hong HD, Ahn NC, Jung JW, Yang SR, Park JS, et al. Modulations of the Bcl-2/Bax family were involved in the chemopreventive effects of licorice root (*Glycyrrhiza uralensis* Fisch) in MCF-7 human breast cancer cell. *J Agric Food Chem* 2004, 52(6):1715-1719

Joint FAO/WHO Expert Committee on Food Additives, Evaluation of certain food additives : sixty-third report of the Joint FAO/WHO Expert Committee on Food Additives, 2005

Josephs RH, Guinn JS, Harper ML, Askari F. Licorice consumption and salivary testosterone concentrations. *Lancet* 2001, 358(9293):1613-1614

Kageyama Y, Suzuki H, Saruta T. Glycyrrhizin induces mineralocorticoid activity through alterations in cortisol metabolism in the human kidney. *J Endocrinol* 1992, 135(1):147-152

Kanno K, Kawakami Z, Iizuka S, Tabuchi M, Mizoguchi K, Ikarashi Y, et al. *Glycyrrhiza* and *Uncaria Hook* contribute to protective effect of traditional Japanese medicine yokukansan against amyloid β oligomer-induced neuronal death. *J Ethnopharmacol* 2013, 149(1):360-370

Karthikkeyan G, Pervaje R, Pervaje SK, Prasad TSK, Modi PK. Prevention of MEK-ERK-1/2 hyper-activation underlines the neuroprotective effect of *Glycyrrhiza glabra* L. (Yashtimadhu) against rotenone-induced cellular and molecular aberrations. *J Ethnopharmacol* 2021, 274:114025

Karthikkeyan G, Behera SK, Upadhyay SS, Pervaje R, Prasad TSK, Modi PK. Metabolomics analysis highlights Yashtimadhu (*Glycyrrhiza glabra* L.)-mediated neuroprotection in a rotenone-induced cellular model of Parkinson's disease by restoring the mTORC₁-AMPK₁ axis in autophagic regulation. *Phytother Res* 2022, 36(5):2207-2222

Kato H, Kanaoka M, Yano S, Kobayashi M. 3-Monoglucuronyl-glycyrrhetinic acid is a major metabolite that causes licorice-induced pseudoaldosteronism. *J Clin Endocrinol Metab* 1995, 80(6):1929-1933

Kaur P, Sharma N, Singh B, Kumar S, Kaur S. Modulation of genotoxicity of oxidative mutagens by glycyrrhizic acid from *Glycyrrhiza glabra* L.. *Pharmacognosy Res* 2012, 4(4):189-195

- Kent UM, Aviram M, Rosenblat M, Hollenberg PF. The licorice root derived isoflavan glabridin inhibits the activities of human cytochrome P450S 3A4, 2B6, and 2C9. *Drug Metab Dispos* 2002, 30(6):709-715
- Kim HK, Kim SS. Electrical storm induced by hypokalemia associated with herbal medicines containing licorice. *Transl Clin Pharmacol* 2019, 27(2):69-72
- Kim HY, Zuo G, Lee SK, Lim SS. Acute and subchronic toxicity study of nonpolar extract of licorice roots in mice. *Food Sci Nutr* 2020, 8(5):2242-2250
- Kim JK, Oh SM, Kwon HS, Oh YS, Lim SS, Shin HK. Anti-inflammatory effect of roasted licorice extracts on lipopolysaccharide-induced inflammatory responses in murine macrophages. *Biochem Biophys Res Commun* 2006, 345(3):1215-1223
- Kim JS, Chung SW, Chung TI, Park JW, Lee KS, Lee JH. Posterior reversible leukoencephalopathy syndrome: possible relation to licorice. *European Journal of Radiology Extra* 2003, 46(3): 83-85
- Kim KR, Jeong CK, Park KK, Choi JH, Park JH, Lim SS *et al.* Anti-inflammatory effects of licorice and roasted licorice extracts on TPA-induced acute inflammation and collagen-induced arthritis in mice. *J Biomed Biotechnol* 2010, 2010:709378
- Kinoshita T, Tamura Y, Mizutani K. The isolation and structure elucidation of minor isoflavonoids from licorice of *Glycyrrhiza glabra* origin. *Chem Pharm Bull* 2005, 53:847- 849
- Kinoshita T, Matsumoto A, Yoshino K, Furukawa S. The effects of licorice flavonoid oil with respect to increasing muscle mass: a randomized, double-blind, placebo-controlled trial. *J Sci Food Agric* 2017, 97(8):2339-2345
- Ko HC, Wei BL, Chiou WF. The effect of medicinal plants used in Chinese folk medicine on RANTES secretion by virus-infected human epithelial cells. *J Ethnopharmacol* 2006, 107(2):205-210
- Kobuke T, Inai K, Nambu S, Ohe K, Takemoto T, Matsuki K, *et al.* Tumorigenicity study of disodium glycyrrhizinate administered orally to mice. *Food Chem Toxicol* 1985, 23(11):979-983
- Kormann R, Languille E, Amiot HM, Hertig A. Dying for a cup of tea. *BMJ Case Rep.*, 2012; 2012: bcr2012006805
- Kuang Y, Li B, Fan J, Qiao X, Ye M. Antitussive and expectorant activities of licorice and its major compounds. *Bioorg Med Chem* 2018, 26(1):278-284
- Kumar A, Kumar T, Jha A, Kishore J, Barua AD, Rangari P. Cariostatic Efficacy of Aqueous and Ethanolic Extracts of Liquorice in the Schoolchildren: *In Vivo* Comparative Study. *J Contemp Dent Pract* 2020, 21(5):575-579
- Kuriyama A, Maeda H. Topical application of licorice for prevention of postoperative sore throat in adults: A systematic review and meta-analysis. *Journal of Clinical Anesthesia* 2019, 54:25-32
- Larkworthy W, Holgate PF, McIlmurray MB, Langman MJ. Deglycyrrhizinised liquorice in duodenal ulcer. *Br Med J* 1977, 2:1123
- Latif SA, Conca TJ, Morris DJ. The effects of the licorice derivative, glycyrrhetic acid, on hepatic 3 α - and 3 β -hydroxysteroid dehydrogenases and 5 α - and 5 β -reductase pathways of metabolism of aldosterone in male rats. *Steroids* 1990, 55(2):52-58
- Le Moli R, Endert E, Fliers E, Mulder T, Prummel MF, Romijn JA, *et al.* Establishment of reference values for endocrine tests. II: Hyperprolactinemia. *Neth J Med* 1999, 55(2):71-75

- Lee EJ, Oh H, Kang BG, Kang MK, Kim DY, Kim YH, et al. Lipid-lowering effects of medium-chain triglyceride-enriched coconut oil in combination with licorice extracts in experimental hyperlipidemic mice. *J Agric Food Chem* 2018, 66(40):10447-10457
- Lee EJ, Shaikh S, Ahmad K, Ahmad SS, Lim JH, Park S, et al. Isolation and Characterization of Compounds from *Glycyrrhiza uralensis* as Therapeutic Agents for the Muscle Disorders. *Int J Mol Sci* 2021, 22(2):876
- Lee HK, Yang EJ, Kim JY, Song K, Seong YH. Inhibitory effects of Glycyrrhizae radix and its active component, isoliquiritigenin, on A β (25-35)-induced neurotoxicity in cultured rat cortical neurons. *Arch Pharm Res* 2012, 35(5):897-890
- Lee KK, Omiya Y, Yuzurihara M, Kase Y, Kobayashi H. Antispasmodic effect of shakuyakukanzoto extract on experimental muscle cramps *in vivo*: Role of the active constituents of *Glycyrrhizae radix*. *J Ethnopharmacol* 2013°, 145(1):286-293
- Lee SK, Park KK, Park JHY, Lim SS, Chung WY. The inhibitory effect of roasted licorice extract on human metastatic breast cancer cell-induced bone destruction. *Phytother Res* 2013b, 27(12): 1776-1783
- Leskinen MH, Hautaniemi E, Tahvanainen AM, Koskela JK, Päällysaho M, Tikkakoski AJ, et al. Daily liquorice consumption for two weeks increases augmentation index and central systolic and diastolic blood pressure. *PLoS One* 2014, 9(8):e105607
- Li DQ, Qian ZM, Li SP. Inhibition of three selected beverage extracts on alpha-glucosidase and rapid identification of their active compounds using HPLC-DAD-MS/MS and biochemical detection. *J Agric Food Chem* 2010°, 58(11):6608-6613
- Li F, Liu B, Li T, Wu Q, Xu Z, Gu Y, et al. Review of Constituents and Biological Activities of Triterpene Saponins from *Glycyrrhizae Radix et Rhizoma* and Its Solubilization Characteristics. *Molecules* 2020, 25(17):3904
- Li G, Simmler C, Chen L, Nikolic D, Chen SN, Pauli GF, et al. Cytochrome P450 inhibition by three licorice species and fourteen licorice constituents. *Eur J Pharm Sci* 2017, 109:182-190
- Li J, Lee YS, Choi JS, Sung HY, Kim JK, Lim SS, et al. Roasted licorice extracts dampen high glucose-induced mesangial hyperplasia and matrix deposition through blocking Akt activation and TGF- β signaling. *Phytomedicine* 2010b, 17(10):800-810
- Lin SP, Tsai SY, Hou YC, Lee Chao PD. Glycyrrhizin and licorice significantly affect the pharmacokinetics of methotrexate in rats. *J Agric Food Chem* 2009, 57(5):1854-1859
- Liu JF, Srivatsa A, Kaul V. Black licorice ingestion: Yet another confounding agent in patients with melena. *World J Gastrointest Surg* 2010, 2(1):30-31
- Liu ZJ, Zhong J, Zhang M, Chen ZH, Wang JY, Chen HY, et al. The Alexipharmic Mechanisms of Five Licorice Ingredients Involved in CYP450 and Nrf2 Pathways in Paraquat-Induced Mice Acute Lung Injury. *Oxid Med Cell Longev* 2019, 2019:7283104
- Luís A, Domingues F, Pereira L. Metabolic changes after licorice consumption: A systematic review with meta-analysis and trial sequential analysis of clinical trials. *Phytomedicine* 2018, 39:17-24
- Machalke K, Bramlage P, Bramlage K, Tebbe U. Prinzmetal-Angina nach Lakritz-Konsum. *Dtsch Med Wochenschr* 2015, 140(08):590-592 (article in German)

- MacLennan E, Koog YH. A re-analysis of studies regarding the use of *Glycyrrhiza* spp. in women during pregnancy. *J Herb Med* 2014, 4(2):106–110
- Madan S, Kashyap S, Mathur G. *Glycyrrhiza glabra*: An efficient medicinal plant for control of periodontitis – A randomized clinical trial. *J Int Clin Dent Res* 2019, 11(1):32
- Makino T. Exploration for the real causative agents of licorice-induced pseudoaldosteronism. *J Nat Med* 2021, 75(2):275-283
- Mamedov NA, Egamberdieva D. Phytochemical Constituents and Pharmacological Effects of Licorice: A Review. *Plant and Human Health* 2019, 3:1–21
- Man Q, Deng Y, Li P, Ma J, Yang Z, Yang X, et al. Licorice Ameliorates Cisplatin-Induced Hepatotoxicity Through Antiapoptosis, Antioxidative Stress, Anti-Inflammation, and Acceleration of Metabolism. *Front Pharmacol* 2020, 11:563750
- Mantovani A, Ricciardi C, Stazi AV, Macri C, Piccioni A, Badellino E, et al. Teratogenicity study of ammonium glycyrrhizinate in the Sprague–Dawley rat. *Food Chem Toxicol* 1988, 26(5):435-440
- Martin MD, Sherman J, van der Ven P, Burgess J. A controlled trial of a dissolving oral patch concerning *glycyrrhiza* (licorice) herbal extract for the treatment of aphthous ulcers. *Gen Dent* 2008, 56(2):206-210
- Matsumoto T, Tanaka M, Yamada H, Cyong JC. Effect of licorice roots on carrageenan-induced decrease in immune complexes clearance in mice. *J Ethnopharmacol* 1996, 53(1):1-4
- Mazzio E, Deiab S, Park K, Soliman KFA. High throughput screening to identify natural human monoamine oxidase B inhibitors. *Phytother Res* 2013, 27(6):818-828
- McNicholl B, Kilroy MK. Transient hypertensive encephalopathy: possible relation to licorice. *J Pediatr* 1969, 74(6):963-964
- Menati L, Khaleghinezhad K, Tadayon M, Siahpoosh A. Evaluation of contextual and demographic factors on licorice effects on reducing hot flashes in postmenopause women. *Health Care Women Int* 2014, 35(1):87-99
- Methlie P, Husebye EES, Hustad S, Lien EA, Løvås K. Grapefruit juice and licorice increase cortisol availability in patients with Addison's disease. *Eur J Endocrinol* 2011, 165(5):761-769
- Mirtaheri E, Namazi N, Alizadeha M, Sargheini N, Karimi S. Effects of dried Licorice extract with low-calorie diet on lipid profile and atherogenic indices in overweight and obese subjects: A randomized controlled clinical trial. *Eur J Integr Med* 2015, 7:287–293
- Mitscher LA, Drake S, Gollapudi SR, Harris JA, Shankel DM. Isolation and identification of higher plant agents active in antimutagenic assay systems: *Glycyrrhiza glabra*. *Basic Life Sci* 1986, 39:153-165
- Mizuhara M, Takizawa Y, Ishihara K, Asano T, Kushida H, Morota T, et al. The influence of the sennosides on absorption of glycyrrhetic acid in rats. *Biol Pharm Bull* 2005, 28(10):1897-1902
- Moghadamnia AA, Motallebnejad M, Khanian M. The efficacy of the bioadhesive patches containing licorice extract in the management of recurrent aphthous stomatitis. *Phytother Res* 2009, 23(2):246-250
- Molania T, Saeedi M, Ehsani H, Khazaei Z, Moosazadeh M, Rostamkalaei S, et al. Evaluation of Anti-inflammatory Effect of Oral Licorice in Comparison with Chlorhexidine in Population with Gingivitis: A Double Blind Clinical Trial Study. *Gazi Medical Journal* 2019, 30:144-149

- Molhuysen JA, Gerbrandy J, de Vries LA, de Jong JC, Lenstra JB, Turner KP, et al. A liquorice extract with deoxycortone-like action. *Lancet* 1950, 2(6630):381-386
- Momeni A, Rahimian G, Kiasi A, Amiri M, Kheiri S. Effect of licorice versus bismuth on eradication of *Helicobacter pylori* in patients with peptic ulcer disease. *Pharmacognosy Res* 2014, 6(4):341-344
- Morgan RD, Chou SH, Stelfox HT. Posterior reversible encephalopathy syndrome in a patient following binge liquorice ingestion. *J Neurol* 2011, 258(9):1720-1722
- Mori N, Nakanishi S, Shiomi S, Kiyokawa S, Kakimoto S, Nakagawa K, et al. Enhancement of Fat Oxidation by Licorice Flavonoid Oil in Healthy Humans during Light Exercise. *J Nutr Sci Vitaminol (Tokyo)* 2015, 61(5):406-416
- Mostafa DM, Ammar NM, Abd El-Alim SH, El-anssary AA. Transdermal microemulsions of *Glycyrrhiza glabra* L.: characterization, stability and evaluation of antioxidant potential. *Drug Deliv* 2014, 21(2):130-139
- Mostafa HES, Alaa-Eldin EA, El-Shafei DA, Abouhashem NS. Alleviative effect of licorice on copper chloride-induced oxidative stress in the brain: biochemical, histopathological, immunohistochemical, and genotoxic study. *Environ Sci Pollut Res Int* 2017, 24(22):18585-18595
- Motsei ML, Lindsey KL, van Staden J, Jäger AK. Screening of traditionally used South African plants for antifungal activity against *Candida albicans*. *J Ethnopharmacol* 2003, 86(2-3):235-241
- Mu Y, Zhang J, Zhang S, Zhou HH, Toma D, Ren S, et al. Traditional Chinese medicines Wu Wei Zi (*Schisandra chinensis* Baill) and Gan Cao (*Glycyrrhiza uralensis* Fisch) activate pregnane X receptor and increase warfarin clearance in rats. *J Pharmacol Exp Ther* 2006, 316(3):1369-1377
- Mueller M, Hobiger S, Jungbauer A. Anti-inflammatory activity of extracts from fruits, herbs and spices. *Food Chem* 2010, 122:987-996
- Murck H, Lehr L, Hahn J, Braunisch MC, Jezova D, Zavorotnyy M. Adjunct Therapy With Glycyrrhiza Glabra Rapidly Improves Outcome in Depression-A Pilot Study to Support 11-Beta-Hydroxysteroid Dehydrogenase Type 2 Inhibition as a New Target. *Front Psychiatry* 2020, 11:605949
- Murugan S, Velusami CC, Bethapudi B, Illuri R, Mundkinajeddu D. Effect of Flavonoid Rich Root Extract Of *Glycyrrhiza glabra* on Gastric Emptying and Gastrointestinal Transit in Albino Wistar Rats. *SOJ Pharm Pharm Sci* 2017, 4(2):1-4
- Nahidi F, Zareb E, Mojab F, Alavi-majd H. Effects of Licorice on Relief and Recurrence of Menopausal Hot Flashes. *Iran J Pharm Res* 2012, 11(2):541-548
- Najafi S, Koujan SE, Manifar S, Kharazifard MJ, Kidi S, Hajheidary S. Preventive Effect of Glycyrrhiza Glabra Extract on Oral Mucositis in Patients Under Head and Neck Radiotherapy: A Randomized Clinical Trial. *J Dent (Tehran)* 2017, 14(5):267-274
- Namazi N, Alizadeh M, Mirtaheri E, Farajnia S. The Effect of Dried Glycyrrhiza Glabra L. Extract on Obesity Management with Regard to PPAR- γ 2 (Pro12Ala) Gene Polymorphism in Obese Subjects Following an Energy Restricted Diet. *Adv Pharm Bull* 2017, 7(2):221-228
- Nuvvula S, Nunna M, Almaz ME, Mallineni SK. Efficacy of licorice lollipop in reducing dental caries in a paediatric population: a systematic review. *Oral Health Prev Dent* 2020, 18(2):97-102
- O'Connell K, Kinsella J, McMahon C, Holian J, O'Riordan S. Posterior reversible encephalopathy syndrome (PRES) associated with liquorice consumption. *Ir J Med Sci* 2016, 185(4):945-947
- Omar HR, Komarova I, El-Ghonemi M, Fathy A, Rashad R, Abdelmalak HD, et al. Licorice abuse: time to send a warning message. *Ther Adv Endocrinol Metab* 2012 3(4):125-138

- Omar HR. The cardiovascular complications of licorice. *Cardiovas Endocrinol* 2013, 2(3):46-49
- Orlando G, Chiavaroli A, Leone S, Brunetti L, Politi M, Menghini L, et al. Inhibitory Effects Induced by *Vicia faba*, *Uncaria rhynchophylla*, and *Glycyrrhiza glabra* Water Extracts on Oxidative Stress Biomarkers and Dopamine Turnover in HypoE22 Cells and Isolated Rat Striatum Challenged with 6-Hydroxydopamine. *Antioxidants* 2019, 8(12):602
- Öznurhan F, Buldur B, Cartı Ö, Tutar U, Çelik C, Hepokur C. Antimicrobial Efficacy of Chlorhexidine and Licorice Mouthwashes in Children. *Meandros Med Dent J* 2019, 20:13-19
- Öztürk S, Karaman K, Çetin M, Erdem A. Polymorphic ventricular tachycardia (Torsades de pointes) due to licorice root tea. *Turk Kardiyol Dern Ars* 2013, 41(3):241-244
- Pandit S, Ponnusankar S, Bandyopadhyay A, Ota S, Mukherjee PK. Exploring the possible metabolism mediated interaction of *Glycyrrhiza glabra* extract with CYP3A4 and CYP2D6. *Phytother Res* 2011, 25(10):1429-1434
- Panduranga P, Al-Rawahi N. Licorice-induced severe hypokalemia with recurrent torsade de pointes. *Ann Noninvasive Electrocardiol* 2013, 18(6):593-596
- Paolini M, Barillari J, Broccoli M, Pozzetti L, Perocco P, Cantelli-Forti G. Effect of liquorice and glycyrrhizin on rat liver carcinogen metabolizing enzymes. *Cancer Lett* 1999, 145(1-2):35-42
- Paolini M, Pozzetti L, Sapone A, Cantelli-Forti G. Effect of licorice and glycyrrhizin on murine liver CYP-dependent monooxygenases. *Life Sci* 1998, 62(6):571-582
- Park D, Yang YH, Choi EK, Yang G, Bae DK, Lee SH, et al. Licorice extract increases cyclophosphamide teratogenicity by upregulating the expression of cytochrome P-450 2B mRNA. *Birth Defects Res B Dev Reprod Toxicol* 2011, 92(6):553-559
- Park JM, Park SH, Hong KS, Han YM, Jang SH, Kim EH, et al. Special licorice extracts containing lowered glycyrrhizin and enhanced licochalcone A prevented *Helicobacter pylori*-initiated, salt diet-promoted gastric tumorigenesis. *Helicobacter* 2014a, 19(3):221-236
- Park M, Lee JH, Choi JK, Hong YD, Bae IH, Lim KM, et al. 18 β -glycyrrhetic acid attenuates anandamide-induced adiposity and high-fat diet induced obesity. *Mol Nutr Food Res* 2014b, 58(7):1436-1446
- Park SY, Kwon SJ, Lim SS, Kim JK, Lee KW, Park JHY. Licoricidin, an Active Compound in the Hexane/Ethanol Extract of *Glycyrrhiza uralensis*, Inhibits Lung Metastasis of 4T1 Murine Mammary Carcinoma Cells. *Int J Mol Sci* 2016, 17(6):934
- Pastorino G, Cornara L, Soares S, Rodrigues F, Oliveira MBPP. Liquorice (*Glycyrrhiza glabra*): A phytochemical and pharmacological review. *Phytother Res* 2018, 32(12):2323-2339
- PDR® (Physician's Desk Reference) for Herbal Medicines, Medical Economics Company, Inc. at Montvale, NJ 07645-1742 [ISBN 1-56363-361-2] 2000, 470-474
- Penninkilampi R, Eslick EM, Eslick GD. The association between consistent licorice ingestion, hypertension and hypokalaemia: a systematic review and meta-analysis. *J Hum Hypertens* 2017, 31(11):699-707
- Peters MC, Tallman JA, Braun TM, Jacobson JJ. Clinical reduction of S. mutans in pre-school children using a novel liquorice root extract lollipop: a pilot study. *Eur Arch Paediatr Dent* 2010, 11(6): 274-278
- Petersen T, Fraissinet F, Ziegler F, Brunel V. An Unusual Cause of Hypokalemia. *Clinical Chemistry* 2020, 66(12):1575-1576

- Petramfar P, Hajari F, Yousefi G, Azadi S, Hamed A. Efficacy of oral administration of licorice as an adjunct therapy on improving the symptoms of patients with Parkinson's disease, A randomized double blinded clinical trial. *J Ethnopharmacol* 2020, 247:112226
- Piva A, Filippi A, Simioni N. A dangerous mixture. *Ital J Med* 2014, 8(4):262-264
- Ploeger B, Mensinga T, Sips A, Meulenbelt J, DeJongh J. A human physiologically-based model for glycyrrhizic acid, a compound subject to presystemic metabolism and enterohepatic cycling. *Pharm Res* 2000, 17(12):1516-1525
- Ploeger B, Mensinga T, Sips A, Seinen W, Meulenbelt J, DeJongh J. The pharmacokinetics of glycyrrhizic acid evaluated by physiologically based pharmacokinetic modeling. *Drug Metab Rev* 2001, 33(2):125-147
- Puram S, Suh HC, Kim SU, Bethapudi B, Joseph JA, Agarwal A, et al. Effect of GutGard in the Management of *Helicobacter pylori*: A Randomized Double Blind Placebo Controlled Study. *Evid Based Complement Alternat Med* 2013, 2013:263805
- Qiao X, Ye M, Xiang C, Wang Q, Liu CF, Miao WJ, et al. Analytical strategy to reveal the in vivo process of multi-component herbal medicine: A pharmacokinetic study of licorice using liquid chromatography coupled with triple quadrupole mass spectrometry. *J Chromatogr A* 2012, 1258:84-93
- Rachman-Elbaum S, Johnson T. Severe Hypertensive Episode Associated With Excess Licorice Consumption. *Top Clin Nutr* 2014, 29(2):158-164
- Raeesi V, Arbabi-Kalati F, Akbari N, Hamishekar H. Comparison effectiveness of the bioadhesive paste containing licorice 5% with bioadhesive paste without drug in the management of recurrent aphthous stomatitis. *Acta Medica Mediterranea* 2015, 31(7):1331
- Rahnama M, Mehrabani D, Japoni S, Edjtehadi M, Firoozi MS. The healing effect of licorice (*Glycyrrhiza glabra*) on *Helicobacter pylori* infected peptic ulcers. *J Res Med Sci* 2013, 18(6):532-533
- Räikkönen K, Martikainen S, Pesonen AK, Lahti J, Heinonen K, Pyhälä R, et al. Maternal Licorice Consumption During Pregnancy and Pubertal, Cognitive, and Psychiatric Outcomes in Children. *Am J Epidemiol* 2017, 185(5):317-328
- Ravanfar P, Namazi G, Atigh M, Zafarmand S, Hamed A, Salehi A, et al. Efficacy of whole extract of licorice in neurological improvement of patients after acute ischemic stroke. *J Herb Med* 2016, 6(1):12-17
- Raveendra KR, Jayachandra, Srinivasa V, Sushma KR, Allan JJ, Goudar KS, et al. An Extract of *Glycyrrhiza glabra* (GutGard) Alleviates Symptoms of Functional Dyspepsia: A Randomized, Double-Blind, Placebo-Controlled Study. *Evid Based Complement Alternat Med* 2012, 2012:216970
- Rafi MM, Vastano BC, Zhu N, Ho CT, Ghai G, Rosen RT, et al. Novel polyphenol molecule isolated from licorice root (*Glycyrrhiza glabra*) induces apoptosis, G2/M cell cycle arrest, and Bcl-2 phosphorylation in tumor cell lines. *J Agric Food Chem* 2002, 50(4):677-684
- Roemer HC, Kunz L, Botzenhardt S. The influence of excessive consumption of liquorice on phenprocoumon (Marcumar®): a case report. *J Int Med Res* 2021, 49(11):3000605211049649
- Roshan A, Verma NK, Kumar CS, Chandra V, Singh DP, Panday MK. Phytochemical constituent, pharmacological activity and medicinal uses through the millennia of *Glycyrrhiza glabra* Linn: a review. *IRJP* 2012, 3(8):45-55

- Rostamizadeh P, Asl SMKH, Far ZG, Ahmadijoo P, Mahmudiono T, Bokov DO, et al. Effects of licorice root supplementation on liver enzymes, hepatic steatosis, metabolic and oxidative stress parameters in women with nonalcoholic fatty liver disease: A randomized double-blind clinical trial. *Phytother Res* 2022, 36(10):3949-3956
- Ruetzler K, Fleck M, Nabecker S, Pinter K, Landskron G, Lassnigg A, et al. A randomized, double-blind comparison of licorice versus sugar-water gargle for prevention of postoperative sore throat and postextubation coughing. *Anesth Analg* 2013, 117(3):614-621
- Russo S, Mastropasqua M, Mosetti MA, Persegani C, Paggi A. Low doses of liquorice can induce hypertension encephalopathy. *Am J Nephrol* 2000, 20(2):145-148
- Sadeghi M, Namjouyan F, Cheraghian B, Abbaspoor Z. Impact of *Glycyrrhiza glabra* (licorice) vaginal cream on vaginal signs and symptoms of vaginal atrophy in postmenopausal women: A randomized double blind controlled trial. *J Trad Complement Med* 2020, 10(2):110-115
- Sadek EM, Tawfik NR, Hussein AK, Abdelhakeem MA. Efficacy and safety of liquorice extract in asthmatic patients. *J Adv Biomed & Pharm Sci* 2019, 2:54-85
- Saeedi M, Morteza-Semnani K, Ghoreishi MR. The treatment of atopic dermatitis with licorice gel. *J Dermatol Treat* 2003, 14(3):153-157
- Saha S, Nosál'ová G, Ghosh D, Flešková D, Capek P, Ray B. Structural features and *in vivo* antitussive activity of the water extracted polymer from *Glycyrrhiza glabra*. *Int J Biol Macromol* 2011, 48(4):634-638
- Sakr SH, Shalaby SY. Carbendazim-induced testicular damage and oxidative stress in albino rats: ameliorative effect of licorice aqueous extract. *Toxicol Ind Health* 2014, 30(3):259-267
- Salehi M, Saeedi M, Ehsani H, Sharifian A, Moosazadeh M, Rostamkalaei S, et al. Analyzing *Glycyrrhiza Glabra* (Licorice) Extract Efficacy in Recurrent Aphthous Stomatitis Recovery. *J Res Med Dent Sci* 2017, 6(1):68-75
- Sattari A, Shariati A, Maram NS, Ehsanpour A, Maraghi E. Comparative Study of the Effect of Licorice Root Extract Mouthwash and Combined Mouthwash on the Incidence and Severity of Chemotherapy-Induced Mucositis Symptoms in Colon Cancer Patients Admitted to Intensive Care Units. *Jundishapur J Chronic Dis Care* 2019, 8(3):e88641
- Schleimer RP. Potential regulation of inflammation in the lung by local metabolism of hydrocortisone. *Am J Respir Cell Mol Biol* 1991, 4(2):166-173
- SCF, 2003. Opinion of the Scientific Committee on Food on glycyrrhizinic acid and its ammonium salt. European Commission Scientific Committee on Food report SCF/CS/ADD/EDUL/225 Final
- Seki H, Ohyama K, Sawai S, Mizutani M, Ohnishi T, Sudo H et al. Licorice beta-amyrin 11-oxidase, a cytochrome P450 with a key role in the biosynthesis of the triterpene sweetener glycyrrhizin. *Proc Natl Acad Sci U S A*. 2008, 105:14204-9
- Seon MR, Park SY, Kwon SJ, Lim SS, Choi HJ, Park H, et al. Hexane/ethanol extract of *Glycyrrhiza uralensis* and its active compound isoangustone A induce G1 cycle arrest in DU145 human prostate and 4T1 murine mammary cancer cells. *J Nutr Biochem* 2012, 3(1):85-92
- Sharma S, Sogi GM, Saini V, Chakraborty T, Sudan J. Effect of liquorice (root extract) mouth rinse on dental plaque and gingivitis – A randomized controlled clinical trial. *J Indian Soc Periodontol* 2022, 26(1):51-57

- Sheela ML, Ramakrishna MK, Salimath BP. Angiogenic and proliferative effects of the cytokine VEGF in Ehrlich ascites tumor cells is inhibited by *Glycyrrhiza glabra*. *Int Immunopharmacol* 2006, 6(3):494-498
- Shimada Y, Fujimoto M, Nogami T, Watari H. Adverse Events Associated with Ethical Kampo Formulations: Analysis of the Domestic Adverse-Event Data Reports of the Ministry of Health, Labor, and Welfare in Japan. *Evid Based Complement Alternat Med* 2019, 2019:1643804
- Shin S, Jang JY, Choi B, Baek IJ, Yon JM, Hwang BY, et al. Licorice extract does not impair the male reproductive function of rats. *Exp Anim* 2008, 57(1):11-17
- Shitole M, Pawar VT. Study of potential antitussive activity of *Glycyrrhiza glabra* granules using a cough model induced by sulfur dioxide gas in mice. *Asian J Pharm Clin Res* 2019, 12(10):262-267
- Sigurjónsdóttir HA, Franzson L, Manhem K, Ragnarsson J, Sigurdsson G, Wallerstedt S. Liquorice-induced rise in blood pressure: a linear dose-response relationship. *J Hum Hypertens* 2001, 15(8):549-552
- Sigurjónsdóttir HA, Manhem K, Axelson M, Wallerstedt S. Subjects with essential hypertension are more sensitive to the inhibition of 11 β -HSD by liquorice. *J Hum Hypertens* 2003, 17(2):125-131
- Sigurjónsdóttir HA, Axelson M, Johannsson G, Manhem K, Nyström E, Wallerstedt S. Liquorice in moderate doses does not affect sex steroid hormones of biological importance although the effect differs between the genders. *Horm Res* 2006, 65(2):106-110
- Singh D, Gupta R, Saraf SA. Herbs-are they safe enough? An overview. *Crit Rev Food Sci Nutr* 2012, 52(10):876-898
- Smedegaard SB, Svart MV. Licorice induced pseudohyperaldosteronism, severe hypertension, and long QT. *Endocrinol Diabetes Metab Case Rep* 2019, 2019:19-0109
- Smith MA, Pedersen C, Henriksen FL. Liquorice consumption may induce torsades de pointes ventricular tachycardia. *Ugeskr Læger* 2016, 178:V02160122 (article in Danish).
- Söderling E, Karjalainen S, Lille M, Maukonen J, Saarela M, Autio K. The effect of liquorice extract-containing starch gel on the amount and microbial composition of plaque. *Clin Oral Investig* 2006, 10(2):108-113
- Spinks EA, Fenwick GR. The determination of glycyrrhizin in selected UK liquorice products. *Food Addit Contam* 1990, 7(6):769-778
- Størmer FC, Reistad R, Alexander J. Glycyrrhizic acid in liquorice--evaluation of health hazard. *Fd Chem. Toxic* 1993, 31(4):303-312
- Støving RK, Lingqvist LE, Bonde RK, Andries A, Hansen MH, Andersen M, et al. Is glycyrrhizin sensitivity increased in anorexia nervosa and should licorice be avoided? Case report and review of the literature. *Nutrition* 2011, 27(7-8):855-858
- Strandberg TE, Järvenpää AL, Vanhanen H, McKeigue PM. Birth outcome in relation to licorice consumption during pregnancy. *Am J Epidemiol* 2001, 153(11):1085-1088
- Strandberg TE, Andersson S, Järvenpää AL, McKeigue PM. Preterm birth and licorice consumption during pregnancy. *Am J Epidemiol* 2002, 156(9):803-805
- Szweda M, Szarek J, Dublan K, Męcik-Kronenberg T, Kielbowicz Z, Bigoszewski M. Effect of mucoprotective plant-derived therapies on damage to colonic mucosa caused by carprofen and robenacoxib administered to healthy dogs for 21 days. *Vet Q* 2014, 34(4):185-193

- Taconi P, Paribello A, Cannas A, Marrosu MG. Carpal tunnel syndrome triggered by excessive licorice consumption. *J Peripher Nerv Syst* 2009, 14(1):64-65
- Takahashi K, Yoshino T, Maki Y, Ishiuchi K, Namiki T, Ogawa-Ochiai K, et al. Identification of glycyrrhizin metabolites in humans and of a potential biomarker of liquorice-induced pseudoaldosteronism: a multi-centre cross-sectional study. *Arch Toxicol* 2019, 93(11):3111-3119
- Takeuchi T, Nishii O, Okamura T, Yaginuma T. Effect of traditional herbal medicine, shakuyaku-kanzo-to on total and free serum testosterone levels. *Am J Chin Med* 1989, 17(1-2):35-44
- Takhshid MA, Mehrabani D, Ai J, Zarepoor M. The healing effect of licorice extract in acetic acid-induced ulcerative colitis in rat model. *Comp Clin Pathol* 2012, 21:1139-1144
- Tan CS, Ch'ng YS, Loh YC, Asmawi MZ, Ahmad M, Yam MF. Vasorelaxation effect of *Glycyrrhiza uralensis* through the endothelium-dependent Pathway. *J Ethnopharmacol* 2017, 199:149-160
- Tan QY, Hu Q, Zhu SN, Jia LL, Xiao J, Su HZ, et al. Licorice root extract and magnesium isoglycyrrhizinate protect against triptolide-induced hepatotoxicity via up-regulation of the Nrf2 pathway. *Drug Deliv* 2018, 25(1):1213-1223
- Tanaka A, Horiuchi M, Umano K, Shibamoto T. Antioxidant and anti-inflammatory activities of water distillate and its dichloromethane extract from licorice root (*Glycyrrhiza uralensis*) and chemical composition of dichloromethane extract. *J Sci Food Agric* 2008, 88:1158-1165
- Tang J, Song X, Zhu M, Zhang J. Study on the pharmacokinetics drug-drug interaction potential of *Glycyrrhiza uralensis*, a traditional Chinese medicine, with lidocaine in rats. *Phytother Res* 2009, 23(5): 603-607
- Tassinari D, Bergamaschi R, Corsini I, Landini S, Romanin B, Ballarini E, et al. Posterior Reversible Encephalopathy Syndrome Associated With Licorice Consumption: A Case Report in a 10-Year-Old Boy. *Pediatr Neurol* 2015, 52(4):457-459
- Taylor B, Chambers DJ, Patel N, Morrison PJ. Hypokalaemia: the dangers of a sweet tooth. *JICS* 2012, 13(4):342-345
- Teelucksingh S, Mackie AD, Burt D, McIntyre MA, Brett L, Edwards CR. Potentiation of hydrocortisone activity in skin by glycyrrhetic acid. *Lancet* 1990, 335(8697):1060-1063
- Thiyagarajan P, Chandrasekaran CV, Deepak HB, Agarwal A. Modulation of lipopolysaccharide-induced pro-inflammatory mediators by an extract of *Glycyrrhiza glabra* and its phytoconstituents. *Inflammopharmacology*, 2011; 19(4): 235-41. *Obes Res Clin Pract* 2009, 3(3):I-IV
- Tominaga Y, Nakagawa K, Mae T, Kitano M, Yokota S, Arai T, et al. Licorice flavonoid oil reduces total body fat and visceral fat in overweight subjects: A randomized, double-blind, placebo-controlled study. *Obes Res Clin Pract* 2009, 3(3):I-IV
- Tsuji S, Yasuda K, Sumi G, Cho H, Tsuzuki T, Okada H, et al. Shakuyaku-kanzo-to inhibits smooth muscle contractions of human pregnant uterine tissue *in vitro*. *J Obstet Gynaecol Res* 2012, 38(7): 1004-1010
- Tu JH, He YJ, Chen Y, Fan L, Zhang W, Tan ZR, et al. Effect of glycyrrhizin on the activity of CYP3A enzyme in humans. *Eur J Clin Pharmacol* 2010a, 66:805-810
- Tu JH, Hu DL, Dai LL, Sun Y, Fan L, Zhang M, et al. Effect of glycyrrhizin on CYP2C19 and CYP3A4 activity in healthy volunteers with different CYP2C19 genotypes. *Xenobiotica* 2010b, 40(6):393-399

- Tung NH, Shoyama Y, Wada M, Tanaka H. Two activators of *in vitro* fertilization in mice from licorice. *Biochem Biophys Res Commun* 2015, 467(2):447-450
- Upadhyay S, Mantha AK, Dhiman M. *Glycyrrhiza glabra* (Licorice) root extract attenuates doxorubicin-induced cardiotoxicity via alleviating oxidative stress and stabilising the cardiac health in H9c2 cardiomyocytes. *J Ethnopharmacol* 2020, 258:112690
- Van Beers EJ, Stam J, van den Bergh MW. Licorice consumption as a cause of posterior reversible encephalopathy syndrome: a case report. *Crit Care* 2011, 15(1):R64
- Van de Sand L, Bormann M, Alt M, Schipper L, Heilingloh CS, Steinmann E, et al. Glycyrrhizin Effectively Inhibits SARS-CoV-2 Replication by Inhibiting the Viral Main Protease. *Viruses* 2021, 13(4):609
- Van der Zwan A. Hypertension encephalopathy after liquorice ingestion. *Clin Neurol Neurosurg* 1993, 95(1):35-37
- Van Gelderen CEM, Bijlsma JA, van Dokkum W, Savelkoul TJF. Glycyrrhizic acid: the assessment of a no effect level. *Hum Exp Toxicol* 2000, 19(8):434-439
- Van Rossum TG, Vulto AG, Hop WC, Schalm SW. Pharmacokinetics of intravenous glycyrrhizin after single and multiple doses in patients with chronic hepatitis C infection. *Clin Ther* 1999, 21(12):2080-2090
- Visavadiya NP, Narasimhacharya AVR. Hypocholesterolaemic and antioxidant effects of *Glycyrrhiza glabra* (Linn) in rats. *Mol Nutr Food Res* 2006, 50(11):1080-1086
- Viswanathan V, Mehta H, Pharande R, Bannaliker A, Gupta P, Gupta U, et al. Mannosylated gelatin nanoparticles of licorice for use in tuberculosis: Formulation, in vitro evaluation, in vitro cell uptake, in vivo pharmacokinetics and in vivo anti-tubercular efficacy. *J Drug Deliv Sci Technol* 2018, 45:255-263
- Volqvartz T, Vestergaard AL, Aagaard SK, Andreasen MF, Lesnikova I, Uldbjerg N, Larsen A, Bor P. Use of alternative medicine, ginger and licorice among Danish pregnant women - a prospective cohort study. *BMC Complement Altern Med* 2019, 19(1):5
- Wang C, Jin Y, Jin Y. Promoting effect of licorice extract on spermatogonial proliferation and spermatocytes differentiation of neonatal mice *in vitro*. *In Vitro Cell Dev Biol Anim* 2016, 52(2):149-155
- Wang H, Shi S, Wang S. Can highly cited herbs in ancient Traditional Chinese medicine formulas and modern publications predict therapeutic targets for diabetes mellitus? *J Ethnopharmacol* 2018, 213:101-110
- Wang YG, Zhou JM, Ma ZC, Li H, Liang QD, Tan HL, et al. Pregnane X receptor mediated-transcription regulation of CYP3A by glycyrrhizin: a possible mechanism for its hepatoprotective property against lithocholic acid-induced injury. *Chem Biol Interact* 2012, 200(1):11-20
- Wang Z, Ma J, Yao S, He Y, Miu KK, Xia Q, et al. Liquorice Extract and 18 β -Glycyrrhetic Acid Protect Against Experimental Pyrrolizidine Alkaloid-Induced Hepatotoxicity in Rats Through Inhibiting Cytochrome P450-Mediated Metabolic Activation. *Front Pharmacol* 2022, 13:850859
- Werner S, Brismar K, Olsson S. Hyperprolactinaemia and liquorice. *Lancet* 1979, 1(8111):319
- WHO monographs on medicinal plants commonly used in the Newly Independent States (NIS), *Radix Glycyrrhizae* 2010, 161-173

- Williamson EM. Liquorice. In: Daniels CW editor. Potter's Cyclopedia of Herbal Medicines. Saffron Walden, UK, 2003, 269-271
- Wittschier N, Faller G, Hensel A. Aqueous extracts and polysaccharides from Liquorice roots (*Glycyrrhiza glabra* L.) inhibit adhesion of *Helicobacter pylori* to human gastric mucosa. *J Ethnopharmacol* 2009, 125(2):218-223
- Wu YT, Shen C, Yin J, Yu J, Meng Q. Azathioprine hepatotoxicity and the protective effect of liquorice and glycyrrhizic acid. *Phytother Res* 2006, 20(8):640-645
- Yamada S, Tokumoto M, Kansui Y, Wakisaka Y, Uchizono Y, Tsuruya K, et al. Severe metabolic alkalosis, hypokalemia, and respiratory acidosis induced by the Chinese herbal medicine yokukansan in an elderly patient with muscle weakness and drowsiness. *CEN Case Rep* 2013, 2(1):23-27
- Yang EJ, Song IS, Song KS. Ethanol extract of *Glycyrrhizae Radix* modulates the responses of antigenspecific splenocytes in experimental autoimmune encephalomyelitis. *Phytotherapy* 2019, 54:56-65
- Yeh CF, Wang KC, Chiang LC, Shieh DE, Yen MH, Chang JS. Water extract of licorice had anti-viral activity against human respiratory syncytial virus in human respiratory tract cell lines. *J Ethnopharmacol* 2013, 148(2):466-473
- Yoshida C Yamamoto H, Inoue T, Itoh M, Shimane A, Kawai H, et al. Torsade de pointes in an older patient with Takotsubo cardiomyopathy caused by licorice-induced pseudoaldosteronism: A case report. *Clin Case Rep* 2022, 10(7):e6104
- Yoshino T, Shimada S, Homma M, Makino T, Mimura M, Watanabe K. Clinical Risk Factors of Licorice-Induced Pseudoaldosteronism Based on Glycyrrhizin-Metabolite Concentrations: A Narrative Review. *Front Nutr* 2021, 8:719197
- Yoshioka Y, Yamashita Y, Kishida H, Nagakawa K, Ashida H. Licorice flavonoid oil enhances muscle mass in KK-A^y mice. *Life Sci* 2018, 205:91-96
- Yu IC, Tsaia YF, Fang JT, Yehf MM, Fangg JY, Liui CY. Effects of mouthwash interventions on xerostomia and unstimulated whole saliva flow rate among hemodialysis patients: A randomized controlled study. *Int J Nurs Stud* 2016, 63:9-17
- Yue GGL, Chan BCL, Kwok HF, To MH, Hon KL, Fung KP, et al. Screening for Anti-inflammatory and bronchorelaxant activities of 12 commonly used Chinese herbal medicines. *Phytother Res* 2012, 26(6):915-925
- Yue SJ, Qin YF, Kang A, Tao HJ, Zhou GS, Chen YY, et al. Total Flavonoids of *Glycyrrhiza uralensis* Alleviates Irinotecan-Induced Colitis via Modification of Gut Microbiota and Fecal Metabolism. *Front Immunol* 2021, 12:628358
- Zabihi M, Hatefi B, Ardakani ME, Ranjbar AM, Mohammadi F. Impact of licorice root on the burn healing process: A double-blinded randomized controlled clinical trial. *Complement Ther Med* 2023, 73:102941
- Zani F, Cuzzoni MT, Daglia M, Benvenuti S, Vampa G, Mazza P. Inhibition of mutagenicity in *Salmonella typhimurium* by *Glycyrrhiza glabra* extract, glycyrrhizinic acid, 18a- and 18b-glycyrrhetinic acid. *Planta Medica* 1993, 59(6):502-507
- Zhang Q, Ye M, Chemical analysis of the Chinese herbal medicine Gan-Cao (licorice). *J Chromatogr A* 2009, 1216:1954-1969

Zhang Y, Xu Y, Zhang L, Chen Y, Wu T, Liu R, et al. Licorice extract ameliorates hyperglycemia through reshaping gut microbiota structure and inhibiting TLR4/NF- κ B signaling pathway in type 2 diabetic mice. *Food Res Int* 2022, 153:110945

Zheng Y, Wang H, Yang M, Peng G, Dong TTX, Xu ML, et al. Prenylated Flavonoids from Roots of *Glycyrrhiza uralensis* Induce Differentiation of B16-F10 Melanoma Cells. *Int J Mol Sci* 2018, 19(8):2422

Zwickey H, Brush J, Iacullo CM, Connelly E, Gregory WL, Soumyanath A, et al. The effect of *Echinacea purpurea*, *Astragalus membranaceus* and *Glycyrrhiza glabra* on CD25 expression in humans: a pilot study. *Phytother Res* 2007, 21(11):1109-1112